


HOSPITAL PERFORMANCE REPORT

31 Common Medical Procedures and Treatments

Federal Fiscal Year 2007 • October 1, 2006 - September 30, 2007





**Counties included
in this Report**

- Allegheny
- Armstrong
- Beaver
- Bedford
- Blair
- Butler
- Cambria
- Cameron
- Clarion
- Clearfield
- Crawford
- Elk
- Erie
- Fayette
- Forest
- Greene
- Indiana
- Jefferson
- Lawrence
- McKean
- Mercer
- Potter
- Somerset
- Venango
- Warren
- Washington
- Westmoreland

Table of Contents

Key Findings 1

Understanding this Report 2

Descriptions 6

Diagnoses

- Abnormal Heartbeat..... 8
- Blood Clot in Extremities..... 10
- Blood Clot in Lung..... 12
- Chronic Obstructive Pulmonary Disease (COPD)..... 14
- Congestive Heart Failure (CHF) 16
- Diabetes with Amputation..... 18
- Diabetes – Medical Management 20
- Heart Attack – Medical Management 22
- Intestinal Obstruction..... 24
- Kidney Failure – Acute 26
- Kidney and Urinary Tract Infections 28
- Pneumonia – Aspiration 30
- Pneumonia – Infectious..... 32
- Respiratory Failure with Mechanical Ventilation..... 34
- Respiratory Failure without Mechanical Ventilation..... 36
- Septicemia..... 38
- Stomach and Intestinal Bleeding 40
- Stroke – Hemorrhagic 42
- Stroke – Non-Hemorrhagic 44

Procedures

- Abdominal Aortic Aneurysm Repair – Endovascular 46
- Abdominal Aortic Aneurysm Repair – Open 48
- Colorectal Procedures 50
- Gallbladder Removal – Laparoscopic 52
- Gallbladder Removal – Open..... 54
- Heart Attack – Angioplasty/Stent..... 56
- Hip Fracture – Surgical Repair 58
- Hysterectomy – Abdominal 60
- Hysterectomy – Vaginal 62
- Prostatectomy – Radical 64
- Prostatectomy – Transurethral 66
- Removal of Blockage of Neck Vessels 68

Key Findings

- The overall mortality rate for conditions reported in 2004 through 2007 decreased significantly, from 4.6% in 2004 to 4.2% in 2007.
- Patient mortality rates decreased significantly in 17 of the 25 treatment categories between 2004 and 2007 (in conditions where four years of mortality data were reported). The largest decline was in Respiratory Failure without Mechanical Ventilation, where the mortality rate decreased from 17.0% in 2004 to 11.7% in 2007.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest mortality rate, at 29.3%, and Hysterectomy - Abdominal had the lowest rate at 0.1%.
- There was wide variation in length of stay among hospitals. The condition with the most variation was Diabetes with Amputation, where hospitals' average length of stay ranged from 4.2 to 17.2 days after taking patient risk factors into account.
- The average length of stay decreased significantly for 18 of the 29 conditions between 2004 and 2007. The largest decline was in Respiratory Failure with Mechanical Ventilation, where the average length of stay decreased from 10.5 in 2004 to 9.7 in 2007.
- The overall readmission rate for conditions reported for 2005 through 2007 changed only slightly, from 18.6% in 2005 to 18.7% in 2007. The largest increase was in Respiratory Failure without Mechanical Ventilation, where the readmission rate increased from 25.3% in 2005 to 27.3% in 2007.
- There were 57,360 readmissions for any reason in 2007 (for the categories covered in the report). These readmissions amounted to approximately \$2.4 billion in charges and 351,000 hospital days.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest readmission rate, at 27.5%, and Hysterectomy - Vaginal had the lowest rate at 3.3%.
- There were 15,122 readmissions for complication or infection in 2007 (for the categories covered in the report). These readmissions amounted to approximately \$774 million in charges and 112,000 hospital days.
- The condition with the highest readmission rate for complication or infection was Respiratory Failure without Mechanical Ventilation (13.9%). The condition with the lowest rate was Hysterectomy - Vaginal (2.0%).



Understanding this Report

Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policymakers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

What is the purpose of the report?

Before we make a major purchase, we usually gather as much information as we can about the available product or service. By comparing what we learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill the information vacuum and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify

the clinical reason(s) for a patient's hospitalization. Of the 31 code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 6 and 7.

- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2007, which includes data from October 1, 2006 through September 30, 2007.
- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at www.phc4.org.

Where does the data come from?

The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals submit data indicating, in simple terms, "how sick the patient was" or, in technical jargon, a "severity score." The data is then risk-adjusted.

Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to "risk-adjust" the mortality, length of stay and readmission data, meaning that hospitals receive "extra credit" for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients

may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient's chance of mortality and expected length of stay. Atlas Outcomes™ is a clinical information system developed by MediQual Systems, Inc.®, a business of Cardinal Health. This system is based on electronically available admit/discharge/transfer and laboratory data, as well as selected clinical data abstracted from the patient record, including EKG readings, vital signs, medical history, imaging, pathology and operative results. PHC4 also independently adjusts for other risk factors, such as poverty rate or the presence of cancer in the patient population included in this report.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the Technical Notes on PHC4's Web site at www.phc4.org.

What is measured in the report and why is it important?


PHC4's mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment.

The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.

Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays



may result from factors, such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the Technical Notes on the PHC4 Web site, www.phc4.org, for a detailed description).

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.

Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.


Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average state-wide, \$.27 in NPR for every dollar that they charged in Fiscal Year 2007 (for most hospitals 7/1/2006 through 6/30/2007).

Within the geographic area covered in this report, hospitals received, on average, \$.31 in NPR for every dollar charged. Broken down even further, hospitals within Southwestern Pennsylvania received, on average, \$.29 in NPR for every dollar charged, Northwestern Pennsylvania hospitals received an average of \$.32 on the dollar, and hospitals in the Southern Allegheny regions (Somerset, Johnstown, Altoona areas) received an average of \$.41 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures.



This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

How to use the report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently

an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Hospitals not included

Hospitals are asked to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing UB data or patient severity scores in excess of or equal to 10% of all records in the list of 35 diseases, procedures, and medical conditions that need to be abstracted are excluded from this report. These hospitals are listed below. Although hospitalization data specific to these hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

Hospital not included

- Brookville



Code-Based Diagnosis Descriptions

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management: A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure – Acute: A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally removed from the body through urine. Because

these waste products are toxic, acute kidney failure can be life-threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding: Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.

Code-Based Procedure Descriptions

Abdominal Aortic Aneurysm Repair – Endovascular (EVAR): An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or 'endograft' is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X-rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

Abdominal Aortic Aneurysm Repair – Open: An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This 'open' procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic: Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through 3 or 4 small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent: Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a

stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent renarrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

Hip Fracture – Surgical Repair: Fracture ("broken bone") of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

Hysterectomy – Vaginal: Includes hysterectomy through a vaginal approach and those laparoscopically (use of microscopic camera) assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.

Removal of Blockage of Neck Vessels: This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Information about additional treatment and surgical categories is posted on the Web site at www.phc4.org

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	128	⊙	3.4	5.5	⊙	3.1	⊙	⊙	⊙	\$11,284
Aliquippa Community	22	⊙	4.7	4.5	⊙	9.1	⊙	⊙	⊙	\$15,898
Allegheny General	529	⊙	3.4	5.5	⊙	5.5	⊙	⊙	⊙	\$21,010
Alle-Kiski	251	⊙	3.3	4.4	⊙	2.8	⊙	⊙	⊙	\$16,902
Altoona Regional	425	⊙	3.1	4.0	⊙	3.3	⊙	⊙	⊙	\$15,390
Bradford Regional	85	⊙	3.1	2.4	⊙	3.6	⊙	⊙	⊙	\$11,915
Butler Memorial	390	⊙	3.0	2.6	⊙	1.0	⊙	⊙	⊙	\$14,308
Canonsburg General	121	⊙	3.5	8.3	⊙	5.0	⊙	⊙	⊙	\$21,109
Charles Cole Memorial	22	⊙	3.0	4.8	⊙	0.0	⊙	⊙	⊙	\$11,324
Clarion	101	⊙	2.5	10.9	●	1.0	⊙	⊙	⊙	\$8,964
Clearfield	147	⊙	3.5	4.1	⊙	5.5	⊙	⊙	⊙	\$12,581
Conemaugh Valley Memorial	524	⊙	3.7	3.4	⊙	5.2	⊙	⊙	⊙	\$15,369
Corry Memorial	25	⊙	2.7	12.0	⊙	0.0	⊙	⊙	⊙	\$9,657
DuBois Regional	200	⊙	2.4	13.1	●	1.0	⊙	⊙	⊙	\$12,357
Elk Regional	81	⊙	2.5	14.8	●	0.0	⊙	⊙	●	\$13,227
Ellwood City	57	⊙	3.4	3.5	⊙	3.5	⊙	⊙	⊙	\$8,656
Frick	105	⊙	3.6	5.8	⊙	2.9	⊙	⊙	⊙	\$14,020
Grove City	64	⊙	3.2	3.1	⊙	3.1	⊙	⊙	⊙	\$12,670
Hamot	490	⊙	3.1	6.4	⊙	1.6	⊙	⊙	⊙	\$23,181
Highlands	45	⊙	3.0	15.6	●	4.4	⊙	⊙	⊙	\$12,948
Indiana Regional	184	⊙	3.0	6.6	⊙	2.8	⊙	⊙	⊙	\$14,595
Jameson Memorial	261	⊙	2.8	6.9	⊙	3.5	⊙	⊙	⊙	\$11,597
Jefferson Regional	529	⊙	3.3	5.3	⊙	2.8	⊙	⊙	⊙	\$13,182
Kane Community	21	⊙	3.6	0.0	⊙	0.0	⊙	⊙	⊙	\$14,904
Latrobe Area	236	⊙	3.1	3.4	⊙	3.0	⊙	⊙	⊙	\$14,746
Magee-Womens	7	⊙	5.1	0.0	⊙	28.6	●	⊙	⊙	\$30,355
Meadville	138	⊙	3.2	3.6	⊙	5.1	⊙	⊙	⊙	\$11,709
Medical Center Beaver	419	⊙	3.6	3.9	⊙	5.8	⊙	⊙	⊙	\$11,301
Mercy Jeannette	157	⊙	3.9	5.8	⊙	5.8	⊙	⊙	⊙	\$14,979
Mercy Pittsburgh	303	⊙	3.6	4.3	⊙	5.4	⊙	⊙	⊙	\$20,235
Meyersdale Community	10	⊙	2.4	0.0	⊙	0.0	⊙	⊙	⊙	\$9,274
Millcreek Community	43	⊙	3.6	2.3	⊙	2.3	⊙	⊙	⊙	\$15,669

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
Miners	16	⊙	2.7	6.3	⊙	0.0	⊙	⊙	⊙	\$12,879
Monongahela Valley	185	⊙	4.0	2.7	⊙	7.1	⊙	●	⊙	\$17,395
Nason	55	⊙	3.5	0.0	⊙	3.7	⊙	⊙	⊙	\$9,918
Ohio Valley General	154	⊙	3.3	2.6	⊙	1.3	○	○	⊙	\$16,292
Punxsutawney Area	51	⊙	2.8	11.8	●	2.0	⊙	●	⊙	\$8,245
Saint Vincent Health	364	⊙	3.2	6.1	⊙	2.5	○	⊙	⊙	\$28,514
Sewickley Valley	221	⊙	3.1	4.1	⊙	3.7	⊙	⊙	⊙	\$11,390
Sharon Regional	237	⊙	3.2	8.1	●	4.2	⊙	⊙	⊙	\$14,056
Somerset	85	⊙	3.5	2.4	⊙	3.5	⊙	⊙	⊙	\$12,291
Southwest Regional MC	47	⊙	2.2	8.5	⊙	0.0	⊙	⊙	⊙	\$13,015
St Clair Memorial	477	⊙	3.5	5.1	⊙	5.9	⊙	⊙	⊙	\$15,574
Titusville Area	21	⊙	2.8	4.8	⊙	0.0	⊙	⊙	⊙	\$9,504
Tyrone	37	⊙	2.6	5.4	⊙	0.0	⊙	●	⊙	\$10,192
Uniontown	235	⊙	3.4	4.3	⊙	5.1	⊙	●	⊙	\$10,260
UPMC Bedford	65	⊙	2.3	10.8	⊙	0.0	⊙	⊙	⊙	\$9,487
UPMC Braddock	101	⊙	4.1	1.0	⊙	6.9	⊙	⊙	⊙	\$21,588
UPMC Horizon	192	⊙	3.3	5.7	⊙	3.1	⊙	⊙	⊙	\$11,397
UPMC McKeesport	171	⊙	3.6	4.1	⊙	5.3	⊙	⊙	⊙	\$18,849
UPMC Northwest	195	⊙	3.2	7.2	⊙	5.2	⊙	⊙	⊙	\$10,909
UPMC Passavant	506	⊙	3.4	3.4	⊙	3.4	⊙	⊙	⊙	\$20,832
UPMC Presby Shadyside	1,179	⊙	3.8	3.4	○	6.7	●	⊙	⊙	\$29,136
UPMC South Side	111	⊙	4.1	6.3	⊙	9.0	⊙	⊙	●	\$21,322
UPMC St Margaret	368	⊙	3.0	5.8	⊙	1.9	○	⊙	⊙	\$20,169
Warren General	75	⊙	3.6	5.4	⊙	5.4	⊙	⊙	⊙	\$15,242
Washington	416	●	3.7	2.5	○	4.9	⊙	⊙	●	\$16,981
Western PA Hosp/Forbes	308	⊙	3.4	3.6	⊙	2.6	○	●	⊙	\$17,566
Western Pennsylvania	457	⊙	3.2	3.7	⊙	3.9	⊙	⊙	⊙	\$18,510
Westmoreland Regional	457	⊙	3.7	3.1	⊙	5.7	⊙	⊙	⊙	\$13,710
Windber	38	⊙	2.5	10.5	⊙	0.0	⊙	⊙	⊙	\$11,574
Western Pennsylvania	12,984		3.4	4.8		4.1				\$17,795
TOTAL: Statewide	39,330		3.3	5.0		5.0				\$27,634

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

●	Significantly higher than expected.
⊙	Not significantly different than expected.
○	Significantly lower than expected.
NR	Not reported. Had fewer than five cases evaluated.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
ACMH	31	⊙	4.0	9.7	⊙	3.2	⊙	\$5,799
Aliquippa Community	8	⊙	6.3	0.0	⊙	12.5	⊙	\$7,362
Allegheny General	67	⊙	4.1	9.0	⊙	4.5	⊙	\$12,844
Alle-Kiski	78	⊙	4.5	1.3	⊙	9.0	⊙	\$10,913
Altoona Regional	70	⊙	4.4	5.8	⊙	1.4	⊙	\$8,342
Bradford Regional	14	⊙	5.1	0.0	⊙	0.0	⊙	\$6,616
Butler Memorial	95	⊙	4.7	3.2	⊙	4.3	⊙	\$9,038
Canonsburg General	27	⊙	4.7	7.4	⊙	0.0	⊙	\$11,264
Charles Cole Memorial	14	⊙	2.8	14.3	⊙	0.0	⊙	\$5,037
Clarion	41	⊙	4.0	7.3	⊙	4.9	⊙	\$5,667
Clearfield	29	⊙	3.9	3.6	⊙	0.0	⊙	\$7,614
Conemaugh Valley Memorial	112	⊙	4.3	5.5	⊙	8.2	⊙	\$8,436
Corry Memorial	16	⊙	4.5	0.0	⊙	0.0	⊙	\$8,827
DuBois Regional	25	⊙	3.5	4.0	⊙	0.0	⊙	\$7,958
Elk Regional	18	⊙	4.4	0.0	⊙	5.6	⊙	\$6,471
Ellwood City	16	⊙	5.5	0.0	⊙	6.7	⊙	\$6,419
Frick	24	⊙	4.6	4.2	⊙	4.2	⊙	\$7,904
Grove City	24	⊙	4.1	4.2	⊙	0.0	⊙	\$7,688
Hamot	62	⊙	5.0	3.2	⊙	3.2	⊙	\$16,620
Highlands	12	⊙	5.0	0.0	⊙	8.3	⊙	\$7,916
Indiana Regional	40	⊙	4.8	2.6	⊙	0.0	⊙	\$8,716
Jameson Memorial	71	⊙	4.6	4.2	⊙	5.6	⊙	\$8,097
Jefferson Regional	108	⊙	4.7	1.9	⊙	6.5	⊙	\$6,869
Kane Community	19	⊙	4.5	0.0	⊙	0.0	⊙	\$10,542
Latrobe Area	28	⊙	3.2	14.3	●	0.0	⊙	\$6,820
Magee-Womens	22	⊙	3.8	9.1	⊙	0.0	⊙	\$13,748
Meadville	80	⊙	5.2	1.3	⊙	8.8	⊙	\$8,318
Medical Center Beaver	74	⊙	5.3	0.0	⊙	5.4	⊙	\$9,046
Mercy Jeannette	43	⊙	4.9	0.0	⊙	4.7	⊙	\$7,613
Mercy Pittsburgh	57	⊙	3.8	7.0	⊙	3.5	⊙	\$12,559
Meyersdale Community	2	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	19	⊙	3.9	0.0	⊙	0.0	⊙	\$7,798

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Miners	5	⊙	4.0	20.0	⊙	0.0	⊙	NR
Monongahela Valley	76	⊙	5.0	0.0	⊙	3.9	⊙	\$9,324
Nason	10	●	3.9	0.0	⊙	0.0	⊙	\$5,600
Ohio Valley General	29	⊙	4.4	3.4	⊙	3.4	⊙	\$10,428
Punxsutawney Area	18	⊙	4.8	0.0	⊙	0.0	⊙	\$6,805
Saint Vincent Health	55	⊙	4.5	9.1	⊙	9.1	⊙	\$18,995
Sewickley Valley	30	⊙	3.7	13.3	⊙	3.3	⊙	\$10,006
Sharon Regional	53	⊙	3.8	3.8	⊙	0.0	⊙	\$7,084
Somerset	22	⊙	4.1	4.5	⊙	4.5	⊙	\$7,673
Southwest Regional MC	16	⊙	3.7	12.5	⊙	0.0	⊙	\$7,695
St Clair Memorial	67	⊙	4.5	1.5	⊙	1.5	⊙	\$10,538
Titusville Area	15	⊙	4.1	6.7	⊙	6.7	⊙	\$6,855
Tyrone	10	⊙	5.0	0.0	⊙	10.0	⊙	\$8,391
Uniontown	57	⊙	4.4	1.8	⊙	3.6	⊙	\$6,203
UPMC Bedford	19	⊙	3.5	0.0	⊙	5.6	⊙	\$5,834
UPMC Braddock	22	⊙	5.0	0.0	⊙	9.1	⊙	\$12,754
UPMC Horizon	52	⊙	4.6	3.8	⊙	3.8	⊙	\$8,121
UPMC McKeesport	45	⊙	4.7	2.2	⊙	2.2	⊙	\$13,109
UPMC Northwest	38	⊙	3.9	5.3	⊙	0.0	⊙	\$6,778
UPMC Passavant	76	⊙	4.5	3.9	⊙	5.3	⊙	\$13,694
UPMC Presby Shadyside	153	⊙	4.0	5.3	⊙	5.3	⊙	\$21,721
UPMC South Side	32	⊙	5.6	0.0	⊙	12.5	⊙	\$14,793
UPMC St Margaret	79	⊙	4.8	5.1	⊙	7.7	⊙	\$14,768
Warren General	40	⊙	5.2	2.6	⊙	5.3	⊙	\$9,835
Washington	60	⊙	3.9	6.8	⊙	3.4	⊙	\$9,737
Western PA Hosp/Forbes	77	⊙	4.3	4.1	⊙	1.4	⊙	\$9,622
Western Pennsylvania	58	⊙	3.9	10.3	⊙	5.2	⊙	\$13,448
Westmoreland Regional	56	⊙	4.6	5.6	⊙	7.4	⊙	\$9,764
Windber	13	⊙	4.2	7.7	⊙	7.7	⊙	\$6,111
Western Pennsylvania	2,639		4.4	4.2		4.5		\$10,284
TOTAL: Statewide	7,324		4.3	5.0		5.0		\$16,725

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
ACMH	21	⊙	5.4	0.0	⊙	0.0	⊙	\$8,658
Aliquippa Community	7	⊙	8.6	0.0	⊙	42.9	●	\$19,981
Allegheny General	78	⊙	5.1	3.9	⊙	5.3	⊙	\$23,912
Alle-Kiski	50	⊙	5.2	6.0	⊙	2.0	⊙	\$15,829
Altoona Regional	85	⊙	4.9	11.8	●	4.7	⊙	\$15,356
Bradford Regional	12	⊙	5.5	0.0	⊙	0.0	⊙	\$16,582
Butler Memorial	40	⊙	6.3	2.6	⊙	5.1	⊙	\$16,080
Canonsburg General	15	⊙	5.5	0.0	⊙	6.7	⊙	\$16,090
Charles Cole Memorial	17	⊙	4.7	6.3	⊙	0.0	⊙	\$12,062
Clarion	21	⊙	4.9	5.3	⊙	0.0	⊙	\$10,467
Clearfield	15	⊙	4.8	0.0	⊙	0.0	⊙	\$11,933
Conemaugh Valley Memorial	108	⊙	5.9	4.7	⊙	7.5	⊙	\$14,943
Corry Memorial	3	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	14	⊙	4.5	21.4	●	0.0	⊙	\$16,492
Elk Regional	21	⊙	5.2	5.0	⊙	5.0	⊙	\$12,832
Ellwood City	10	⊙	5.2	0.0	⊙	0.0	⊙	\$7,562
Frick	19	⊙	4.8	10.5	⊙	0.0	⊙	\$13,763
Grove City	17	⊙	4.4	0.0	⊙	0.0	⊙	\$13,006
Hamot	113	⊙	6.2	3.5	⊙	6.2	⊙	\$37,408
Highlands	5	⊙	NR	NR	NR	NR	NR	\$5,993
Indiana Regional	37	⊙	4.8	8.1	⊙	2.7	⊙	\$12,121
Jameson Memorial	56	⊙	6.4	0.0	⊙	3.6	⊙	\$14,138
Jefferson Regional	90	⊙	5.7	2.2	⊙	4.5	⊙	\$11,909
Kane Community	14	⊙	5.6	0.0	⊙	0.0	⊙	\$17,155
Latrobe Area	49	⊙	4.9	2.0	⊙	0.0	⊙	\$13,857
Magee-Womens	39	⊙	5.3	7.9	⊙	10.5	⊙	\$21,634
Meadville	27	⊙	6.4	0.0	⊙	7.4	⊙	\$16,525
Medical Center Beaver	72	⊙	5.9	1.4	⊙	4.2	⊙	\$14,205
Mercy Jeannette	20	⊙	6.1	0.0	⊙	5.3	⊙	\$14,661
Mercy Pittsburgh	56	⊙	4.9	5.5	⊙	3.6	⊙	\$20,785
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	5	⊙	4.3	0.0	⊙	0.0	⊙	\$13,803

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Miners	10	⊙	5.3	0.0	⊙	0.0	⊙	\$14,882
Monongahela Valley	24	⊙	6.4	0.0	⊙	8.7	⊙	\$17,931
Nason	15	⊙	4.3	7.7	⊙	0.0	⊙	\$8,737
Ohio Valley General	10	⊙	4.8	0.0	⊙	0.0	⊙	\$14,564
Punxsutawney Area	10	⊙	5.5	0.0	⊙	10.0	⊙	\$9,401
Saint Vincent Health	84	⊙	5.5	4.8	⊙	3.6	⊙	\$36,258
Sewickley Valley	60	⊙	5.0	1.7	⊙	5.1	⊙	\$14,566
Sharon Regional	35	⊙	4.5	5.7	⊙	2.9	⊙	\$13,787
Somerset	12	⊙	6.1	8.3	⊙	8.3	⊙	\$14,799
Southwest Regional MC	8	⊙	4.8	0.0	⊙	0.0	⊙	\$15,400
St Clair Memorial	80	⊙	5.5	2.5	⊙	7.6	⊙	\$16,225
Titusville Area	7	⊙	4.1	0.0	⊙	0.0	⊙	\$9,916
Tyrone	4	NR	NR	NR	NR	NR	NR	NR
Uniontown	27	⊙	4.5	15.4	●	7.7	⊙	\$9,398
UPMC Bedford	15	⊙	3.1	26.7	●	0.0	⊙	\$8,283
UPMC Braddock	29	⊙	6.5	3.4	⊙	10.3	⊙	\$24,689
UPMC Horizon	52	⊙	4.9	0.0	⊙	2.0	⊙	\$12,433
UPMC McKeesport	27	⊙	6.9	0.0	⊙	14.8	●	\$24,138
UPMC Northwest	41	⊙	4.7	4.9	⊙	2.4	⊙	\$12,484
UPMC Passavant	136	⊙	5.1	3.8	⊙	3.0	⊙	\$22,586
UPMC Presby Shadyside	256	⊙	5.2	4.3	⊙	5.9	⊙	\$40,648
UPMC South Side	19	⊙	6.1	0.0	⊙	5.6	⊙	\$21,453
UPMC St Margaret	98	⊙	6.3	2.0	⊙	6.1	⊙	\$24,614
Warren General	17	⊙	7.1	0.0	⊙	17.6	⊙	\$17,680
Washington	50	⊙	5.5	0.0	⊙	6.1	⊙	\$14,800
Western PA Hosp/Forbes	45	⊙	5.8	4.4	⊙	2.2	⊙	\$18,788
Western Pennsylvania	61	⊙	5.7	1.6	⊙	6.6	⊙	\$27,023
Westmoreland Regional	48	⊙	5.9	0.0	⊙	6.3	⊙	\$15,895
Windber	7	⊙	5.3	0.0	⊙	0.0	⊙	\$14,834
Western Pennsylvania	2,429		5.4	3.8		4.9		\$20,496
TOTAL: Statewide	6,987		5.4	5.0		5.0		\$28,207

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	98	⊖	4.7	3.1	⊖	7.2	⊖	⊖	⊖	\$6,268
Aliquippa Community	29	⊖	5.6	0.0	⊖	10.3	⊖	⊖	⊖	\$11,319
Allegheny General	299	⊖	4.2	8.1	●	4.4	⊖	⊖	⊖	\$18,389
Alle-Kiski	167	⊖	4.6	3.0	⊖	3.0	⊖	⊖	⊖	\$12,158
Altoona Regional	221	⊖	4.2	4.1	⊖	3.2	⊖	⊖	⊖	\$10,916
Bradford Regional	106	⊖	4.4	6.8	⊖	1.9	⊖	⊖	⊖	\$9,702
Butler Memorial	262	⊖	4.7	2.3	⊖	3.8	⊖	⊖	⊖	\$10,645
Canonsburg General	119	⊖	4.6	3.4	⊖	6.8	⊖	⊖	⊖	\$12,790
Charles Cole Memorial	77	●	3.1	9.7	⊖	0.0	⊖	⊖	⊖	\$7,475
Clarion	114	⊖	3.8	5.4	⊖	1.8	⊖	⊖	⊖	\$6,218
Clearfield	127	⊖	4.7	2.4	⊖	7.2	⊖	⊖	⊖	\$9,063
Conemaugh Valley Memorial	267	⊖	4.4	3.8	⊖	4.5	⊖	⊖	●	\$11,197
Corry Memorial	69	⊖	3.8	4.4	⊖	0.0	⊖	⊖	⊖	\$8,367
DuBois Regional	196	⊖	3.5	10.8	●	1.5	⊖	⊖	⊖	\$10,246
Elk Regional	107	⊖	3.8	2.9	⊖	1.9	⊖	⊖	⊖	\$8,102
Ellwood City	68	⊖	5.1	1.5	⊖	5.9	⊖	⊖	⊖	\$7,543
Frick	170	⊖	4.7	2.4	⊖	3.0	⊖	⊖	⊖	\$11,217
Grove City	103	●	4.1	5.1	⊖	1.0	⊖	⊖	⊖	\$10,663
Hamot	209	⊖	4.0	6.2	⊖	2.9	⊖	⊖	⊖	\$18,017
Highlands	85	⊖	4.6	0.0	⊖	3.5	⊖	⊖	⊖	\$7,765
Indiana Regional	169	⊖	3.6	4.7	⊖	0.6	⊖	⊖	⊖	\$9,099
Jameson Memorial	315	⊖	4.7	3.5	⊖	2.9	⊖	⊖	●	\$9,112
Jefferson Regional	525	⊖	5.0	4.0	⊖	7.3	●	⊖	⊖	\$9,999
Kane Community	72	⊖	4.4	4.2	⊖	1.4	⊖	⊖	⊖	\$11,453
Latrobe Area	266	⊖	4.2	4.5	⊖	3.8	⊖	⊖	⊖	\$11,956
Magee-Womens	37	⊖	4.7	2.7	⊖	2.7	⊖	⊖	⊖	\$19,514
Meadville	173	⊖	4.6	6.4	⊖	4.7	⊖	⊖	⊖	\$9,617
Medical Center Beaver	296	⊖	5.4	1.7	⊖	8.1	●	⊖	⊖	\$9,957
Mercy Jeannette	123	⊖	4.6	4.1	⊖	3.3	⊖	⊖	⊖	\$10,462
Mercy Pittsburgh	248	⊖	4.2	6.5	⊖	4.5	⊖	⊖	⊖	\$16,762
Meyersdale Community	15	⊖	3.9	6.7	⊖	0.0	⊖	⊖	●	\$8,465
Millcreek Community	81	⊖	4.5	3.8	⊖	1.3	⊖	⊖	⊖	\$13,131

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	48	⊙	4.2	0.0	⊙	0.0	⊙	⊙	\$9,166	
Monongahela Valley	335	⊙	5.3	0.9	⊙	6.3	⊙	⊙	\$12,431	
Nason	43	⊙	4.5	4.7	⊙	2.3	⊙	⊙	\$5,764	
Ohio Valley General	132	⊙	4.7	2.3	⊙	5.3	⊙	⊙	\$11,076	
Punxsutawney Area	86	⊙	4.0	5.8	⊙	0.0	⊙	⊙	\$6,832	
Saint Vincent Health	122	⊙	4.1	5.0	⊙	0.8	⊙	⊙	\$19,707	
Sewickley Valley	169	⊙	4.3	1.8	⊙	3.6	⊙	⊙	\$9,320	
Sharon Regional	159	⊙	4.3	1.9	⊙	2.6	⊙	⊙	\$10,235	
Somerset	87	⊙	4.5	9.4	⊙	7.1	⊙	⊙	\$9,757	
Southwest Regional MC	90	⊙	3.8	3.3	⊙	0.0	⊙	⊙	\$9,748	
St Clair Memorial	220	⊙	4.4	4.2	⊙	2.3	⊙	⊙	\$11,309	
Titusville Area	78	⊙	4.3	3.8	⊙	1.3	⊙	⊙	\$7,454	
Tyrone	35	⊙	4.0	2.9	⊙	2.9	⊙	⊙	\$7,646	
Uniontown	420	⊙	5.4	3.1	⊙	9.6	●	⊙	\$9,259	
UPMC Bedford	33	⊙	2.9	9.1	⊙	0.0	⊙	⊙	\$6,625	
UPMC Braddock	251	⊙	5.0	5.6	⊙	4.0	⊙	⊙	\$14,836	
UPMC Horizon	152	⊙	4.3	4.7	⊙	0.7	⊙	⊙	\$10,114	
UPMC McKeesport	219	⊙	5.4	3.2	⊙	10.5	●	⊙	\$15,733	
UPMC Northwest	232	⊙	3.9	7.9	⊙	4.0	⊙	⊙	\$7,990	
UPMC Passavant	344	⊙	4.8	3.5	⊙	7.0	⊙	⊙	\$16,389	
UPMC Presby Shadyside	359	⊙	4.5	5.9	⊙	5.0	⊙	⊙	\$25,078	
UPMC South Side	119	⊙	4.9	4.2	⊙	4.2	⊙	⊙	\$15,732	
UPMC St Margaret	274	⊙	4.5	5.9	⊙	3.7	⊙	⊙	\$18,208	
Warren General	88	⊙	4.6	3.4	⊙	4.6	⊙	⊙	\$12,173	
Washington	480	⊙	4.7	3.2	⊙	4.4	⊙	●	\$9,886	
Western PA Hosp/Forbes	275	⊙	4.6	6.2	⊙	4.4	⊙	⊙	\$13,846	
Western Pennsylvania	199	⊙	4.1	9.5	●	1.5	⊙	⊙	\$15,002	
Westmoreland Regional	299	⊙	5.1	4.0	⊙	4.7	⊙	⊙	\$12,454	
Windber	39	●	3.9	8.6	⊙	2.9	⊙	⊙	\$10,991	
Western Pennsylvania	10,667		4.5	4.4		4.3			\$11,963	
TOTAL: Statewide	27,715		4.5	5.0		5.0			\$21,410	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	166	⊖	5.7	0.6	⊖	7.4	⊖	⊖	⊖	\$8,513
Aliquippa Community	62	⊖	6.7	0.0	⊖	8.3	⊖	⊖	⊖	\$15,371
Allegheny General	513	⊖	5.2	4.0	⊖	5.6	⊖	⊖	●	\$21,239
Alle-Kiski	703	⊖	5.3	2.2	⊖	5.1	⊖	●	●	\$15,748
Altoona Regional	647	⊖	4.8	6.2	⊖	4.5	⊖	⊖	⊖	\$13,593
Bradford Regional	145	⊖	4.5	6.3	⊖	0.7	⊖	⊖	⊖	\$10,461
Butler Memorial	413	⊖	5.0	1.2	⊖	3.5	⊖	⊖	⊖	\$12,629
Canonsburg General	191	⊖	4.7	8.2	⊖	4.9	⊖	⊖	⊖	\$17,151
Charles Cole Memorial	79	⊖	3.7	6.5	⊖	0.0	⊖	⊖	⊖	\$9,162
Clarion	138	●	4.0	6.3	⊖	0.0	⊖	⊖	⊖	\$7,665
Clearfield	194	⊖	5.1	1.6	⊖	2.2	⊖	⊖	⊖	\$10,975
Conemaugh Valley Memorial	725	⊖	5.7	2.9	⊖	9.3	●	⊖	⊖	\$14,071
Corry Memorial	90	⊖	4.4	0.0	⊖	1.1	⊖	⊖	⊖	\$8,997
DuBois Regional	186	⊖	3.8	11.7	●	2.2	⊖	⊖	⊖	\$11,074
Elk Regional	175	⊖	4.2	4.6	⊖	0.0	⊖	⊖	⊖	\$9,715
Ellwood City	123	⊖	5.1	0.0	⊖	2.5	⊖	⊖	⊖	\$7,646
Frick	330	⊖	5.2	3.6	⊖	4.3	⊖	⊖	⊖	\$12,467
Grove City	100	⊖	4.6	3.2	⊖	2.1	⊖	⊖	⊖	\$11,406
Hamot	416	⊖	4.3	7.4	●	1.7	⊖	⊖	⊖	\$24,796
Highlands	89	⊖	4.1	9.0	⊖	2.2	⊖	⊖	⊖	\$8,399
Indiana Regional	312	⊖	4.5	4.9	⊖	2.0	⊖	⊖	⊖	\$10,552
Jameson Memorial	419	⊖	4.7	6.2	⊖	4.2	⊖	⊖	⊖	\$11,018
Jefferson Regional	690	⊖	5.2	5.7	⊖	5.9	⊖	●	⊖	\$11,560
Kane Community	119	⊖	5.3	0.0	⊖	0.0	⊖	⊖	⊖	\$12,424
Latrobe Area	441	⊖	4.7	2.8	⊖	3.0	⊖	●	●	\$13,371
Magee-Womens	19	●	5.3	5.9	⊖	0.0	⊖	⊖	⊖	\$19,648
Meadville	118	⊖	4.6	6.1	⊖	5.2	⊖	⊖	⊖	\$10,874
Medical Center Beaver	736	⊖	5.8	1.3	⊖	7.0	●	⊖	⊖	\$11,937
Mercy Jeannette	294	⊖	5.3	3.8	⊖	5.5	⊖	⊖	⊖	\$12,359
Mercy Pittsburgh	482	⊖	4.8	7.6	●	4.9	⊖	⊖	⊖	\$20,605
Meyersdale Community	36	⊖	4.2	2.9	⊖	0.0	⊖	⊖	⊖	\$10,153
Millcreek Community	96	⊖	6.0	1.1	⊖	5.4	⊖	⊖	⊖	\$16,711

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
Miners	42	⊙	5.7	0.0	⊙	7.3	⊙	⊙	⊙	\$13,175
Monongahela Valley	529	⊙	5.4	1.7	○	4.6	⊙	⊙	⊙	\$14,900
Nason	63	⊙	5.0	3.3	⊙	3.3	⊙	⊙	⊙	\$8,123
Ohio Valley General	198	⊙	5.4	1.1	○	2.7	⊙	⊙	⊙	\$14,402
Punxsutawney Area	144	⊙	5.7	2.1	⊙	5.6	⊙	⊙	⊙	\$9,408
Saint Vincent Health	438	⊙	4.8	6.1	⊙	3.3	⊙	○	○	\$24,442
Sewickley Valley	288	⊙	5.0	3.2	⊙	1.8	○	⊙	⊙	\$11,013
Sharon Regional	214	⊙	4.4	2.9	⊙	2.4	⊙	⊙	⊙	\$12,746
Somerset	120	⊙	5.0	5.1	⊙	6.8	⊙	⊙	⊙	\$11,315
Southwest Regional MC	196	○	4.0	5.1	⊙	0.5	○	⊙	⊙	\$11,554
St Clair Memorial	675	⊙	5.2	3.7	⊙	4.5	⊙	⊙	⊙	\$12,685
Titusville Area	72	⊙	4.2	9.1	⊙	1.5	⊙	⊙	⊙	\$7,981
Tyrone	88	⊙	4.7	3.4	⊙	2.3	⊙	⊙	⊙	\$8,800
Uniontown	495	⊙	5.3	2.7	○	5.7	⊙	⊙	⊙	\$9,241
UPMC Bedford	106	⊙	3.5	9.7	⊙	0.0	○	⊙	⊙	\$8,381
UPMC Braddock	222	⊙	5.5	5.1	⊙	6.5	⊙	⊙	⊙	\$18,903
UPMC Horizon	258	⊙	4.7	2.0	○	2.0	○	○	⊙	\$11,856
UPMC McKeesport	297	○	5.5	4.1	⊙	6.4	⊙	⊙	●	\$18,212
UPMC Northwest	198	●	4.5	3.2	⊙	2.1	⊙	⊙	⊙	\$10,104
UPMC Passavant	482	⊙	5.1	4.0	⊙	3.8	⊙	⊙	⊙	\$20,598
UPMC Presby Shadyside	1,212	⊙	5.4	5.4	⊙	9.6	●	⊙	⊙	\$29,826
UPMC South Side	183	⊙	5.5	3.9	⊙	5.0	⊙	⊙	⊙	\$20,408
UPMC St Margaret	656	○	4.8	6.8	●	3.4	⊙	⊙	⊙	\$19,308
Warren General	119	⊙	6.4	0.9	○	10.3	●	○	⊙	\$15,379
Washington	512	⊙	5.0	4.0	⊙	4.8	⊙	⊙	⊙	\$13,750
Western PA Hosp/Forbes	624	⊙	5.3	3.9	⊙	3.9	⊙	⊙	⊙	\$15,462
Western Pennsylvania	533	⊙	4.4	6.7	⊙	2.9	○	⊙	⊙	\$18,427
Westmoreland Regional	499	⊙	5.6	2.5	○	6.8	⊙	⊙	●	\$13,575
Windber	125	●	4.4	3.4	⊙	1.7	⊙	⊙	⊙	\$11,289
Western Pennsylvania	18,942		5.0	4.2		4.7				\$15,398
TOTAL: Statewide	51,898		5.0	5.0		5.0				\$25,808

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	10	⊖	8.5	⊖	⊖	\$16,259
Aliquippa Community	6	⊖	7.7	⊖	⊖	\$18,141
Allegheny General	28	⊖	9.7	⊖	⊖	\$47,327
Alle-Kiski	23	⊖	9.3	⊖	●	\$31,298
Altoona Regional	6	⊖	9.3	⊖	⊖	NR
Bradford Regional	11	⊖	9.1	⊖	⊖	\$20,271
Butler Memorial	13	⊖	9.1	⊖	⊖	\$24,071
Canonsburg General	4	NR	NR	NR	NR	NR
Charles Cole Memorial	3	NR	NR	NR	NR	NR
Clarion	5	⊖	5.5	⊖	⊖	NR
Clearfield	6	⊖	7.3	⊖	⊖	\$15,449
Conemaugh Valley Memorial	24	⊖	10.5	⊖	⊖	\$19,472
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	9	⊖	6.9	⊖	⊖	\$27,433
Elk Regional	5	⊖	7.8	⊖	⊖	NR
Ellwood City	3	NR	NR	NR	NR	NR
Frick	5	⊖	9.2	⊖	⊖	\$22,611
Grove City	1	NR	NR	NR	NR	NR
Hamot	29	⊖	7.1	⊖	⊖	\$56,736
Highlands	3	NR	NR	NR	NR	NR
Indiana Regional	2	NR	NR	NR	NR	NR
Jameson Memorial	6	⊖	10.1	⊖	⊖	\$18,088
Jefferson Regional	43	⊖	10.6	⊖	⊖	\$27,926
Kane Community	0	NR	NR	NR	NR	NR
Latrobe Area	11	⊖	10.5	⊖	⊖	\$23,879
Magee-Womens	1	NR	NR	NR	NR	NR
Meadville	5	⊖	6.2	⊖	⊖	NR
Medical Center Beaver	19	⊖	9.5	⊖	⊖	\$20,498
Mercy Jeannette	10	⊖	13.6	⊖	⊖	\$25,460
Mercy Pittsburgh	15	⊖	9.4	⊖	⊖	\$37,717
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	2	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Miners	0	NR	NR	NR	NR	NR
Monongahela Valley	4	NR	NR	NR	NR	NR
Nason	6	⊖	6.8	⊖	⊖	\$7,906
Ohio Valley General	13	⊖	7.4	⊖	⊖	\$21,772
Punxsutawney Area	0	NR	NR	NR	NR	NR
Saint Vincent Health	23	⊖	9.7	⊖	⊖	\$64,670
Sewickley Valley	9	●	11.2	⊖	⊖	\$41,940
Sharon Regional	4	NR	NR	NR	NR	NR
Somerset	5	⊖	NR	NR	NR	NR
Southwest Regional MC	3	NR	NR	NR	NR	NR
St Clair Memorial	8	⊖	10.1	⊖	⊖	\$30,210
Titusville Area	4	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR
Uniontown	22	⊖	8.3	⊖	⊖	\$18,513
UPMC Bedford	3	NR	NR	NR	NR	NR
UPMC Braddock	2	NR	NR	NR	NR	NR
UPMC Horizon	15	⊖	8.2	⊖	⊖	\$28,384
UPMC McKeesport	6	⊖	7.4	⊖	⊖	\$28,131
UPMC Northwest	17	⊖	8.5	⊖	⊖	\$16,152
UPMC Passavant	13	⊖	12.4	⊖	⊖	\$50,824
UPMC Presby Shadyside	44	⊖	10.9	⊖	⊖	\$51,215
UPMC South Side	10	⊖	7.1	⊖	⊖	\$26,907
UPMC St Margaret	25	⊖	8.1	⊖	⊖	\$43,804
Warren General	2	NR	NR	NR	NR	NR
Washington	18	⊖	9.9	⊖	⊖	\$25,553
Western PA Hosp/Forbes	9	⊖	7.9	⊖	⊖	\$26,937
Western Pennsylvania	19	⊖	7.3	⊖	⊖	\$31,162
Westmoreland Regional	21	⊖	8.4	⊖	⊖	\$20,665
Windber	4	NR	NR	NR	NR	NR
Western Pennsylvania	617		9.1			\$31,205
TOTAL: Statewide	2,138		9.8			\$62,963

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
ACMH	59	●	3.5	5.3	○	3.5	○	○	○	\$6,592
Aliquippa Community	32	○	4.4	3.1	○	3.1	○	●	○	\$8,624
Allegheny General	188	○	3.9	5.9	○	6.4	○	○	○	\$16,961
Alle-Kiski	152	○	4.2	5.3	○	10.7	●	●	○	\$11,273
Altoona Regional	182	○	4.0	5.5	○	5.5	○	○	○	\$10,303
Bradford Regional	30	○	2.9	10.0	○	0.0	○	○	○	\$6,768
Butler Memorial	101	○	3.4	1.0	○	0.0	○	○	○	\$8,653
Canonsburg General	59	○	3.6	5.1	○	5.1	○	○	○	\$11,682
Charles Cole Memorial	25	○	3.2	0.0	○	0.0	○	○	○	\$6,707
Clarion	38	○	2.7	10.8	○	0.0	○	○	○	\$6,598
Clearfield	63	○	3.3	4.8	○	0.0	○	○	○	\$6,907
Conemaugh Valley Memorial	224	○	3.8	4.5	○	5.4	○	●	○	\$9,440
Corry Memorial	23	○	3.6	4.5	○	0.0	○	○	○	\$6,644
DuBois Regional	52	○	3.3	7.7	○	1.9	○	○	○	\$11,965
Elk Regional	32	○	3.3	9.4	○	0.0	○	○	○	\$7,219
Ellwood City	18	○	3.9	0.0	○	0.0	○	○	○	\$6,448
Frick	53	○	3.4	7.5	○	0.0	○	○	○	\$7,793
Grove City	37	○	3.7	10.8	○	2.7	○	○	○	\$10,495
Hamot	138	○	4.6	2.2	○	5.9	○	○	○	\$19,627
Highlands	29	○	2.9	13.8	○	0.0	○	○	○	\$6,241
Indiana Regional	75	○	3.4	8.1	○	0.0	○	○	○	\$8,379
Jameson Memorial	121	○	3.8	5.0	○	1.7	○	○	○	\$7,651
Jefferson Regional	169	○	4.2	2.4	○	5.3	○	○	○	\$8,986
Kane Community	16	○	3.7	0.0	○	0.0	○	○	○	\$10,497
Latrobe Area	105	○	3.2	5.7	○	1.0	○	○	○	\$8,147
Magee-Womens	47	○	5.3	2.1	○	10.6	○	●	○	\$17,648
Meadville	58	○	3.5	6.9	○	3.4	○	○	○	\$7,584
Medical Center Beaver	182	○	3.9	4.4	○	5.5	○	○	○	\$8,489
Mercy Jeannette	72	○	3.5	6.9	○	4.2	○	○	○	\$8,331
Mercy Pittsburgh	143	○	3.8	5.0	○	7.8	○	○	○	\$14,889
Meyersdale Community	16	○	3.4	12.5	○	0.0	○	○	○	\$9,307
Millcreek Community	21	○	3.3	0.0	○	0.0	○	○	○	\$10,358

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	11	⊖	3.2	0.0	⊖	0.0	⊖	⊖	\$7,199	
Monongahela Valley	120	⊖	4.6	4.2	⊖	7.5	⊖	⊖	\$11,103	
Nason	17	⊖	3.7	5.9	⊖	0.0	⊖	⊖	\$5,199	
Ohio Valley General	42	⊖	3.7	2.4	⊖	2.4	⊖	●	\$9,604	
Punxsutawney Area	24	⊖	4.1	0.0	⊖	4.2	⊖	⊖	\$6,376	
Saint Vincent Health	89	⊖	3.9	10.2	●	4.5	⊖	⊖	\$19,086	
Sewickley Valley	82	⊖	3.7	0.0	⊖	2.4	⊖	⊖	\$8,705	
Sharon Regional	93	⊖	3.8	4.3	⊖	6.5	⊖	⊖	\$10,511	
Somerset	19	⊖	3.8	0.0	⊖	5.3	⊖	⊖	\$7,922	
Southwest Regional MC	32	⊖	3.1	3.1	⊖	3.1	⊖	⊖	\$9,784	
St Clair Memorial	128	⊖	3.9	3.1	⊖	4.7	⊖	⊖	\$9,823	
Titusville Area	24	⊖	3.1	4.2	⊖	4.2	⊖	⊖	\$5,308	
Tyrone	19	⊖	4.1	0.0	⊖	5.3	⊖	⊖	\$7,456	
Uniontown	165	⊖	4.2	6.1	⊖	6.7	⊖	⊖	\$7,696	
UPMC Bedford	26	⊖	2.4	12.0	⊖	0.0	⊖	⊖	\$6,343	
UPMC Braddock	102	⊖	4.7	2.0	⊖	8.9	⊖	●	\$13,712	
UPMC Horizon	62	⊖	4.0	8.1	⊖	1.6	⊖	⊖	\$9,465	
UPMC McKeesport	130	⊖	3.6	9.2	●	6.9	⊖	⊖	\$11,691	
UPMC Northwest	72	⊖	3.2	2.8	⊖	0.0	⊖	⊖	\$6,006	
UPMC Passavant	122	⊖	4.1	2.5	⊖	5.7	⊖	⊖	\$14,372	
UPMC Presby Shadyside	436	⊖	4.1	4.4	⊖	4.4	⊖	●	\$24,800	
UPMC South Side	75	⊖	4.4	1.3	⊖	4.0	⊖	⊖	\$13,668	
UPMC St Margaret	137	⊖	3.5	8.8	⊖	3.6	⊖	⊖	\$14,916	
Warren General	20	⊖	3.6	0.0	⊖	5.0	⊖	⊖	\$10,181	
Washington	119	⊖	3.9	4.2	⊖	3.4	⊖	⊖	\$9,508	
Western PA Hosp/Forbes	139	⊖	4.1	2.9	⊖	2.2	⊖	⊖	\$10,658	
Western Pennsylvania	260	⊖	3.4	5.8	⊖	1.5	⊖	⊖	\$12,148	
Westmoreland Regional	106	⊖	4.1	4.7	⊖	7.5	⊖	⊖	\$10,915	
Windber	30	●	3.4	3.6	⊖	0.0	⊖	⊖	\$8,902	
Western Pennsylvania	5,278		3.9	4.8		4.3			\$11,750	
TOTAL: Statewide	17,166		3.8	5.0		5.0			\$20,477	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

●	Significantly higher than expected.
⊖	Not significantly different than expected.
⊖	Significantly lower than expected.
NR	Not reported. Had fewer than five cases evaluated.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care %	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating [†]	%	Rating [†]	
ACMH	42	35.4	●	6.2	0.0	⊖	6.5	⊖	\$9,330
Aliquippa Community	10	63.0	⊖	8.2	0.0	⊖	10.0	⊖	\$17,431
Allegheny General*	214	1.9	⊖	5.4	4.5	⊖	4.5	⊖	\$30,342
Alle-Kiski	201	34.8	⊖	6.2	3.3	⊖	6.1	⊖	\$19,935
Altoona Regional*	226	6.0	⊖	5.0	5.0	⊖	2.0	⊖	\$16,906
Bradford Regional	23	53.5	⊖	6.3	0.0	⊖	10.0	⊖	\$16,749
Butler Memorial*	96	7.4	⊖	5.2	5.7	⊖	1.1	⊖	\$19,043
Canonsburg General	25	68.6	●	6.0	0.0	⊖	6.3	⊖	\$18,456
Charles Cole Memorial	18	38.5	⊖	3.8	6.3	⊖	0.0	⊖	\$11,820
Clarion	20	40.7	⊖	4.2	0.0	⊖	0.0	⊖	\$8,704
Clearfield	35	45.6	⊖	4.0	6.5	⊖	0.0	⊖	\$10,608
Conemaugh Valley Memorial*	278	3.2	⊖	5.9	2.5	⊖	6.1	⊖	\$18,163
Corry Memorial	5	55.6	⊖	NR	NR	NR	NR	NR	\$11,557
DuBois Regional*	66	4.8	⊖	4.2	5.0	⊖	0.0	⊖	\$18,707
Elk Regional	41	36.8	⊖	4.9	2.8	⊖	0.0	⊖	\$11,133
Ellwood City	6	60.0	⊖	NR	NR	NR	NR	NR	\$7,156
Frick	73	17.7	⊖	5.4	3.1	⊖	0.0	⊖	\$13,775
Grove City	22	40.0	⊖	4.7	0.0	⊖	6.7	⊖	\$16,881
Hamot*	213	3.6	⊖	4.2	10.6	●	2.1	⊖	\$37,909
Highlands	14	40.9	⊖	5.8	0.0	⊖	7.7	⊖	\$15,840
Indiana Regional	73	39.4	●	5.7	1.8	⊖	3.5	⊖	\$13,752
Jameson Memorial*	108	21.0	⊖	6.3	5.3	⊖	3.2	⊖	\$18,073
Jefferson Regional*	79	2.8	⊖	5.7	10.1	⊖	8.7	⊖	\$16,695
Kane Community	11	52.6	⊖	5.6	0.0	⊖	0.0	⊖	\$13,061
Latrobe Area	63	48.1	⊖	5.6	3.7	⊖	1.9	⊖	\$16,847
Magee-Womens	0	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	35	55.4	⊖	4.7	13.8	⊖	3.4	⊖	\$12,031
Medical Center Beaver*	174	2.5	⊖	5.6	2.0	⊖	5.9	⊖	\$15,353
Mercy Jeannette	28	58.9	⊖	6.0	8.7	⊖	8.7	⊖	\$14,833
Mercy Pittsburgh*	102	2.4	⊖	5.5	8.4	⊖	7.2	⊖	\$30,738
Meyersdale Community	11	21.4	⊖	4.2	9.1	⊖	0.0	⊖	\$9,198
Millcreek Community	4	NR	NR	NR	NR	NR	NR	NR	NR

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care %	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	
Miners	13	26.7	⊙	6.0	0.0	⊙	0.0	⊙	\$14,219
Monongahela Valley*	75	56.1	⊙	7.1	1.7	⊙	13.8	●	\$22,036
Nason	2	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	23	60.5	⊙	6.2	0.0	⊙	5.9	⊙	\$19,903
Punxsutawney Area	15	54.2	⊙	7.7	0.0	⊙	9.1	⊙	\$10,928
Saint Vincent Health*	165	6.4	⊙	4.7	8.2	⊙	2.7	⊙	\$42,419
Sewickley Valley	44	57.6	⊙	5.4	0.0	⊙	2.6	⊙	\$13,673
Sharon Regional*	48	19.2	⊙	4.5	11.9	⊙	2.4	⊙	\$19,893
Somerset*	77	39.8	⊙	5.8	6.2	⊙	3.1	⊙	\$14,551
Southwest Regional MC	14	58.6	⊙	2.8	16.7	⊙	0.0	⊙	\$11,119
St Clair Memorial*	105	2.3	●	4.4	4.7	⊙	3.5	⊙	\$14,812
Titusville Area	12	43.8	⊙	5.0	0.0	⊙	0.0	⊙	\$11,381
Tyrone	11	47.4	⊙	5.0	0.0	⊙	0.0	⊙	\$10,848
Uniontown*	69	43.8	⊙	4.6	4.8	⊙	0.0	⊙	\$10,333
UPMC Bedford	27	44.4	⊙	3.4	28.0	●	0.0	⊙	\$8,903
UPMC Braddock	37	48.5	⊙	6.1	2.9	⊙	11.4	⊙	\$26,041
UPMC Horizon	76	47.1	⊙	5.4	0.0	⊙	6.3	⊙	\$14,202
UPMC McKeesport	82	45.4	⊙	6.3	5.3	⊙	10.5	⊙	\$28,861
UPMC Northwest	27	69.7	⊙	4.7	4.3	⊙	8.7	⊙	\$11,483
UPMC Passavant*	198	1.6	⊙	5.6	4.9	⊙	4.3	⊙	\$26,885
UPMC Presby Shadyside*	340	2.9	⊙	5.6	8.1	●	7.4	⊙	\$42,538
UPMC South Side	49	40.5	⊙	5.5	4.3	⊙	0.0	⊙	\$22,577
UPMC St Margaret	135	48.5	⊙	5.1	8.1	⊙	3.3	⊙	\$21,065
Warren General	16	50.0	⊙	5.9	0.0	⊙	0.0	⊙	\$16,978
Washington*	94	2.2	⊙	4.8	2.3	⊙	1.2	⊙	\$17,149
Western PA Hosp/Forbes	99	49.7	⊙	5.7	6.6	⊙	4.4	⊙	\$16,518
Western Pennsylvania*	124	4.3	⊙	4.2	10.7	●	1.8	⊙	\$24,907
Westmoreland Regional*	92	7.8	⊙	5.6	1.2	⊙	2.4	⊙	\$16,372
Windber	37	27.7	⊙	5.0	9.1	⊙	3.0	⊙	\$14,302
Western Pennsylvania	4,442	26.5		5.4	5.4		4.2		\$21,914
TOTAL: Statewide	12,570	23.4		5.4	5.0		5.0		\$32,314

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

●	Significantly higher than expected.
⊙	Not significantly different than expected.
○	Significantly lower than expected.
NR	Not reported. Had fewer than five cases evaluated.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
ACMH	28	⊖	4.3	0.0	⊖	3.7	⊖	\$6,072
Aliquippa Community	8	⊖	5.3	0.0	⊖	0.0	⊖	\$11,425
Allegheny General	121	⊖	4.6	6.6	⊖	5.0	⊖	\$15,881
Alle-Kiski	74	⊖	3.8	4.1	⊖	0.0	⊖	\$11,651
Altoona Regional	110	⊖	4.3	8.6	⊖	6.7	⊖	\$10,765
Bradford Regional	35	⊖	5.1	2.9	⊖	11.8	⊖	\$8,832
Butler Memorial	51	⊖	3.2	12.0	●	0.0	⊖	\$9,041
Canonsburg General	30	⊖	4.5	6.7	⊖	0.0	⊖	\$11,524
Charles Cole Memorial	20	⊖	3.9	10.0	⊖	5.0	⊖	\$10,820
Clarion	7	⊖	3.8	14.3	⊖	0.0	⊖	\$7,378
Clearfield	35	⊖	4.9	0.0	⊖	2.9	⊖	\$9,306
Conemaugh Valley Memorial	91	⊖	4.6	1.1	⊖	8.0	⊖	\$10,486
Corry Memorial	25	⊖	4.3	8.3	⊖	4.2	⊖	\$7,505
DuBois Regional	35	⊖	2.7	22.9	●	0.0	⊖	\$8,424
Elk Regional	18	⊖	3.1	11.1	⊖	0.0	⊖	\$7,880
Ellwood City	12	⊖	4.4	0.0	⊖	0.0	⊖	\$6,505
Frick	23	⊖	4.4	0.0	⊖	0.0	⊖	\$8,764
Grove City	8	⊖	2.7	0.0	⊖	0.0	⊖	\$9,269
Hamot	97	⊖	4.4	2.2	⊖	2.2	⊖	\$19,490
Highlands	29	⊖	4.3	0.0	⊖	3.4	⊖	\$6,675
Indiana Regional	33	⊖	4.0	0.0	⊖	3.1	⊖	\$8,902
Jameson Memorial	48	⊖	4.2	4.3	⊖	2.1	⊖	\$9,216
Jefferson Regional	85	⊖	4.3	12.0	●	2.4	⊖	\$7,476
Kane Community	8	⊖	5.0	0.0	⊖	12.5	⊖	\$14,571
Latrobe Area	87	⊖	3.6	3.4	⊖	3.4	⊖	\$9,935
Magee-Womens	33	⊖	5.2	3.0	⊖	9.1	⊖	\$17,162
Meadville	39	●	4.4	2.8	⊖	5.6	⊖	\$8,691
Medical Center Beaver	67	⊖	4.4	4.5	⊖	3.0	⊖	\$8,724
Mercy Jeannette	23	⊖	3.6	8.7	⊖	0.0	⊖	\$8,199
Mercy Pittsburgh	52	⊖	4.1	6.0	⊖	6.0	⊖	\$15,480
Meyersdale Community	2	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	8	⊖	4.9	12.5	⊖	0.0	⊖	\$15,509

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Miners	1	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	40	⊙	4.5	0.0	⊙	7.7	⊙	\$10,719
Nason	27	⊙	4.9	7.4	⊙	7.4	⊙	\$5,754
Ohio Valley General	47	●	4.5	0.0	⊙	7.0	⊙	\$12,599
Punxsutawney Area	13	⊙	2.8	16.7	⊙	0.0	⊙	\$4,726
Saint Vincent Health	89	⊙	4.5	3.4	⊙	3.4	⊙	\$21,715
Sewickley Valley	49	⊙	3.8	4.2	⊙	2.1	⊙	\$9,047
Sharon Regional	53	⊙	4.3	5.9	⊙	2.0	⊙	\$10,821
Somerset	31	⊙	5.6	0.0	⊙	10.7	⊙	\$9,815
Southwest Regional MC	12	⊙	2.5	16.7	⊙	0.0	⊙	\$7,847
St Clair Memorial	110	⊙	4.1	6.5	⊙	3.7	⊙	\$10,984
Titusville Area	12	⊙	2.1	16.7	⊙	0.0	⊙	\$4,954
Tyrone	18	⊙	5.2	0.0	⊙	5.6	⊙	\$8,625
Uniontown	73	⊙	3.7	8.5	⊙	1.4	⊙	\$6,507
UPMC Bedford	31	⊙	3.2	10.0	⊙	0.0	⊙	\$5,841
UPMC Braddock	28	⊙	4.6	0.0	⊙	3.6	⊙	\$14,517
UPMC Horizon	45	⊙	3.6	6.7	⊙	2.2	⊙	\$10,670
UPMC McKeesport	78	⊙	4.3	5.1	⊙	2.6	⊙	\$13,609
UPMC Northwest	33	⊙	3.9	9.1	⊙	0.0	⊙	\$8,140
UPMC Passavant	108	⊙	4.7	4.6	⊙	3.7	⊙	\$16,266
UPMC Presby Shadyside	238	⊙	4.4	5.1	⊙	5.5	⊙	\$26,295
UPMC South Side	27	⊙	4.9	7.4	⊙	3.7	⊙	\$15,497
UPMC St Margaret	109	⊙	4.3	1.9	⊙	3.7	⊙	\$15,839
Warren General	15	⊙	2.9	6.7	⊙	0.0	⊙	\$11,647
Washington	77	⊙	4.3	2.7	⊙	8.0	⊙	\$10,799
Western PA Hosp/Forbes	99	⊙	4.3	6.1	⊙	3.1	⊙	\$12,319
Western Pennsylvania	77	⊙	4.2	6.6	⊙	7.9	⊙	\$14,859
Westmoreland Regional	62	⊙	4.5	6.8	⊙	6.8	⊙	\$11,245
Windber	11	⊙	3.8	0.0	⊙	0.0	⊙	\$11,684
Western Pennsylvania	2,963		4.2	5.3		4.0		\$12,704
TOTAL: Statewide	8,715		4.3	5.0		5.0		\$20,164

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney Failure – Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	53	⊖	6.5	2.1	⊖	0.0	⊖	⊖	●	\$9,929
Aliquippa Community	14	⊖	7.5	0.0	⊖	0.0	⊖	⊖	⊖	\$13,683
Allegheny General	227	⊖	5.8	6.8	⊖	4.5	⊖	⊖	⊖	\$24,730
Alle-Kiski	216	⊖	5.8	3.4	⊖	2.9	⊖	⊖	⊖	\$16,108
Altoona Regional	229	⊖	5.8	2.8	⊖	3.3	⊖	⊖	⊖	\$16,115
Bradford Regional	20	⊖	5.8	0.0	⊖	5.6	⊖	⊖	⊖	\$14,729
Butler Memorial	200	⊖	5.7	0.5	⊖	2.1	⊖	⊖	⊖	\$13,467
Canonsburg General	81	⊖	5.5	6.9	⊖	5.6	⊖	●	⊖	\$16,928
Charles Cole Memorial	29	⊖	4.5	3.6	⊖	0.0	⊖	⊖	⊖	\$8,337
Clarion	53	⊖	4.1	4.0	⊖	0.0	⊖	⊖	⊖	\$7,601
Clearfield	14	⊖	4.6	0.0	⊖	0.0	⊖	⊖	⊖	\$13,520
Conemaugh Valley Memorial	618	⊖	6.3	2.1	⊖	6.2	⊖	⊖	⊖	\$15,768
Corry Memorial	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	76	⊖	4.3	13.9	●	1.4	⊖	⊖	⊖	\$18,948
Elk Regional	30	⊖	4.4	13.8	⊖	0.0	⊖	⊖	⊖	\$10,101
Ellwood City	14	⊖	6.5	0.0	⊖	0.0	⊖	⊖	⊖	\$10,766
Frick	78	⊖	5.9	2.8	⊖	2.8	⊖	⊖	⊖	\$12,804
Grove City	18	⊖	6.7	0.0	⊖	0.0	⊖	⊖	⊖	\$13,377
Hamot	244	⊖	5.6	3.4	⊖	3.4	⊖	⊖	⊖	\$32,869
Highlands	21	●	5.4	11.8	⊖	5.9	⊖	⊖	⊖	\$10,884
Indiana Regional	61	●	4.7	5.9	⊖	0.0	⊖	⊖	⊖	\$12,543
Jameson Memorial	152	⊖	6.5	2.7	⊖	3.4	⊖	⊖	⊖	\$15,063
Jefferson Regional	239	⊖	6.9	4.8	⊖	6.1	⊖	⊖	⊖	\$13,068
Kane Community	15	⊖	6.5	0.0	⊖	6.7	⊖	⊖	⊖	\$14,193
Latrobe Area	190	⊖	5.7	2.3	⊖	2.9	⊖	⊖	⊖	\$14,031
Magee-Womens	17	⊖	6.7	6.3	⊖	12.5	⊖	●	●	\$24,217
Meadville	78	●	6.2	1.4	⊖	5.6	⊖	⊖	⊖	\$16,017
Medical Center Beaver	253	⊖	6.3	4.6	⊖	7.1	⊖	⊖	⊖	\$14,095
Mercy Jeannette	73	⊖	5.6	5.5	⊖	0.0	⊖	⊖	⊖	\$12,682
Mercy Pittsburgh	178	⊖	5.6	7.1	⊖	5.3	⊖	⊖	⊖	\$22,909
Meyersdale Community	14	⊖	4.0	7.7	⊖	0.0	⊖	⊖	⊖	\$7,971
Millcreek Community	19	●	5.5	0.0	⊖	0.0	⊖	⊖	⊖	\$20,677

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney Failure – Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	13	⊖	6.1	0.0	⊖	0.0	⊖	⊖	\$11,638	
Monongahela Valley	174	⊖	6.5	0.6	⊖	3.0	⊖	●	\$16,340	
Nason	13	⊖	5.5	0.0	⊖	0.0	⊖	⊖	\$6,665	
Ohio Valley General	29	⊖	6.3	0.0	⊖	0.0	⊖	●	\$14,023	
Punxsutawney Area	31	⊖	6.5	0.0	⊖	3.3	⊖	⊖	\$10,375	
Saint Vincent Health	211	⊖	6.0	4.6	⊖	5.1	⊖	⊖	\$38,493	
Sewickley Valley	94	⊖	5.5	3.4	⊖	2.3	⊖	⊖	\$12,439	
Sharon Regional	61	⊖	5.5	5.4	⊖	1.8	⊖	⊖	\$14,702	
Somerset	69	⊖	6.3	1.6	⊖	6.5	⊖	●	\$13,247	
Southwest Regional MC	24	⊖	3.8	13.0	⊖	0.0	⊖	⊖	\$12,526	
St Clair Memorial	157	⊖	5.8	4.6	⊖	2.0	⊖	●	\$13,973	
Titusville Area	7	⊖	5.4	0.0	⊖	14.3	⊖	⊖	\$10,060	
Tyrone	8	●	NR	NR	NR	NR	NR	NR	\$10,395	
Uniontown	114	⊖	6.2	1.9	⊖	4.6	⊖	⊖	\$10,002	
UPMC Bedford	13	⊖	4.1	8.3	⊖	0.0	⊖	⊖	\$9,413	
UPMC Braddock	78	⊖	6.7	2.7	⊖	6.8	⊖	⊖	\$20,701	
UPMC Horizon	92	⊖	6.5	9.1	⊖	5.7	⊖	⊖	\$17,165	
UPMC McKeesport	280	⊖	5.8	5.8	⊖	4.4	⊖	⊖	\$18,273	
UPMC Northwest	58	⊖	5.6	7.3	⊖	3.6	⊖	⊖	\$13,175	
UPMC Passavant	347	⊖	6.0	3.9	⊖	2.4	⊖	⊖	\$20,969	
UPMC Presby Shadyside	651	⊖	5.9	6.4	⊖	6.6	⊖	⊖	\$33,684	
UPMC South Side	89	⊖	6.5	1.2	⊖	3.6	⊖	⊖	\$21,415	
UPMC St Margaret	289	⊖	5.3	7.0	⊖	2.5	⊖	⊖	\$21,479	
Warren General	14	⊖	5.5	7.1	⊖	0.0	⊖	⊖	\$12,242	
Washington	110	⊖	5.6	6.7	⊖	3.8	⊖	⊖	\$15,127	
Western PA Hosp/Forbes	201	⊖	5.2	5.2	⊖	2.1	⊖	⊖	\$14,562	
Western Pennsylvania	192	⊖	5.3	4.3	⊖	3.8	⊖	⊖	\$23,066	
Westmoreland Regional	157	⊖	6.1	5.6	⊖	6.3	⊖	⊖	\$13,731	
Windber	50	⊖	4.8	4.3	⊖	2.1	⊖	⊖	\$10,775	
Western Pennsylvania	7,157		5.9	4.4		4.1			\$18,697	
TOTAL: Statewide	19,577		5.8	5.0		5.0			\$28,199	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
ACMH	123	⊖	4.5	3.3	⊖	5.8	⊖	⊖	⊖	\$6,865
Aliquippa Community	28	⊖	4.3	3.6	⊖	3.6	⊖	⊖	⊖	\$8,248
Allegheny General	210	⊖	4.0	6.3	⊖	3.4	⊖	⊖	⊖	\$15,412
Alle-Kiski	225	⊖	4.3	4.5	⊖	6.8	⊖	⊖	⊖	\$10,865
Altoona Regional	211	⊖	4.0	8.2	⊖	3.4	⊖	⊖	⊖	\$11,031
Bradford Regional	42	⊖	4.6	2.4	⊖	7.1	⊖	⊖	⊖	\$8,331
Butler Memorial	150	⊖	3.7	4.7	⊖	1.3	⊖	⊖	⊖	\$9,221
Canonsburg General	85	⊖	4.5	3.6	⊖	4.8	⊖	⊖	⊖	\$11,052
Charles Cole Memorial	28	⊖	3.6	7.1	⊖	0.0	⊖	⊖	⊖	\$6,437
Clarion	119	⊖	3.3	6.0	⊖	0.0	⊖	⊖	⊖	\$5,771
Clearfield	80	⊖	3.9	2.5	⊖	1.3	⊖	⊖	⊖	\$7,549
Conemaugh Valley Memorial	208	⊖	3.8	12.1	●	6.3	⊖	⊖	⊖	\$10,052
Corry Memorial	58	⊖	4.3	0.0	⊖	1.8	⊖	⊖	⊖	\$7,631
DuBois Regional	69	⊖	3.0	13.2	●	1.5	⊖	⊖	⊖	\$9,557
Elk Regional	46	⊖	3.9	6.5	⊖	0.0	⊖	⊖	⊖	\$7,505
Ellwood City	48	⊖	3.9	2.1	⊖	2.1	⊖	⊖	⊖	\$5,137
Frick	66	⊖	4.9	3.0	⊖	3.0	⊖	●	⊖	\$9,610
Grove City	50	⊖	4.2	2.1	⊖	2.1	⊖	⊖	⊖	\$9,286
Hamot	108	⊖	4.5	7.4	⊖	6.5	⊖	⊖	⊖	\$16,560
Highlands	45	⊖	4.5	0.0	⊖	13.3	●	⊖	⊖	\$7,789
Indiana Regional	228	⊖	4.0	3.6	⊖	2.2	⊖	●	⊖	\$8,762
Jameson Memorial	151	⊖	3.9	4.0	⊖	1.3	⊖	⊖	⊖	\$7,962
Jefferson Regional	277	⊖	4.4	2.5	⊖	2.9	⊖	●	⊖	\$7,709
Kane Community	16	⊖	4.7	0.0	⊖	0.0	⊖	⊖	⊖	\$8,691
Latrobe Area	119	⊖	3.8	7.6	⊖	0.8	⊖	⊖	⊖	\$9,127
Magee-Womens	59	⊖	4.5	5.1	⊖	1.7	⊖	⊖	⊖	\$15,235
Meadville	79	⊖	5.0	3.8	⊖	6.4	⊖	⊖	⊖	\$8,868
Medical Center Beaver	215	⊖	4.7	3.3	⊖	5.2	⊖	⊖	⊖	\$8,323
Mercy Jeannette	113	⊖	4.2	7.1	⊖	3.5	⊖	⊖	⊖	\$8,552
Mercy Pittsburgh	204	⊖	4.2	9.4	●	3.5	⊖	⊖	⊖	\$15,657
Meyersdale Community	5	⊖	4.6	0.0	⊖	0.0	⊖	⊖	⊖	\$7,210
Millcreek Community	36	⊖	4.0	2.8	⊖	2.8	⊖	⊖	⊖	\$10,847

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	21	●	4.0	5.3	○	0.0	○	○	○	\$10,015
Monongahela Valley	133	○	4.6	1.5	○	3.0	○	○	○	\$10,192
Nason	44	○	3.2	14.0	●	2.3	○	○	○	\$4,863
Ohio Valley General	65	○	3.9	7.9	○	0.0	○	○	○	\$10,324
Punxsutawney Area	84	○	4.7	1.2	○	2.4	○	○	○	\$6,795
Saint Vincent Health	90	○	3.7	12.5	●	2.3	○	○	○	\$18,689
Sewickley Valley	139	○	4.0	4.3	○	3.6	○	○	○	\$8,632
Sharon Regional	91	○	4.1	4.5	○	5.6	○	○	○	\$9,146
Somerset	50	○	5.1	2.0	○	12.0	●	○	○	\$10,750
Southwest Regional MC	67	○	3.5	1.5	○	1.5	○	○	○	\$8,775
St Clair Memorial	256	○	4.3	5.6	○	4.4	○	○	○	\$9,894
Titusville Area	62	●	3.9	10.5	○	0.0	○	○	○	\$7,273
Tyrone	33	○	3.7	3.1	○	0.0	○	○	○	\$5,995
Uniontown	219	○	4.2	4.6	○	4.1	○	○	○	\$6,647
UPMC Bedford	58	○	2.9	8.6	○	0.0	○	○	○	\$5,770
UPMC Braddock	128	○	5.1	3.1	○	10.2	●	○	○	\$13,167
UPMC Horizon	95	○	4.0	3.2	○	3.2	○	○	○	\$8,963
UPMC McKeesport	94	○	3.9	7.4	○	7.4	○	○	○	\$13,171
UPMC Northwest	148	○	3.9	5.4	○	3.4	○	○	○	\$7,638
UPMC Passavant	299	○	4.0	5.1	○	2.0	○	○	○	\$12,931
UPMC Presby Shadyside	570	○	4.1	6.7	○	5.7	○	●	●	\$23,971
UPMC South Side	94	○	4.7	2.1	○	1.1	○	○	●	\$13,704
UPMC St Margaret	209	○	4.1	5.3	○	2.9	○	○	○	\$15,399
Warren General	21	○	5.1	5.0	○	10.0	○	○	○	\$12,003
Washington	236	○	4.1	5.6	○	2.1	○	○	○	\$9,465
Western PA Hosp/Forbes	344	○	4.3	1.8	○	3.8	○	●	○	\$10,271
Western Pennsylvania	188	○	3.9	4.3	○	5.3	○	○	○	\$15,382
Westmoreland Regional	154	○	4.5	3.3	○	5.9	○	○	○	\$9,881
Windber	32	○	3.4	6.7	○	0.0	○	○	○	\$10,883
Western Pennsylvania	7,569		4.1	5.1		3.8				\$11,129
TOTAL: Statewide	22,659		4.2	5.0		5.0				\$19,934

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	27	●	8.8	0.0	○	4.8	○	○	○	\$12,639
Aliquippa Community	16	○	7.7	14.3	○	7.1	○	○	●	\$17,631
Allegheny General	142	○	6.8	8.8	○	5.9	○	○	○	\$32,192
Alle-Kiski	137	○	7.7	3.1	○	3.1	○	○	○	\$22,106
Altoona Regional	159	●	6.5	5.3	○	4.5	○	○	○	\$17,844
Bradford Regional	14	○	6.5	0.0	○	0.0	○	○	○	\$14,200
Butler Memorial	110	○	6.4	4.0	○	1.0	○	○	○	\$15,417
Canonsburg General	32	○	7.8	3.4	○	0.0	○	○	○	\$23,008
Charles Cole Memorial	8	○	4.6	0.0	○	0.0	○	○	○	\$9,353
Clarion	8	○	6.9	0.0	○	0.0	○	○	○	\$11,384
Clearfield	19	○	5.3	5.9	○	0.0	○	○	○	\$11,607
Conemaugh Valley Memorial	97	○	8.4	1.2	○	7.0	○	○	○	\$18,841
Corry Memorial	5	○	9.2	0.0	○	20.0	○	○	○	\$17,402
DuBois Regional	9	○	5.0	0.0	○	0.0	○	○	○	\$12,302
Elk Regional	6	○	5.8	0.0	○	0.0	○	○	○	\$13,492
Ellwood City	9	○	8.1	0.0	○	0.0	○	○	○	\$10,636
Frick	91	○	6.9	3.3	○	2.2	○	○	○	\$17,245
Grove City	23	○	5.8	0.0	○	0.0	○	○	○	\$14,066
Hamot	53	○	5.9	4.1	○	0.0	○	○	○	\$24,679
Highlands	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	144	○	6.4	3.2	○	3.2	○	○	○	\$14,986
Jameson Memorial	80	○	7.3	0.0	○	1.4	○	○	●	\$14,479
Jefferson Regional	120	○	6.8	0.9	○	2.7	○	○	○	\$13,303
Kane Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	70	○	5.7	6.3	○	0.0	○	○	○	\$16,217
Magee-Womens	8	○	9.7	12.5	○	12.5	○	○	○	\$44,129
Meadville	73	○	7.1	0.0	○	9.2	○	○	○	\$15,072
Medical Center Beaver	151	●	8.7	2.3	○	6.2	○	○	○	\$16,419
Mercy Jeannette	85	○	6.6	7.8	○	0.0	○	○	○	\$13,534
Mercy Pittsburgh	81	○	7.1	13.7	●	4.1	○	○	○	\$27,679
Meyersdale Community	11	○	6.2	0.0	○	0.0	○	○	○	\$14,195
Millcreek Community	1	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	15	⊕	5.2	7.7	⊕	0.0	⊕	⊕	⊕	\$14,428
Monongahela Valley	98	⊕	8.2	0.0	⊖	5.4	⊕	●	⊕	\$21,073
Nason	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	6	⊕	6.9	0.0	⊕	0.0	⊕	⊕	⊕	\$18,400
Punxsutawney Area	11	⊕	7.6	0.0	⊕	0.0	⊕	⊕	⊕	\$13,362
Saint Vincent Health	35	⊕	9.7	0.0	⊕	16.7	●	⊕	⊕	\$34,343
Sewickley Valley	68	⊕	6.5	3.4	⊕	1.7	⊕	⊕	⊕	\$14,095
Sharon Regional	23	⊕	5.0	9.1	⊕	0.0	⊕	⊕	⊕	\$11,856
Somerset	37	⊕	9.3	0.0	⊕	16.1	●	⊕	⊕	\$16,435
Southwest Regional MC	22	⊕	5.8	5.0	⊕	0.0	⊕	⊕	⊕	\$16,664
St Clair Memorial	137	⊕	7.1	4.1	⊕	5.8	⊕	⊕	⊕	\$17,895
Titusville Area	6	⊕	NR	NR	NR	NR	NR	NR	NR	\$6,282
Tyrone	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	70	⊕	8.2	1.7	⊕	10.3	⊕	⊕	⊕	\$14,322
UPMC Bedford	17	⊕	5.7	0.0	⊕	0.0	⊕	⊖	⊕	\$10,815
UPMC Braddock	28	⊕	8.2	3.7	⊕	7.4	⊕	⊕	⊕	\$27,232
UPMC Horizon	57	●	6.5	8.7	⊕	6.5	⊕	⊕	⊕	\$15,897
UPMC McKeesport	59	⊕	7.6	5.5	⊕	5.5	⊕	⊕	⊕	\$25,560
UPMC Northwest	106	⊕	6.4	5.1	⊕	4.1	⊕	⊕	⊕	\$13,681
UPMC Passavant	190	⊕	7.6	4.9	⊕	5.5	⊕	⊖	⊕	\$26,716
UPMC Presby Shadyside	385	⊕	6.7	5.1	⊕	4.0	⊕	⊕	⊕	\$44,189
UPMC South Side	33	⊕	5.3	6.7	⊕	0.0	⊕	⊖	⊕	\$20,029
UPMC St Margaret	173	⊕	6.6	7.4	⊕	2.5	⊕	⊕	⊕	\$27,603
Warren General	13	⊕	5.0	0.0	⊕	0.0	⊕	⊕	⊕	\$13,735
Washington	68	⊕	7.4	3.1	⊕	4.6	⊕	⊕	⊕	\$18,005
Western PA Hosp/Forbes	103	⊖	7.1	4.0	⊕	2.0	⊕	⊕	⊕	\$22,413
Western Pennsylvania	107	⊕	5.9	4.0	⊕	1.0	⊕	●	●	\$25,533
Westmoreland Regional	115	⊕	6.7	1.9	⊕	4.9	⊕	⊕	⊕	\$16,428
Windber	12	⊕	5.5	0.0	⊕	0.0	⊕	⊕	⊕	\$11,667
Western Pennsylvania	3,799		7.0	4.2		3.9				\$21,427
TOTAL: Statewide	9,216		6.8	5.0		4.9				\$31,924

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
ACMH	230	●	5.7	2.8	○	7.3	○	○	○	\$8,379
Aliquippa Community	80	○	6.3	1.3	○	6.3	○	●	●	\$12,196
Allegheny General	393	○	4.6	14.0	●	5.2	○	○	○	\$21,903
Alle-Kiski	399	○	5.3	5.9	○	6.2	○	○	○	\$13,782
Altoona Regional	367	○	5.1	6.4	○	5.6	○	○	○	\$13,666
Bradford Regional	166	○	5.0	4.4	○	2.5	○	○	○	\$11,245
Butler Memorial	320	○	5.0	2.5	○	3.8	○	○	○	\$12,147
Canonsburg General	163	●	5.7	0.0	○	7.2	○	○	○	\$16,147
Charles Cole Memorial	118	○	3.6	6.3	○	0.0	○	○	○	\$8,325
Clarion	155	○	4.4	4.7	○	2.0	○	○	○	\$7,819
Clearfield	162	○	4.8	3.8	○	1.3	○	○	○	\$10,119
Conemaugh Valley Memorial	351	○	5.4	4.4	○	6.5	○	○	○	\$13,992
Corry Memorial	116	○	4.7	2.7	○	0.0	○	●	●	\$9,821
DuBois Regional	189	○	3.5	12.7	●	0.0	○	○	○	\$11,695
Elk Regional	152	○	4.6	10.1	●	4.1	○	○	○	\$9,561
Ellwood City	93	○	5.7	0.0	○	3.3	○	○	○	\$9,002
Frick	191	○	5.2	2.6	○	5.3	○	○	○	\$13,171
Grove City	138	●	5.0	2.3	○	3.1	○	○	○	\$12,641
Hamot	439	○	4.8	6.5	○	3.5	○	○	○	\$21,348
Highlands	98	○	4.8	3.2	○	2.2	○	○	○	\$6,857
Indiana Regional	287	○	4.4	4.6	○	3.2	○	○	○	\$10,462
Jameson Memorial	393	○	5.7	3.7	○	6.5	○	○	○	\$11,217
Jefferson Regional	568	○	5.4	2.9	○	3.8	○	○	○	\$10,854
Kane Community	90	○	4.8	1.1	○	3.4	○	○	○	\$13,500
Latrobe Area	305	○	4.7	3.6	○	3.9	○	○	○	\$13,338
Magee-Womens	66	○	5.2	6.1	○	6.1	○	○	○	\$22,218
Meadville	152	○	4.8	10.1	●	4.7	○	○	○	\$10,285
Medical Center Beaver	454	○	6.3	1.6	○	11.7	●	○	○	\$12,679
Mercy Jeannette	241	○	5.7	3.8	○	7.5	○	○	○	\$12,908
Mercy Pittsburgh	337	○	5.1	3.4	○	5.5	○	○	○	\$21,718
Meyersdale Community	35	○	4.6	11.8	○	0.0	○	○	○	\$10,088
Millcreek Community	81	○	4.8	3.8	○	0.0	○	○	●	\$16,216

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	53	⊖	4.3	10.2	⊖	4.1	⊖	⊖	⊖	\$11,414
Monongahela Valley	337	⊖	5.6	1.5	⊖	4.3	⊖	⊖	⊖	\$14,535
Nason	109	●	5.2	2.9	⊖	6.8	⊖	⊖	⊖	\$7,785
Ohio Valley General	167	⊖	5.4	2.5	⊖	5.0	⊖	⊖	⊖	\$14,684
Punxsutawney Area	96	⊖	4.9	4.2	⊖	2.1	⊖	⊖	⊖	\$8,994
Saint Vincent Health	225	⊖	4.6	4.5	⊖	4.5	⊖	⊖	⊖	\$23,918
Sewickley Valley	253	⊖	4.4	2.0	⊖	2.4	⊖	⊖	⊖	\$10,320
Sharon Regional	197	⊖	4.8	4.1	⊖	2.6	⊖	⊖	⊖	\$11,278
Somerset	108	⊖	5.9	3.8	⊖	12.4	●	⊖	⊖	\$12,559
Southwest Regional MC	137	⊖	4.2	6.7	⊖	1.5	⊖	⊖	⊖	\$10,983
St Clair Memorial	684	⊖	5.0	2.7	⊖	3.8	⊖	⊖	⊖	\$12,864
Titusville Area	109	⊖	4.3	5.8	⊖	0.0	⊖	⊖	⊖	\$7,181
Tyrone	56	⊖	4.2	5.4	⊖	1.8	⊖	⊖	⊖	\$8,464
Uniontown	316	⊖	5.5	3.9	⊖	8.9	●	⊖	⊖	\$9,652
UPMC Bedford	148	⊖	3.7	7.6	⊖	0.0	⊖	⊖	⊖	\$8,079
UPMC Braddock	156	⊖	6.3	2.0	⊖	8.5	⊖	⊖	⊖	\$19,203
UPMC Horizon	301	⊖	4.9	4.4	⊖	3.4	⊖	⊖	⊖	\$12,271
UPMC McKeesport	250	⊖	5.6	4.1	⊖	4.5	⊖	⊖	⊖	\$17,323
UPMC Northwest	336	⊖	4.7	6.5	⊖	3.4	⊖	⊖	⊖	\$9,353
UPMC Passavant	511	⊖	5.5	4.2	⊖	6.0	⊖	⊖	⊖	\$19,974
UPMC Presby Shadyside	831	⊖	4.9	6.1	⊖	4.8	⊖	⊖	⊖	\$30,639
UPMC South Side	166	⊖	5.6	4.8	⊖	4.2	⊖	⊖	⊖	\$18,719
UPMC St Margaret	408	⊖	5.3	4.5	⊖	4.5	⊖	⊖	⊖	\$21,069
Warren General	148	⊖	5.5	6.2	⊖	8.9	⊖	⊖	⊖	\$15,021
Washington	560	⊖	5.1	2.9	⊖	5.0	⊖	⊖	⊖	\$12,639
Western PA Hosp/Forbes	464	⊖	5.2	3.5	⊖	4.3	⊖	⊖	⊖	\$15,731
Western Pennsylvania	270	⊖	5.0	5.6	⊖	3.0	⊖	⊖	⊖	\$20,871
Westmoreland Regional	358	⊖	5.4	4.0	⊖	4.8	⊖	⊖	⊖	\$14,173
Windber	109	●	4.6	0.0	⊖	4.0	⊖	⊖	⊖	\$13,739
Western Pennsylvania	15,306		5.1	4.5		4.7				\$14,643
TOTAL: Statewide	41,543		5.0	5.0		5.0				\$23,630

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	6	⊕	12.2	0.0	⊕	16.7	⊕	⊕	⊕	\$45,181
Aliquippa Community	12	⊕	11.5	0.0	⊕	0.0	⊕	⊕	⊕	\$30,404
Allegheny General	155	⊕	10.6	5.1	⊕	8.5	⊕	⊕	⊕	\$80,315
Alle-Kiski	39	⊕	8.6	0.0	⊕	0.0	⊕	⊕	●	\$40,569
Altoona Regional	135	⊕	9.0	7.7	⊕	4.4	⊕	⊕	⊕	\$33,199
Bradford Regional	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butler Memorial	72	⊕	8.6	2.0	⊕	0.0	⊕	⊕	⊕	\$32,986
Canonsburg General	18	⊕	8.7	15.4	⊕	0.0	⊕	⊕	⊕	\$47,615
Charles Cole Memorial	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clarion	7	⊕	NR	NR	NR	NR	NR	NR	NR	\$28,396
Clearfield	16	⊕	8.9	0.0	⊕	0.0	⊕	⊕	●	\$27,645
Conemaugh Valley Memorial	110	⊕	9.1	7.4	⊕	4.9	⊕	⊕	⊕	\$40,986
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	24	⊕	7.7	0.0	⊕	0.0	⊕	⊕	⊕	\$40,846
Elk Regional	12	⊕	8.4	0.0	⊕	0.0	⊕	⊕	⊕	\$38,201
Ellwood City	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Frick	8	⊕	9.2	16.7	⊕	0.0	⊕	⊕	⊕	\$55,697
Grove City	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hamot	126	⊕	9.3	2.4	⊕	1.2	⊕	⊕	⊕	\$84,608
Highlands	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	19	⊕	7.4	0.0	⊕	0.0	⊕	⊕	⊕	\$28,294
Jameson Memorial	50	⊕	10.0	2.9	⊕	2.9	⊕	⊕	⊕	\$33,511
Jefferson Regional	64	⊕	9.8	6.1	⊕	0.0	⊕	⊕	⊕	\$29,114
Kane Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	44	⊕	9.9	0.0	⊕	3.0	⊕	⊕	⊕	\$35,709
Magee-Womens	35	⊕	9.8	4.2	⊕	0.0	⊕	⊕	⊕	\$74,436
Meadville	30	⊕	9.5	11.5	⊕	7.7	⊕	⊕	⊕	\$38,423
Medical Center Beaver	50	⊕	9.8	5.4	⊕	2.7	⊕	⊕	⊕	\$35,729
Mercy Jeannette	23	⊕	10.8	0.0	⊕	5.0	⊕	⊕	⊕	\$28,763
Mercy Pittsburgh	80	⊕	12.8	3.8	⊕	15.1	●	⊕	⊕	\$62,441
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	23	⊙	9.4	0.0	⊙	0.0	⊙	⊙	⊙	\$41,855
Nason	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	19	⊙	10.9	0.0	⊙	0.0	⊙	⊙	⊙	\$31,669
Punxsutawney Area	9	⊙	9.1	0.0	⊙	0.0	⊙	⊙	⊙	\$22,493
Saint Vincent Health	103	⊙	7.8	5.6	⊙	0.0	⊙	⊙	⊙	\$77,372
Sewickley Valley	38	⊙	7.6	7.7	⊙	3.8	⊙	⊙	⊙	\$35,856
Sharon Regional	41	⊙	7.4	6.1	⊙	0.0	⊙	⊙	⊙	\$32,091
Somerset	12	⊙	14.2	0.0	⊙	25.0	⊙	⊙	⊙	\$36,933
Southwest Regional MC	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	103	⊙	8.6	7.6	⊙	0.0	⊙	⊙	⊙	\$36,581
Titusville Area	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyrone	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	77	⊙	10.0	4.0	⊙	2.0	⊙	⊙	⊙	\$22,482
UPMC Bedford	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Braddock	28	⊙	10.5	4.8	⊙	4.8	⊙	⊙	⊙	\$44,156
UPMC Horizon	16	⊙	10.4	0.0	⊙	0.0	⊙	⊙	⊙	\$30,162
UPMC McKeesport	65	⊙	10.1	2.0	⊙	4.1	⊙	⊙	⊙	\$56,329
UPMC Northwest	19	⊙	8.6	0.0	⊙	0.0	⊙	⊙	⊙	\$26,783
UPMC Passavant	74	⊙	9.0	12.2	●	6.1	⊙	⊙	⊙	\$64,490
UPMC Presby Shadyside	249	●	11.2	5.6	⊙	11.2	●	⊙	⊙	\$122,010
UPMC South Side	18	⊙	8.2	7.7	⊙	0.0	⊙	⊙	⊙	\$51,922
UPMC St Margaret	46	⊙	10.2	13.2	●	13.2	●	⊙	●	\$61,141
Warren General	6	⊙	8.0	20.0	⊙	0.0	⊙	NR	NR	\$39,832
Washington	42	⊙	8.6	5.9	⊙	0.0	⊙	⊙	⊙	\$37,744
Western PA Hosp/Forbes	54	⊙	8.0	5.7	⊙	0.0	⊙	⊙	⊙	\$44,434
Western Pennsylvania	69	⊙	9.6	4.4	⊙	2.2	⊙	⊙	⊙	\$66,632
Westmoreland Regional	74	⊙	10.0	2.0	⊙	2.0	⊙	⊙	⊙	\$34,903
Windber	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Western Pennsylvania	2,360		9.6	5.1		4.2				\$56,221
TOTAL: Statewide	6,153		9.7	5.0		5.0				\$76,003

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

●	Significantly higher than expected.
⊙	Not significantly different than expected.
○	Significantly lower than expected.
NR	Not reported. Had fewer than five cases evaluated.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	8	●	8.3	0.0	⊖	0.0	⊖	NR	NR	\$9,932
Aliquippa Community	6	⊖	6.5	0.0	⊖	0.0	⊖	⊖	⊖	\$17,174
Allegheny General	143	⊖	6.3	5.5	⊖	3.9	⊖	⊖	⊖	\$34,853
Alle-Kiski	274	○	6.0	1.9	○	4.6	⊖	⊖	⊖	\$18,834
Altoona Regional	132	⊖	5.9	5.4	⊖	4.5	⊖	⊖	⊖	\$16,267
Bradford Regional	6	⊖	7.6	0.0	⊖	0.0	⊖	⊖	⊖	\$17,014
Butler Memorial	98	⊖	5.8	1.1	⊖	3.4	⊖	⊖	⊖	\$14,978
Canonsburg General	92	⊖	7.0	2.6	⊖	5.2	⊖	⊖	⊖	\$22,086
Charles Cole Memorial	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clarion	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clearfield	17	⊖	5.0	0.0	⊖	0.0	⊖	⊖	⊖	\$10,798
Conemaugh Valley Memorial	233	⊖	6.6	3.9	⊖	6.4	⊖	⊖	⊖	\$16,718
Corry Memorial	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	33	⊖	4.4	14.3	●	0.0	⊖	⊖	⊖	\$14,278
Elk Regional	20	⊖	6.2	0.0	⊖	0.0	⊖	⊖	⊖	\$15,701
Ellwood City	17	⊖	7.9	0.0	⊖	0.0	⊖	⊖	⊖	\$13,283
Frick	54	⊖	7.3	0.0	⊖	2.1	⊖	⊖	⊖	\$19,259
Grove City	9	⊖	7.1	0.0	⊖	0.0	⊖	⊖	⊖	\$15,888
Hamot	267	⊖	5.6	4.4	⊖	3.2	⊖	○	⊖	\$33,885
Highlands	8	⊖	5.9	12.5	⊖	0.0	⊖	⊖	⊖	\$13,009
Indiana Regional	23	⊖	6.5	0.0	⊖	5.3	⊖	⊖	⊖	\$15,978
Jameson Memorial	141	⊖	6.7	0.8	○	6.9	⊖	⊖	⊖	\$14,330
Jefferson Regional	64	⊖	6.3	5.3	⊖	3.5	⊖	⊖	⊖	\$13,092
Kane Community	14	⊖	5.7	0.0	⊖	0.0	⊖	⊖	⊖	\$16,580
Latrobe Area	80	⊖	6.2	2.8	⊖	4.2	⊖	⊖	●	\$19,055
Magee-Womens	13	⊖	7.8	0.0	⊖	9.1	⊖	⊖	⊖	\$36,021
Meadville	43	⊖	5.8	13.2	●	7.9	⊖	○	⊖	\$16,104
Medical Center Beaver	46	⊖	7.6	0.0	⊖	10.5	⊖	⊖	⊖	\$16,125
Mercy Jeannette	24	⊖	7.0	0.0	⊖	0.0	⊖	⊖	⊖	\$17,209
Mercy Pittsburgh	40	⊖	8.0	0.0	⊖	8.3	⊖	⊖	⊖	\$31,002
Meyersdale Community	8	⊖	5.8	0.0	⊖	0.0	⊖	⊖	⊖	\$13,329
Millcreek Community	3	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
Miners	8	⊙	5.9	0.0	⊙	0.0	⊙	⊙	⊙	\$13,887
Monongahela Valley	115	⊙	6.8	1.9	⊙	6.7	⊙	⊙	⊙	\$21,165
Nason	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	20	⊙	7.1	7.1	⊙	0.0	⊙	⊙	⊙	\$20,636
Punxsutawney Area	24	⊙	5.7	19.0	●	0.0	⊙	⊙	⊙	\$10,968
Saint Vincent Health	196	⊙	5.7	4.9	⊙	3.8	⊙	⊙	⊙	\$32,913
Sewickley Valley	40	●	5.8	3.2	⊙	0.0	⊙	⊙	⊙	\$12,920
Sharon Regional	114	⊙	5.4	8.0	⊙	7.0	⊙	⊙	⊙	\$13,396
Somerset	92	⊙	6.3	3.6	⊙	3.6	⊙	⊙	⊙	\$14,804
Southwest Regional MC	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$15,836
St Clair Memorial	176	⊙	5.8	4.5	⊙	5.1	⊙	⊙	⊙	\$15,364
Titusville Area	13	⊙	6.5	10.0	⊙	0.0	⊙	⊙	⊙	\$12,092
Tyrone	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	70	⊙	6.8	0.0	⊙	5.1	⊙	⊙	⊙	\$11,507
UPMC Bedford	5	⊙	4.3	20.0	⊙	0.0	⊙	⊙	⊙	\$12,275
UPMC Braddock	23	⊙	8.7	4.8	⊙	23.8	●	⊙	⊙	\$33,928
UPMC Horizon	48	⊙	6.2	2.2	⊙	6.7	⊙	⊙	⊙	\$16,411
UPMC McKeesport	188	⊙	7.1	3.4	⊙	6.8	⊙	⊙	●	\$25,043
UPMC Northwest	23	⊙	5.6	9.5	⊙	4.8	⊙	⊙	⊙	\$11,896
UPMC Passavant	246	⊙	6.8	3.6	⊙	6.3	⊙	⊙	⊙	\$25,192
UPMC Presby Shadyside	114	⊙	7.1	10.3	●	13.4	●	⊙	⊙	\$45,205
UPMC South Side	24	⊙	5.9	5.3	⊙	5.3	⊙	⊙	⊙	\$20,322
UPMC St Margaret	67	⊙	6.3	7.0	⊙	1.8	⊙	⊙	⊙	\$28,473
Warren General	19	⊙	5.3	0.0	⊙	5.9	⊙	⊙	⊙	\$17,227
Washington	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Western PA Hosp/Forbes	142	⊙	6.3	4.5	⊙	4.5	⊙	⊙	⊙	\$21,370
Western Pennsylvania	41	⊙	5.5	10.3	⊙	0.0	⊙	⊙	⊙	\$25,938
Westmoreland Regional	113	⊙	6.6	3.0	⊙	3.0	⊙	⊙	⊙	\$18,649
Windber	23	●	4.7	0.0	⊙	0.0	⊙	⊙	⊙	\$12,968
Western Pennsylvania	3,876		6.3	4.0		5.0				\$21,318
TOTAL: Statewide	8,607		6.3	5.0		5.0				\$28,904

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
ACMH	108	⊙	7.5	1.1	⊙	3.3	⊙	\$14,815
Aliquippa Community	19	⊙	8.7	0.0	⊙	6.3	⊙	\$23,617
Allegheny General	346	⊙	7.8	5.0	⊙	7.6	⊙	\$42,024
Alle-Kiski	380	⊙	7.5	2.7	⊙	4.6	⊙	\$27,047
Altoona Regional	325	⊙	7.1	7.1	⊙	4.3	⊙	\$19,157
Bradford Regional	57	⊙	6.9	9.4	⊙	3.8	⊙	\$17,595
Butler Memorial	289	⊙	6.8	4.2	⊙	1.3	⊙	\$19,590
Canonsburg General	125	⊙	7.6	3.9	⊙	1.9	⊙	\$20,632
Charles Cole Memorial	28	⊙	5.8	8.7	⊙	0.0	⊙	\$14,289
Clarion	61	⊙	5.1	12.2	●	0.0	⊙	\$12,969
Clearfield	128	⊙	5.5	6.8	⊙	0.0	⊙	\$13,460
Conemaugh Valley Memorial	450	⊙	6.9	3.7	⊙	3.7	⊙	\$17,670
Corry Memorial	33	⊙	5.8	0.0	⊙	0.0	⊙	\$10,889
DuBois Regional	80	⊙	5.9	5.5	⊙	0.0	⊙	\$23,751
Elk Regional	68	⊙	6.4	3.4	⊙	0.0	⊙	\$15,439
Ellwood City	49	⊙	5.9	2.5	⊙	0.0	⊙	\$9,443
Frick	199	⊙	7.3	2.2	⊙	2.8	⊙	\$23,285
Grove City	26	⊙	7.4	4.8	⊙	0.0	⊙	\$20,432
Hamot	276	⊙	6.7	7.7	⊙	2.7	⊙	\$38,297
Highlands	44	⊙	5.2	0.0	⊙	0.0	⊙	\$13,846
Indiana Regional	202	⊙	6.1	2.4	⊙	1.8	⊙	\$14,666
Jameson Memorial	301	⊙	6.5	5.0	⊙	2.3	⊙	\$14,164
Jefferson Regional	225	⊙	7.2	5.3	⊙	5.3	⊙	\$17,866
Kane Community	31	⊙	5.9	0.0	⊙	0.0	⊙	\$15,227
Latrobe Area	329	⊙	6.7	5.3	⊙	3.2	⊙	\$18,365
Magee-Womens	23	⊙	11.4	0.0	⊙	23.5	●	\$42,000
Meadville	168	⊙	6.6	4.1	⊙	3.4	⊙	\$13,220
Medical Center Beaver	360	●	8.4	2.7	⊙	6.2	⊙	\$21,235
Mercy Jeannette	120	⊙	7.4	0.9	⊙	5.4	⊙	\$21,431
Mercy Pittsburgh	110	⊙	8.3	7.8	⊙	10.4	⊙	\$38,246
Meyersdale Community	10	⊙	6.1	0.0	⊙	0.0	⊙	\$10,878
Millcreek Community	4	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Miners	60	○	6.6	0.0	○	0.0	○	\$14,568
Monongahela Valley	211	○	6.9	1.1	○	1.1	○	\$23,204
Nason	20	●	7.1	14.3	○	7.1	○	\$11,532
Ohio Valley General	18	○	7.7	0.0	○	0.0	○	\$30,156
Punxsutawney Area	13	○	8.4	0.0	○	0.0	○	\$17,270
Saint Vincent Health	312	○	6.7	4.5	○	3.8	○	\$36,963
Sewickley Valley	101	○	6.9	6.0	○	4.8	○	\$21,090
Sharon Regional	220	○	6.1	3.0	○	1.5	○	\$17,779
Somerset	96	○	7.5	8.1	○	4.1	○	\$15,522
Southwest Regional MC	24	○	5.1	6.3	○	0.0	○	\$20,489
St Clair Memorial	266	○	6.9	3.6	○	3.1	○	\$23,289
Titusville Area	21	○	5.5	10.5	○	0.0	○	\$12,591
Tyrone	4	NR	NR	NR	NR	NR	NR	NR
Uniontown	120	●	8.3	0.0	○	6.6	○	\$14,362
UPMC Bedford	40	○	4.3	5.6	○	0.0	○	\$9,092
UPMC Braddock	84	○	7.7	5.6	○	1.4	○	\$32,094
UPMC Horizon	176	○	6.1	9.9	●	2.0	○	\$18,495
UPMC McKeesport	374	○	7.1	4.6	○	4.3	○	\$33,591
UPMC Northwest	95	○	7.1	3.5	○	7.1	○	\$16,256
UPMC Passavant	299	○	8.0	2.9	○	5.3	○	\$37,004
UPMC Presby Shadyside	724	○	8.6	5.6	○	9.3	●	\$66,166
UPMC South Side	108	○	6.3	6.1	○	1.0	○	\$28,043
UPMC St Margaret	230	○	7.3	5.7	○	5.7	○	\$35,871
Warren General	45	○	7.1	7.0	○	0.0	○	\$21,147
Washington	152	○	7.2	1.5	○	3.0	○	\$22,891
Western PA Hosp/Forbes	400	○	6.8	3.1	○	1.4	○	\$25,214
Western Pennsylvania	200	○	7.0	7.9	○	4.0	○	\$34,013
Westmoreland Regional	282	○	7.4	1.4	○	3.6	○	\$19,539
Windber	40	○	5.5	0.0	○	2.6	○	\$14,973
Western Pennsylvania	9,729		7.1	4.4		3.8		\$28,264
TOTAL: Statewide	23,630		7.3	5.0		5.0		\$40,710

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
ACMH	102	⊙	4.3	2.0	⊙	5.0	⊙	⊙	⊙	\$8,906
Aliquippa Community	22	⊙	4.8	4.5	⊙	0.0	⊙	⊙	⊙	\$11,227
Allegheny General	267	⊙	4.5	4.2	⊙	7.2	⊙	⊙	⊙	\$23,979
Alle-Kiski	225	⊙	4.4	4.5	⊙	4.5	⊙	⊙	⊙	\$15,238
Altoona Regional	279	⊙	4.3	6.3	⊙	3.3	⊙	⊙	⊙	\$13,048
Bradford Regional	65	●	4.1	8.3	⊙	1.7	⊙	⊙	⊙	\$9,634
Butler Memorial	161	⊙	4.0	3.2	⊙	1.3	⊙	⊙	⊙	\$11,972
Canonsburg General	103	⊙	4.3	4.0	⊙	2.0	⊙	⊙	⊙	\$12,886
Charles Cole Memorial	21	⊙	4.0	0.0	⊙	0.0	⊙	⊙	⊙	\$14,894
Clarion	57	⊙	3.6	5.5	⊙	3.6	⊙	⊙	⊙	\$9,073
Clearfield	83	⊙	4.2	2.4	⊙	1.2	⊙	⊙	⊙	\$12,448
Conemaugh Valley Memorial	312	⊙	4.1	5.2	⊙	4.6	⊙	⊙	⊙	\$13,699
Corry Memorial	27	⊙	3.8	7.7	⊙	7.7	⊙	●	⊙	\$9,080
DuBois Regional	69	⊙	3.5	13.6	●	3.0	⊙	⊙	⊙	\$15,682
Elk Regional	45	⊙	3.2	6.7	⊙	0.0	⊙	⊙	⊙	\$9,295
Ellwood City	36	⊙	4.1	2.8	⊙	5.6	⊙	⊙	⊙	\$7,633
Frick	52	⊙	4.1	0.0	⊙	0.0	⊙	⊙	⊙	\$10,646
Grove City	53	⊙	3.3	11.8	●	3.9	⊙	⊙	⊙	\$10,419
Hamot	227	⊙	4.1	7.2	⊙	4.9	⊙	⊙	⊙	\$23,827
Highlands	34	⊙	3.3	0.0	⊙	2.9	⊙	⊙	⊙	\$8,449
Indiana Regional	107	⊙	3.9	3.8	⊙	1.0	⊙	⊙	⊙	\$12,777
Jameson Memorial	184	⊙	4.3	6.1	⊙	3.3	⊙	⊙	⊙	\$11,201
Jefferson Regional	281	⊙	4.8	5.1	⊙	6.9	⊙	⊙	⊙	\$11,799
Kane Community	17	⊙	5.1	5.9	⊙	5.9	⊙	●	⊙	\$13,182
Latrobe Area	141	⊙	3.5	5.8	⊙	0.7	⊙	⊙	⊙	\$13,488
Magee-Womens	23	⊙	4.8	0.0	⊙	4.3	⊙	⊙	⊙	\$20,626
Meadville	151	⊙	4.3	3.4	⊙	4.1	⊙	⊙	⊙	\$11,920
Medical Center Beaver	191	⊙	4.5	6.3	⊙	4.8	⊙	⊙	⊙	\$12,067
Mercy Jeannette	131	⊙	4.1	8.7	⊙	3.9	⊙	⊙	⊙	\$11,347
Mercy Pittsburgh	166	⊙	4.4	6.3	⊙	10.1	●	⊙	⊙	\$22,231
Meyersdale Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	22	⊙	5.1	0.0	⊙	9.1	⊙	⊙	⊙	\$19,676

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	14	⊙	3.9	7.7	⊙	0.0	⊙	⊙	⊙	\$10,458
Monongahela Valley	163	⊙	4.4	1.2	⊙	2.5	⊙	⊙	⊙	\$12,531
Nason	34	⊙	4.9	2.9	⊙	5.9	⊙	⊙	⊙	\$8,017
Ohio Valley General	51	⊙	4.2	2.0	⊙	5.9	⊙	⊙	⊙	\$12,914
Punxsutawney Area	28	⊙	2.9	3.7	⊙	0.0	⊙	⊙	⊙	\$7,073
Saint Vincent Health	146	⊙	4.3	6.8	⊙	6.2	⊙	⊙	⊙	\$24,707
Sewickley Valley	153	⊙	3.8	2.0	⊙	2.0	⊙	⊙	⊙	\$11,522
Sharon Regional	143	⊙	4.7	3.6	⊙	4.3	⊙	⊙	⊙	\$14,451
Somerset	61	⊙	4.5	9.8	⊙	3.3	⊙	⊙	⊙	\$12,813
Southwest Regional MC	33	⊙	3.3	6.1	⊙	0.0	⊙	⊙	⊙	\$10,970
St Clair Memorial	225	⊙	4.1	6.4	⊙	3.7	⊙	⊙	⊙	\$13,810
Titusville Area	32	⊙	3.4	6.3	⊙	0.0	⊙	⊙	⊙	\$7,987
Tyrone	5	⊙	4.1	0.0	⊙	0.0	⊙	⊙	⊙	\$9,421
Uniontown	177	⊙	4.1	6.3	⊙	3.4	⊙	⊙	⊙	\$9,707
UPMC Bedford	39	⊙	3.2	10.3	⊙	0.0	⊙	⊙	⊙	\$8,646
UPMC Braddock	102	⊙	4.9	4.9	⊙	10.8	●	⊙	⊙	\$17,709
UPMC Horizon	130	⊙	4.4	7.8	⊙	3.1	⊙	⊙	⊙	\$13,257
UPMC McKeesport	132	⊙	4.1	7.7	⊙	5.4	⊙	⊙	⊙	\$16,347
UPMC Northwest	118	⊙	3.9	6.9	⊙	2.6	⊙	⊙	⊙	\$9,509
UPMC Passavant	283	⊙	4.6	3.2	⊙	5.7	⊙	⊙	⊙	\$17,999
UPMC Presby Shadyside	575	⊙	4.4	6.6	⊙	7.3	●	●	⊙	\$31,925
UPMC South Side	80	⊙	5.3	5.1	⊙	11.4	●	⊙	⊙	\$19,433
UPMC St Margaret	248	⊙	4.0	6.5	⊙	5.3	⊙	⊙	⊙	\$17,461
Warren General	64	●	4.5	0.0	⊙	6.7	⊙	⊙	⊙	\$13,101
Washington	231	⊙	4.8	3.6	⊙	6.7	⊙	●	⊙	\$13,171
Western PA Hosp/Forbes	203	⊙	4.2	3.0	⊙	3.0	⊙	⊙	⊙	\$12,773
Western Pennsylvania	216	⊙	4.3	5.1	⊙	6.1	⊙	⊙	⊙	\$20,045
Westmoreland Regional	194	⊙	4.1	4.7	⊙	3.2	⊙	⊙	⊙	\$12,007
Windber	35	⊙	3.7	5.9	⊙	2.9	⊙	⊙	⊙	\$14,876
Western Pennsylvania	7,590		4.2	5.2		4.6				\$15,460
TOTAL: Statewide	20,411		4.3	5.0		5.0				\$23,802

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

●	Significantly higher than expected.
⊙	Not significantly different than expected.
○	Significantly lower than expected.
NR	Not reported. Had fewer than five cases evaluated.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Aliquippa Community	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Allegheny General	162	⊖	6.4	7.6	⊖	9.2	⊖	⊖	⊖	\$35,873
Alle-Kiski	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Altoona Regional	57	⊖	4.7	5.0	⊖	0.0	⊖	⊖	⊖	\$16,234
Bradford Regional	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$11,913
Butler Memorial	16	⊖	5.7	0.0	⊖	0.0	⊖	⊖	⊖	\$13,370
Canonsburg General	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Charles Cole Memorial	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clarion	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$5,425
Clearfield	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$4,797
Conemaugh Valley Memorial	50	⊖	6.9	7.5	⊖	10.0	⊖	⊖	⊖	\$17,314
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Elk Regional	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$5,980
Ellwood City	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Frick	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Grove City	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hamot	50	⊖	4.7	0.0	⊖	0.0	⊖	⊖	⊖	\$29,441
Highlands	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	7	⊖	NR	NR	NR	NR	NR	NR	NR	\$10,457
Jameson Memorial	8	⊖	6.2	0.0	⊖	0.0	⊖	⊖	⊖	\$11,631
Jefferson Regional	23	⊖	4.8	4.5	⊖	4.5	⊖	⊖	⊖	\$7,380
Kane Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	11	⊖	4.6	11.1	⊖	0.0	⊖	⊖	⊖	\$9,878
Magee-Womens	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$14,297
Medical Center Beaver	16	⊖	5.1	10.0	⊖	0.0	⊖	⊖	⊖	\$10,136
Mercy Jeannette	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$13,695
Mercy Pittsburgh	124	⊖	5.7	5.9	⊖	1.2	⊖	⊖	⊖	\$36,580
Meyersdale Community	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	1	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Miners	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	8	⊖	5.5	16.7	⊖	0.0	⊖	⊖	⊖	\$17,338
Nason	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Punxsutawney Area	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Saint Vincent Health	39	⊖	4.8	10.0	⊖	0.0	⊖	⊖	⊖	\$39,377
Sewickley Valley	5	⊖	4.2	0.0	⊖	0.0	⊖	NR	NR	\$9,358
Sharon Regional	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$14,180
Somerset	6	⊖	6.4	0.0	⊖	0.0	⊖	⊖	⊖	\$16,370
Southwest Regional MC	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	10	⊖	7.1	0.0	⊖	0.0	⊖	⊖	⊖	\$15,096
Titusville Area	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	10	⊖	8.8	0.0	⊖	20.0	⊖	⊖	⊖	\$6,911
UPMC Bedford	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Braddock	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Horizon	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$7,928
UPMC McKeesport	12	⊖	4.5	0.0	⊖	9.1	⊖	⊖	⊖	\$20,091
UPMC Northwest	9	⊖	5.8	14.3	⊖	0.0	⊖	NR	NR	\$11,084
UPMC Passavant	21	⊖	4.7	0.0	⊖	0.0	⊖	⊖	⊖	\$12,866
UPMC Presby Shadyside	290	⊖	5.9	5.2	⊖	6.7	⊖	⊖	⊖	\$65,865
UPMC South Side	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC St Margaret	15	⊖	5.0	10.0	⊖	0.0	⊖	⊖	⊖	\$18,599
Warren General	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Washington	6	⊖	6.9	0.0	⊖	20.0	⊖	⊖	⊖	\$12,571
Western PA Hosp/Forbes	13	⊖	6.0	0.0	⊖	0.0	⊖	⊖	⊖	\$13,502
Western Pennsylvania	39	⊖	6.7	6.1	⊖	3.0	⊖	⊖	⊖	\$40,884
Westmoreland Regional	10	⊖	4.8	0.0	⊖	0.0	⊖	NR	NR	\$7,019
Windber	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Western Pennsylvania	1,112		5.8	5.3		4.9				\$34,306
TOTAL: Statewide	3,652		6.0	5.0		5.0				\$41,250

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]	For Any Reason	For Complication or Infection	
ACMH	99	⊖	4.0	6.3	⊖	0.0	⊖	⊖	⊖	\$7,707
Aliquippa Community	13	⊖	6.9	0.0	⊖	7.7	⊖	⊖	⊖	\$15,267
Allegheny General	344	⊖	5.0	5.2	⊖	6.7	⊖	⊖	⊖	\$31,096
Alle-Kiski	119	⊖	5.0	6.0	⊖	4.3	⊖	⊖	⊖	\$19,144
Altoona Regional	255	⊖	4.9	5.1	⊖	5.1	⊖	⊖	⊖	\$16,882
Bradford Regional	31	●	5.3	3.7	⊖	11.1	⊖	⊖	⊖	\$14,470
Butler Memorial	165	⊖	4.6	2.4	⊖	1.2	⊖	⊖	⊖	\$14,640
Canonsburg General	50	⊖	6.0	6.7	⊖	11.1	⊖	⊖	⊖	\$19,872
Charles Cole Memorial	29	⊖	3.7	3.4	⊖	0.0	⊖	⊖	⊖	\$10,838
Clarion	47	⊖	3.5	2.3	⊖	0.0	⊖	⊖	⊖	\$8,966
Clearfield	43	⊖	4.4	4.8	⊖	4.8	⊖	⊖	⊖	\$13,108
Conemaugh Valley Memorial	249	⊖	5.5	4.9	⊖	8.0	⊖	⊖	⊖	\$15,582
Corry Memorial	15	⊖	5.4	0.0	⊖	0.0	⊖	⊖	⊖	\$12,514
DuBois Regional	73	⊖	3.5	10.1	⊖	1.4	⊖	⊖	⊖	\$14,195
Elk Regional	42	⊖	4.4	15.0	●	0.0	⊖	⊖	⊖	\$11,889
Ellwood City	28	⊖	4.9	0.0	⊖	0.0	⊖	⊖	⊖	\$7,947
Frick	78	⊖	5.1	5.3	⊖	5.3	⊖	⊖	⊖	\$15,795
Grove City	28	⊖	4.1	7.4	⊖	0.0	⊖	⊖	⊖	\$13,207
Hamot	227	⊖	4.1	7.7	⊖	1.9	⊖	⊖	⊖	\$24,635
Highlands	15	⊖	4.7	6.7	⊖	6.7	⊖	⊖	⊖	\$9,349
Indiana Regional	78	⊖	4.1	4.2	⊖	2.8	⊖	⊖	⊖	\$12,350
Jameson Memorial	113	⊖	4.8	5.7	⊖	3.8	⊖	⊖	⊖	\$14,006
Jefferson Regional	209	⊖	5.3	2.9	⊖	3.4	⊖	●	⊖	\$10,936
Kane Community	24	⊖	4.5	12.5	⊖	0.0	⊖	⊖	⊖	\$14,051
Latrobe Area	119	⊖	4.7	2.7	⊖	2.7	⊖	⊖	⊖	\$13,316
Magee-Womens	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	115	⊖	4.8	4.6	⊖	1.8	⊖	⊖	⊖	\$13,249
Medical Center Beaver	166	⊖	5.5	1.9	⊖	3.9	⊖	⊖	⊖	\$13,577
Mercy Jeannette	40	⊖	5.0	5.0	⊖	2.5	⊖	⊖	⊖	\$13,659
Mercy Pittsburgh	321	⊖	3.9	9.9	●	1.7	⊖	●	●	\$28,359
Meyersdale Community	10	⊖	4.1	0.0	⊖	0.0	⊖	⊖	⊖	\$11,796
Millcreek Community	18	⊖	5.0	0.0	⊖	0.0	⊖	⊖	⊖	\$19,294

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases		Readmission Rating		Average Charge	
				Short Length of Stay %	Short Length of Stay Rating [†]	Long Length of Stay %	Long Length of Stay Rating [†]		For Any Reason
Miners	19	⊙	4.7	0.0	⊙	0.0	⊙	⊙	\$16,320
Monongahela Valley	126	⊙	5.3	2.5	⊙	4.2	⊙	⊙	\$19,398
Nason	28	⊙	3.3	7.7	⊙	0.0	⊙	⊙	\$7,013
Ohio Valley General	32	⊙	4.1	3.3	⊙	0.0	⊙	⊙	\$17,606
Punxsutawney Area	32	⊙	5.2	0.0	⊙	3.2	⊙	⊙	\$8,642
Saint Vincent Health	212	●	4.5	3.6	⊙	2.6	⊙	⊙	\$34,848
Sewickley Valley	109	⊙	4.3	6.8	⊙	1.0	⊙	⊙	\$15,232
Sharon Regional	91	⊙	4.2	7.1	⊙	2.4	⊙	⊙	\$15,107
Somerset	56	⊙	4.6	5.8	⊙	3.8	⊙	⊙	\$14,725
Southwest Regional MC	16	⊙	3.6	0.0	⊙	0.0	⊙	⊙	\$12,147
St Clair Memorial	213	⊙	4.9	4.8	⊙	5.3	⊙	⊙	\$15,952
Titusville Area	34	⊙	4.5	6.7	⊙	3.3	⊙	⊙	\$12,004
Tyrone	7	⊙	5.1	14.3	⊙	0.0	⊙	⊙	\$9,769
Uniontown	98	⊙	4.9	4.6	⊙	6.9	⊙	⊙	\$10,297
UPMC Bedford	51	⊙	3.4	10.4	⊙	0.0	⊙	⊙	\$9,223
UPMC Braddock	46	⊙	6.0	0.0	⊙	4.5	⊙	⊙	\$22,336
UPMC Horizon	102	⊙	4.5	4.1	⊙	3.1	⊙	⊙	\$15,773
UPMC McKeesport	117	⊙	5.3	5.4	⊙	9.8	●	⊙	\$20,393
UPMC Northwest	80	⊙	4.5	1.3	⊙	1.3	⊙	⊙	\$13,697
UPMC Passavant	235	⊙	4.6	8.3	●	3.0	⊙	⊙	\$21,014
UPMC Presby Shadyside	730	⊙	4.6	5.2	⊙	4.2	⊙	⊙	\$47,934
UPMC South Side	25	⊙	4.7	4.2	⊙	4.2	⊙	●	\$18,572
UPMC St Margaret	179	⊙	4.6	6.9	⊙	2.3	●	⊙	\$21,698
Warren General	39	⊙	4.7	5.9	⊙	5.9	⊙	⊙	\$15,487
Washington	186	⊙	4.6	2.8	⊙	3.9	⊙	⊙	\$15,131
Western PA Hosp/Forbes	156	⊙	4.5	2.0	⊙	2.7	⊙	⊙	\$15,550
Western Pennsylvania	142	⊙	5.3	4.4	⊙	6.6	●	⊙	\$34,104
Westmoreland Regional	175	⊙	5.0	3.0	⊙	3.0	⊙	⊙	\$14,251
Windber	47	●	4.8	2.4	⊙	4.9	⊙	⊙	\$14,380
Western Pennsylvania	6,559		4.7	5.0		3.7			\$21,192
TOTAL: Statewide	19,450		4.9	5.0		5.0			\$30,595

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Abdominal Aortic Aneurysm Repair - Endovascular

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Endovascular) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	1	NR	NR	NR	NR	NR
Allegheny General	120	⊙	2.3	⊙	●	\$107,097
Altoona Regional	36	⊙	2.1	⊙	⊙	\$61,511
Bradford Regional	1	NR	NR	NR	NR	NR
Clarion	2	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	22	⊙	2.4	⊙	⊙	\$91,817
Hamot	42	⊙	2.8	⊙	⊙	\$93,518
Indiana Regional	5	⊙	4.5	⊙	⊙	\$50,774
Jefferson Regional	53	⊙	3.7	⊙	⊙	\$47,718
Magee-Womens	1	NR	NR	NR	NR	NR
Meadville	8	⊙	5.4	⊙	⊙	\$44,783
Medical Center Beaver	11	⊙	2.6	⊙	⊙	\$46,053
Mercy Pittsburgh	31	⊙	3.4	⊙	⊙	\$59,214
Monongahela Valley	2	NR	NR	NR	NR	NR
Saint Vincent Health	8	⊙	2.1	⊙	⊙	\$138,232
Sewickley Valley	14	⊙	3.8	⊙	⊙	\$56,432
St Clair Memorial	11	⊙	3.1	⊙	⊙	\$62,360
UPMC Braddock	1	NR	NR	NR	NR	NR
UPMC McKeesport	3	NR	NR	NR	NR	NR
UPMC Northwest	8	⊙	4.4	⊙	⊙	\$36,841
UPMC Passavant	10	⊙	2.8	⊙	⊙	\$57,124
UPMC Presby Shadyside	127	⊙	2.7	⊙	⊙	\$125,312
UPMC South Side	1	NR	NR	NR	NR	NR
UPMC St Margaret	12	⊙	2.9	⊙	⊙	\$81,262
Washington	23	⊙	4.2	⊙	⊙	\$87,867
Western PA Hosp/Forbes	1	NR	NR	NR	NR	NR
Western Pennsylvania	54	⊙	3.0	⊙	⊙	\$78,653
Westmoreland Regional	16	⊙	3.1	⊙	⊙	\$50,097
Western Pennsylvania	624		2.9			\$87,464
TOTAL: Statewide	1,567		3.0			\$89,282

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

This page is intentionally left blank.

Abdominal Aortic Aneurysm Repair - Open

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Open) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Allegheny General	7	⊙	8.1	⊙	⊙	\$65,155
Alle-Kiski	2	NR	NR	NR	NR	NR
Altoona Regional	10	⊙	9.1	⊙	⊙	NR
Bradford Regional	2	NR	NR	NR	NR	NR
Butler Memorial	9	⊙	7.9	⊙	⊙	\$38,450
Conemaugh Valley Memorial	4	NR	NR	NR	NR	NR
DuBois Regional	2	NR	NR	NR	NR	NR
Hamot	5	⊙	8.5	⊙	⊙	\$99,700
Jefferson Regional	13	⊙	7.5	⊙	⊙	\$33,709
Latrobe Area	1	NR	NR	NR	NR	NR
Meadville	3	NR	NR	NR	NR	NR
Medical Center Beaver	8	●	8.7	⊙	⊙	\$42,233
Mercy Jeannette	1	NR	NR	NR	NR	NR
Mercy Pittsburgh	13	⊙	9.6	⊙	⊙	\$66,817
Monongahela Valley	2	NR	NR	NR	NR	NR
Ohio Valley General	2	NR	NR	NR	NR	NR
Saint Vincent Health	33	⊙	4.5	⊙	⊙	\$77,795
Sewickley Valley	6	⊙	5.3	⊙	⊙	NR
Sharon Regional	1	NR	NR	NR	NR	NR
St Clair Memorial	5	⊙	6.4	⊙	⊙	NR
Uniontown	1	NR	NR	NR	NR	NR
UPMC Passavant	7	⊙	9.5	⊙	⊙	\$60,481
UPMC Presby Shadyside	52	⊙	7.3	⊙	⊙	\$117,485
UPMC St Margaret	5	⊙	7.5	⊙	⊙	\$66,317
Warren General	1	NR	NR	NR	NR	NR
Western PA Hosp/Forbes	6	⊙	5.2	⊙	⊙	NR
Western Pennsylvania	1	NR	NR	NR	NR	NR
Westmoreland Regional	5	⊙	8.4	⊙	⊙	NR
Western Pennsylvania	207		7.2			\$73,880
TOTAL: Statewide	548		7.6			\$80,857

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

This page is intentionally left blank.

Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
ACMH	54	⊙	7.2	\$25,905
Aliquippa Community	9	⊙	10.3	\$44,108
Allegheny General	368	⊙	9.1	\$48,382
Alle-Kiski	65	⊙	8.2	\$45,346
Altoona Regional	190	⊙	8.3	\$31,230
Bradford Regional	47	⊙	7.5	\$30,555
Butler Memorial	82	⊙	7.8	\$32,462
Canonsburg General	45	⊙	9.4	\$33,934
Charles Cole Memorial	23	⊙	7.3	\$26,349
Clarion	29	⊙	7.8	\$21,774
Clearfield	49	⊙	6.9	\$21,633
Conemaugh Valley Memorial	189	⊙	9.0	\$33,249
Corry Memorial	1	NR	NR	NR
DuBois Regional	62	⊙	6.4	\$34,271
Elk Regional	31	⊙	8.1	\$30,576
Ellwood City	14	⊙	6.7	\$17,236
Frick	26	⊙	7.4	\$21,152
Grove City	18	⊙	7.3	\$22,674
Hamot	119	⊙	8.7	\$70,389
Highlands	21	⊙	6.7	\$21,764
Indiana Regional	62	⊙	9.2	\$36,734
Jameson Memorial	63	⊙	8.0	\$29,590
Jefferson Regional	243	⊙	9.0	\$27,754
Kane Community	13	⊙	10.2	\$37,994
Latrobe Area	101	⊙	7.5	\$30,297
Magee-Womens	42	⊙	8.0	\$56,408
Meadville	53	⊙	8.8	\$27,573
Medical Center Beaver	132	⊙	8.4	\$28,504
Mercy Jeannette	61	⊙	10.6	\$30,906
Mercy Pittsburgh	96	⊙	10.1	\$64,962
Meyersdale Community	0	NR	NR	NR
Millcreek Community	6	⊙	6.8	\$47,873

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Miners	4	NR	NR	NR
Monongahela Valley	109	⊖	9.2	\$34,539
Nason	40	⊖	9.9	\$20,014
Ohio Valley General	28	⊖	8.0	\$32,698
Punxsutawney Area	19	⊖	7.6	\$20,189
Saint Vincent Health	137	⊖	8.4	\$73,665
Sewickley Valley	105	⊖	7.1	\$26,997
Sharon Regional	44	⊖	8.8	\$33,851
Somerset	37	⊖	12.4	\$44,718
Southwest Regional MC	25	⊖	5.5	\$37,616
St Clair Memorial	207	⊖	8.9	\$39,686
Titusville Area	12	⊖	7.6	\$21,171
Tyrone	6	⊖	11.7	\$36,489
Uniontown	135	⊖	8.1	\$21,772
UPMC Bedford	31	⊖	6.1	\$23,875
UPMC Braddock	51	⊖	8.1	\$52,186
UPMC Horizon	75	⊖	8.5	\$37,313
UPMC McKeesport	67	⊖	9.4	\$49,831
UPMC Northwest	54	⊖	8.5	\$28,843
UPMC Passavant	161	⊖	9.7	\$51,506
UPMC Presby Shadyside	572	⊖	8.5	\$112,071
UPMC South Side	38	⊖	7.7	\$51,212
UPMC St Margaret	141	⊖	8.2	\$57,464
Warren General	24	⊖	6.3	\$31,993
Washington	98	⊕	10.6	\$43,587
Western PA Hosp/Forbes	130	⊖	8.3	\$39,524
Western Pennsylvania	124	⊖	8.8	\$65,941
Westmoreland Regional	102	⊖	10.3	\$29,583
Windber	39	⊖	6.9	\$37,065
Western Pennsylvania	4,950		8.6	\$46,800
TOTAL: Statewide	14,676		8.7	\$63,084

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	65	⊙	3.6	●	⊙	\$13,134
Aliquippa Community	6	⊙	5.5	⊙	⊙	\$18,869
Allegheny General	109	⊙	4.1	⊙	⊙	\$25,804
Alle-Kiski	102	⊙	3.8	⊙	⊙	\$23,261
Altoona Regional	193	⊙	3.7	⊙	⊙	\$18,720
Bradford Regional	8	⊙	1.9	⊙	⊙	\$11,664
Butler Memorial	123	⊙	3.4	⊙	⊙	\$18,928
Canonsburg General	91	⊙	3.4	⊙	⊙	\$21,153
Charles Cole Memorial	15	⊙	2.9	⊙	⊙	\$15,078
Clarion	27	⊙	2.8	⊙	●	\$11,401
Clearfield	34	⊙	2.9	⊙	⊙	\$16,468
Conemaugh Valley Memorial	140	⊙	3.4	⊙	⊙	\$19,496
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	24	⊙	2.5	⊙	⊙	\$19,390
Elk Regional	25	⊙	2.9	⊙	⊙	\$15,166
Ellwood City	17	⊙	2.8	⊙	⊙	\$11,764
Frick	46	⊙	4.0	⊙	⊙	\$16,301
Grove City	14	⊙	3.0	⊙	⊙	\$12,630
Hamot	60	⊙	3.5	⊙	⊙	\$36,414
Highlands	71	⊙	3.3	⊙	⊙	\$13,180
Indiana Regional	57	⊙	2.9	⊙	⊙	\$19,195
Jameson Memorial	116	⊙	3.7	⊙	⊙	\$17,235
Jefferson Regional	225	⊙	3.8	⊙	⊙	\$14,817
Kane Community	7	⊙	3.4	⊙	⊙	\$25,137
Latrobe Area	118	⊙	3.8	⊙	⊙	\$17,306
Magee-Womens	20	⊙	4.3	⊙	⊙	\$27,283
Meadville	66	⊙	4.2	⊙	⊙	\$14,332
Medical Center Beaver	180	⊙	3.9	⊙	⊙	\$16,716
Mercy Jeannette	52	⊙	3.8	⊙	⊙	\$16,376
Mercy Pittsburgh	85	⊙	3.6	⊙	⊙	\$26,493
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	13	⊙	4.0	⊙	⊙	\$21,395

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Miners	4	NR	NR	NR	NR	NR
Monongahela Valley	107	⊙	4.1	⊙	⊙	\$17,676
Nason	29	⊙	4.2	⊙	⊙	\$9,725
Ohio Valley General	62	⊙	3.9	⊙	⊙	\$20,675
Punxsutawney Area	21	⊙	3.1	●	⊙	\$11,226
Saint Vincent Health	105	⊙	3.4	⊙	⊙	\$40,102
Sewickley Valley	154	⊙	3.4	⊙	⊙	\$12,981
Sharon Regional	30	⊙	3.9	⊙	⊙	\$18,935
Somerset	39	●	4.5	⊙	⊙	\$18,386
Southwest Regional MC	11	⊙	2.5	⊙	⊙	\$21,518
St Clair Memorial	219	⊙	3.8	⊙	⊙	\$22,545
Titusville Area	15	⊙	2.7	⊙	⊙	\$11,892
Tyrone	5	⊙	3.0	⊙	⊙	\$12,494
Uniontown	150	⊙	3.5	⊙	⊙	\$12,399
UPMC Bedford	20	⊙	2.6	⊙	⊙	\$12,350
UPMC Braddock	59	⊙	4.2	⊙	⊙	\$28,327
UPMC Horizon	40	⊙	4.0	●	⊙	\$23,485
UPMC McKeesport	56	⊙	3.6	⊙	⊙	\$28,547
UPMC Northwest	88	⊙	2.8	⊙	⊙	\$10,378
UPMC Passavant	263	⊙	4.2	⊙	⊙	\$29,781
UPMC Presby Shadyside	202	⊙	3.7	●	⊙	\$45,344
UPMC South Side	34	⊙	3.9	⊙	●	\$27,668
UPMC St Margaret	144	⊙	3.6	⊙	⊙	\$29,451
Warren General	17	⊙	3.5	⊙	⊙	\$20,348
Washington	114	⊙	4.3	⊙	⊙	\$20,792
Western PA Hosp/Forbes	153	⊙	3.8	⊙	⊙	\$22,487
Western Pennsylvania	91	⊙	3.5	⊙	⊙	\$34,820
Westmoreland Regional	116	⊙	3.7	⊙	⊙	\$16,843
Windber	33	⊙	2.9	⊙	⊙	\$22,588
Western Pennsylvania	4,505		3.7			\$21,494
TOTAL: Statewide	13,962		3.6			\$30,823

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	12	⊙	8.5	⊙	●	\$30,804
Aliquippa Community	2	NR	NR	NR	NR	NR
Allegheny General	50	⊙	7.3	⊙	⊙	\$38,807
Alle-Kiski	13	⊙	6.7	⊙	⊙	\$39,487
Altoona Regional	35	⊙	6.6	⊙	⊙	\$22,720
Bradford Regional	3	NR	NR	NR	NR	NR
Butler Memorial	12	⊙	8.2	⊙	⊙	\$30,216
Canonsburg General	4	NR	NR	NR	NR	NR
Charles Cole Memorial	3	NR	NR	NR	NR	NR
Clarion	3	NR	NR	NR	NR	NR
Clearfield	18	⊙	5.7	⊙	⊙	\$17,421
Conemaugh Valley Memorial	24	⊙	7.5	⊙	⊙	\$24,668
Corry Memorial	4	NR	NR	NR	NR	NR
DuBois Regional	1	NR	NR	NR	NR	NR
Elk Regional	9	⊙	3.9	⊙	⊙	\$22,021
Ellwood City	2	NR	NR	NR	NR	NR
Frick	4	NR	NR	NR	NR	NR
Grove City	6	⊙	6.3	⊙	⊙	\$23,493
Hamot	21	⊙	5.7	⊙	⊙	\$43,082
Highlands	4	NR	NR	NR	NR	NR
Indiana Regional	21	⊙	5.7	⊙	⊙	\$23,858
Jameson Memorial	7	⊙	4.9	⊙	⊙	\$19,086
Jefferson Regional	31	⊙	7.0	⊙	⊙	\$20,147
Kane Community	1	NR	NR	NR	NR	NR
Latrobe Area	13	⊙	6.4	⊙	⊙	\$20,582
Magee-Womens	0	NR	NR	NR	NR	NR
Meadville	12	⊙	5.8	⊙	⊙	\$17,925
Medical Center Beaver	23	⊙	7.8	⊙	⊙	\$24,338
Mercy Jeannette	7	⊙	6.4	⊙	⊙	\$21,952
Mercy Pittsburgh	20	⊙	6.2	⊙	⊙	\$43,494
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	4	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Miners	1	NR	NR	NR	NR	NR
Monongahela Valley	15	⊙	7.0	⊙	⊙	\$29,869
Nason	9	⊙	6.4	⊙	⊙	\$12,544
Ohio Valley General	7	⊙	5.0	⊙	⊙	\$24,150
Punxsutawney Area	2	NR	NR	NR	NR	NR
Saint Vincent Health	49	⊙	7.3	⊙	⊙	\$66,421
Sewickley Valley	19	⊙	7.2	⊙	⊙	\$20,599
Sharon Regional	23	⊙	5.6	⊙	⊙	\$21,012
Somerset	4	NR	NR	NR	NR	NR
Southwest Regional MC	3	NR	NR	NR	NR	NR
St Clair Memorial	19	⊙	6.7	⊙	⊙	\$26,938
Titusville Area	7	⊙	6.0	⊙	⊙	\$12,570
Tyrone	8	⊙	7.2	⊙	⊙	\$22,203
Uniontown	8	⊙	7.9	⊙	⊙	\$23,595
UPMC Bedford	1	NR	NR	NR	NR	NR
UPMC Braddock	3	NR	NR	NR	NR	NR
UPMC Horizon	12	⊙	9.2	⊙	⊙	\$35,184
UPMC McKeesport	10	⊙	5.1	⊙	⊙	\$32,254
UPMC Northwest	20	⊙	5.9	⊙	⊙	\$17,834
UPMC Passavant	7	⊙	5.5	⊙	⊙	\$49,924
UPMC Presby Shadyside	57	⊙	6.2	⊙	⊙	\$77,859
UPMC South Side	11	⊙	7.0	⊙	⊙	\$47,141
UPMC St Margaret	17	⊙	8.1	⊙	⊙	\$54,826
Warren General	3	NR	NR	NR	NR	NR
Washington	35	⊙	5.5	⊙	⊙	\$25,243
Western PA Hosp/Forbes	10	⊙	7.0	⊙	⊙	\$32,668
Western Pennsylvania	11	⊙	8.1	●	⊙	\$47,608
Westmoreland Regional	12	⊙	5.3	⊙	⊙	\$18,535
Windber	10	⊙	4.8	⊙	⊙	\$27,550
Western Pennsylvania	764		6.6			\$33,553
TOTAL: Statewide	2,470		6.7			\$50,753

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Heart Attack - Angioplasty/Stent

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases		Average Charge
				Short Length of Stay %	Long Length of Stay %	
Allegheny General	287	⊙	3.9	4.9	⊙	\$61,560
Altoona Regional	311	⊙	3.6	5.8	⊙	\$34,720
Butler Memorial	139	⊙	3.7	1.4	⊙	\$49,604
Conemaugh Valley Memorial	385	⊙	3.7	5.8	⊙	\$48,688
DuBois Regional	221	⊙	3.0	11.5	●	\$34,539
Hamot	454	⊙	2.9	11.9	●	\$71,791
Jameson Memorial	36	⊙	3.7	8.3	⊙	\$37,560
Jefferson Regional	181	⊙	4.0	3.4	⊙	\$39,597
Medical Center Beaver	200	⊙	3.8	3.0	⊙	\$39,642
Mercy Pittsburgh	197	⊙	4.3	4.7	⊙	\$49,147
Monongahela Valley	8	⊙	5.2	0.0	⊙	\$62,237
Saint Vincent Health	221	⊙	3.1	3.7	⊙	\$97,191
Sharon Regional	68	⊙	4.3	7.5	⊙	\$47,320
Somerset	27	⊙	4.3	0.0	⊙	\$35,970
St Clair Memorial	104	⊙	3.5	2.9	⊙	\$36,389
Uniontown	44	⊙	3.0	4.5	⊙	\$24,876
UPMC Passavant	166	⊙	3.8	3.7	⊙	\$54,028
UPMC Presby Shadyside	744	⊙	3.7	5.5	⊙	\$81,763
Washington	175	⊙	3.9	2.3	⊙	\$40,711
Western Pennsylvania	233	⊙	3.6	6.6	⊙	\$58,828
Westmoreland Regional	252	⊙	4.1	1.6	⊙	\$50,880
Western Pennsylvania	4,453		3.6	5.6		\$57,065
TOTAL: Statewide	12,240		3.8	5.0		\$67,429

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

This page is intentionally left blank.

Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	56	⊙	7.1	⊙	⊙	\$17,182
Aliquippa Community	20	⊙	4.7	⊙	⊙	\$23,787
Allegheny General	132	⊙	6.4	⊙	⊙	\$41,299
Alle-Kiski	115	⊙	6.0	⊙	⊙	\$29,502
Altoona Regional	236	⊙	6.0	⊙	⊙	\$26,347
Bradford Regional	32	⊙	6.0	⊙	⊙	\$20,970
Butler Memorial	112	⊙	6.0	⊙	⊙	\$25,023
Canonsburg General	60	⊙	5.9	⊙	⊙	\$28,323
Charles Cole Memorial	22	⊙	5.3	⊙	⊙	\$17,713
Clarion	46	⊙	3.7	⊙	⊙	\$14,725
Clearfield	44	⊙	6.4	⊙	⊙	\$25,851
Conemaugh Valley Memorial	209	⊙	6.2	⊙	⊙	\$27,150
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	83	⊙	4.7	⊙	⊙	\$29,096
Elk Regional	43	⊙	5.4	⊙	⊙	\$22,422
Ellwood City	27	⊙	4.7	⊙	⊙	\$13,390
Frick	46	⊙	6.0	⊙	⊙	\$23,552
Grove City	22	⊙	6.2	⊙	⊙	\$20,599
Hamot	157	⊙	5.9	⊙	⊙	\$47,933
Highlands	26	⊙	6.6	⊙	⊙	\$21,086
Indiana Regional	75	⊙	5.5	⊙	⊙	\$29,141
Jameson Memorial	103	⊙	5.3	⊙	⊙	\$20,561
Jefferson Regional	163	⊙	5.9	⊙	⊙	\$20,565
Kane Community	6	⊙	6.8	⊙	⊙	\$29,247
Latrobe Area	109	⊙	5.7	⊙	⊙	\$21,922
Magee-Womens	7	⊙	5.2	●	⊙	\$31,959
Meadville	71	⊙	5.5	⊙	⊙	\$21,410
Medical Center Beaver	151	⊙	5.2	⊙	⊙	\$17,145
Mercy Jeannette	52	⊙	6.2	●	⊙	\$25,399
Mercy Pittsburgh	96	⊙	5.9	⊙	⊙	\$37,480
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	10	⊙	5.4	⊙	⊙	\$30,597

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Miners	11	⊙	6.4	⊙	⊙	\$24,520
Monongahela Valley	147	⊙	6.6	⊙	⊙	\$28,140
Nason	36	●	5.1	⊙	⊙	\$16,546
Ohio Valley General	49	⊙	5.9	⊙	⊙	\$25,975
Punxsutawney Area	20	⊙	6.4	⊙	⊙	\$19,049
Saint Vincent Health	157	⊙	5.1	⊙	⊙	\$49,469
Sewickley Valley	109	⊙	5.7	⊙	⊙	\$16,647
Sharon Regional	73	●	5.5	⊙	⊙	\$31,852
Somerset	47	⊙	5.6	⊙	⊙	\$23,529
Southwest Regional MC	27	⊙	5.0	⊙	⊙	\$26,607
St Clair Memorial	207	⊙	6.2	⊙	⊙	\$26,041
Titusville Area	21	⊙	5.0	⊙	⊙	\$16,148
Tyrone	8	⊙	7.3	⊙	⊙	\$22,840
Uniontown	114	⊙	5.8	⊙	⊙	\$14,324
UPMC Bedford	38	●	5.0	⊙	⊙	\$20,136
UPMC Braddock	43	⊙	6.1	⊙	●	\$29,589
UPMC Horizon	100	⊙	5.7	⊙	⊙	\$25,775
UPMC McKeesport	87	⊙	6.2	⊙	⊙	\$31,492
UPMC Northwest	54	⊙	5.0	⊙	⊙	\$16,320
UPMC Passavant	193	⊙	6.5	⊙	⊙	\$32,718
UPMC Presby Shadyside	255	⊙	6.5	⊙	⊙	\$63,178
UPMC South Side	50	⊙	6.8	⊙	⊙	\$33,905
UPMC St Margaret	180	⊙	6.5	⊙	⊙	\$36,202
Warren General	43	⊙	6.0	⊙	⊙	\$26,408
Washington	118	⊙	5.2	⊙	⊙	\$20,741
Western PA Hosp/Forbes	140	⊙	4.8	⊙	⊙	\$25,794
Western Pennsylvania	66	⊙	5.4	●	⊙	\$36,366
Westmoreland Regional	125	⊙	6.3	⊙	⊙	\$21,400
Windber	38	⊙	5.8	⊙	⊙	\$28,375
Western Pennsylvania	4,897		5.9			\$28,373
TOTAL: Statewide	13,231		5.9			\$40,507

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases		Average Charge
				Short Length of Stay %	Long Length of Stay %	
ACMH	74	⊙	1.8	13.5	●	\$8,528
Aliquippa Community	0	NR	NR	NR	NR	NR
Allegheny General	172	⊙	3.7	0.0	⊙	\$19,384
Alle-Kiski	73	⊙	2.6	2.7	⊙	\$16,664
Altoona Regional	265	⊙	2.4	1.9	⊙	\$11,539
Bradford Regional	65	⊙	2.7	0.0	⊙	\$9,384
Butler Memorial	58	⊙	2.3	3.4	⊙	\$11,427
Canonsburg General	11	●	3.3	0.0	⊙	\$20,423
Charles Cole Memorial	41	⊙	2.7	4.9	⊙	\$7,378
Clarion	36	⊙	2.9	0.0	⊙	\$9,772
Clearfield	66	⊙	2.6	3.0	⊙	\$8,085
Conemaugh Valley Memorial	83	⊙	2.7	1.2	⊙	\$11,935
Corry Memorial	35	⊙	2.4	2.9	⊙	\$6,155
DuBois Regional	73	⊙	2.5	0.0	⊙	\$12,585
Elk Regional	41	⊙	2.7	0.0	⊙	\$11,867
Ellwood City	16	⊙	2.6	0.0	⊙	\$7,049
Frick	0	NR	NR	NR	NR	NR
Grove City	46	⊙	3.1	0.0	⊙	\$7,331
Hamot	118	⊙	2.7	0.8	⊙	\$20,359
Highlands	0	NR	NR	NR	NR	NR
Indiana Regional	66	⊙	2.3	3.0	⊙	\$13,822
Jameson Memorial	54	⊙	2.4	5.6	⊙	\$9,662
Jefferson Regional	2	NR	NR	NR	NR	NR
Kane Community	1	NR	NR	NR	NR	NR
Latrobe Area	125	⊙	3.0	0.0	⊙	\$10,446
Magee-Womens	888	⊙	2.7	6.3	⊙	\$21,617
Meadville	93	⊙	2.9	3.2	⊙	\$11,230
Medical Center Beaver	160	⊙	2.4	3.8	⊙	\$9,400
Mercy Jeannette	60	⊙	3.0	0.0	⊙	\$11,459
Mercy Pittsburgh	341	⊙	3.9	0.9	⊙	\$20,278
Meyersdale Community	1	NR	NR	NR	NR	NR
Millcreek Community	30	⊙	2.9	0.0	⊙	\$12,769

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

† While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Miners	1	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	17	⊙	3.0	0.0	⊙	5.9	⊙	\$13,234
Nason	31	⊙	3.2	0.0	⊙	6.5	⊙	\$6,494
Ohio Valley General	28	⊙	2.8	0.0	⊙	0.0	⊙	\$14,093
Punxsutawney Area	10	⊙	2.4	30.0	●	0.0	⊙	\$9,182
Saint Vincent Health	196	⊙	2.8	0.0	⊙	2.1	⊙	\$27,485
Sewickley Valley	113	⊙	2.1	4.4	⊙	0.9	⊙	\$10,085
Sharon Regional	62	⊙	2.5	3.2	⊙	0.0	⊙	\$13,701
Somerset	39	⊙	2.6	0.0	⊙	0.0	⊙	\$13,523
Southwest Regional MC	2	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	182	⊙	2.8	1.6	⊙	3.3	⊙	\$12,880
Titusville Area	34	⊙	2.7	0.0	⊙	0.0	⊙	\$9,727
Tyrone	5	⊙	3.0	0.0	⊙	0.0	⊙	\$9,065
Uniontown	202	⊙	2.4	1.5	⊙	1.0	⊙	\$7,260
UPMC Bedford	49	⊙	2.4	6.1	⊙	0.0	⊙	\$7,820
UPMC Braddock	5	⊙	2.9	0.0	⊙	0.0	⊙	\$26,163
UPMC Horizon	115	⊙	2.3	2.6	⊙	0.9	⊙	\$12,132
UPMC McKeesport	36	⊙	2.6	0.0	⊙	0.0	⊙	\$23,201
UPMC Northwest	89	⊙	2.4	2.2	⊙	1.1	⊙	\$6,858
UPMC Passavant	113	⊙	2.0	6.2	⊙	3.5	⊙	\$19,905
UPMC Presby Shadyside	77	⊙	2.9	0.0	⊙	5.2	⊙	\$39,320
UPMC South Side	0	NR	NR	NR	NR	NR	NR	NR
UPMC St Margaret	32	⊙	2.9	6.5	⊙	0.0	⊙	\$27,716
Warren General	64	⊙	2.7	3.1	⊙	1.6	⊙	\$9,382
Washington	132	⊙	2.7	0.8	⊙	2.3	⊙	\$10,865
Western PA Hosp/Forbes	86	⊙	3.2	0.0	⊙	7.0	⊙	\$19,617
Western Pennsylvania	290	⊙	2.9	6.3	⊙	8.0	●	\$26,767
Westmoreland Regional	171	⊙	2.8	0.6	⊙	0.0	⊙	\$8,397
Windber	63	⊙	2.3	1.6	⊙	0.0	⊙	\$16,362
Western Pennsylvania	5,347		2.8	2.9		5.0		\$16,412
TOTAL: Statewide	15,703		2.7	5.0		5.0		\$24,200

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
ACMH	138	1.0	⊙	⊙	\$6,854
Aliquippa Community	0	NR	NR	NR	NR
Allegheny General	38	2.0	⊙	⊙	\$15,421
Alle-Kiski	61	1.4	⊙	⊙	\$13,260
Altoona Regional	115	1.8	⊙	⊙	\$10,916
Bradford Regional	61	1.5	⊙	⊙	\$7,561
Butler Memorial	41	1.5	⊙	⊙	\$8,368
Canonsburg General	3	NR	NR	NR	NR
Charles Cole Memorial	12	2.0	⊙	⊙	\$6,953
Clarion	34	2.0	⊙	⊙	\$13,899
Clearfield	72	1.5	⊙	⊙	\$6,032
Conemaugh Valley Memorial	104	1.5	⊙	⊙	\$10,314
Corry Memorial	8	1.1	⊙	⊙	\$5,025
DuBois Regional	26	2.0	⊙	⊙	\$12,507
Elk Regional	0	NR	NR	NR	NR
Ellwood City	12	1.4	⊙	⊙	\$5,177
Frick	0	NR	NR	NR	NR
Grove City	21	2.3	⊙	⊙	\$6,684
Hamot	177	2.1	⊙	⊙	\$19,750
Highlands	0	NR	NR	NR	NR
Indiana Regional	39	2.0	⊙	⊙	\$11,982
Jameson Memorial	14	2.3	⊙	⊙	\$9,677
Jefferson Regional	0	NR	NR	NR	NR
Kane Community	0	NR	NR	NR	NR
Latrobe Area	33	2.2	●	⊙	\$8,024
Magee-Womens	337	1.5	⊙	⊙	\$16,402
Meadville	31	1.7	⊙	⊙	\$9,620
Medical Center Beaver	139	1.3	⊙	⊙	\$7,450
Mercy Jeannette	10	2.4	⊙	⊙	\$9,104
Mercy Pittsburgh	53	2.1	⊙	⊙	\$15,390
Meyersdale Community	1	NR	NR	NR	NR
Millcreek Community	5	1.9	⊙	⊙	\$13,533

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Miners	0	NR	NR	NR	NR
Monongahela Valley	64	1.6	⊙	⊙	\$12,030
Nason	20	2.1	⊙	⊙	\$7,337
Ohio Valley General	58	2.1	⊙	⊙	\$10,365
Punxsutawney Area	15	1.1	⊙	⊙	\$8,190
Saint Vincent Health	106	2.0	⊙	⊙	\$24,686
Sewickley Valley	56	1.5	⊙	⊙	\$7,167
Sharon Regional	12	2.2	⊙	⊙	\$15,841
Somerset	42	1.3	⊙	⊙	\$10,572
Southwest Regional MC	0	NR	NR	NR	NR
St Clair Memorial	46	2.1	⊙	⊙	\$10,283
Titusville Area	7	2.7	⊙	⊙	\$10,665
Tyrone	5	1.5	⊙	⊙	\$6,056
Uniontown	122	1.8	⊙	⊙	\$7,385
UPMC Bedford	34	1.2	⊙	⊙	\$5,245
UPMC Braddock	0	NR	NR	NR	NR
UPMC Horizon	70	1.9	⊙	⊙	\$12,293
UPMC McKeesport	22	1.5	⊙	⊙	\$17,328
UPMC Northwest	17	2.0	⊙	⊙	\$6,586
UPMC Passavant	37	2.2	⊙	⊙	\$16,914
UPMC Presby Shadyside	14	2.3	⊙	⊙	\$24,682
UPMC South Side	0	NR	NR	NR	NR
UPMC St Margaret	18	1.6	⊙	⊙	\$26,380
Warren General	39	1.6	⊙	⊙	\$8,247
Washington	74	1.5	●	●	\$8,663
Western PA Hosp/Forbes	87	2.0	⊙	⊙	\$17,391
Western Pennsylvania	71	1.6	●	⊙	\$23,268
Westmoreland Regional	53	2.0	⊙	⊙	\$6,893
Windber	34	1.6	⊙	⊙	\$16,245
Western Pennsylvania	2,719	1.7			\$12,645
TOTAL: Statewide	6,824	1.6			\$18,071

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating [†]	%	Rating [†]	
ACMH	3	NR	NR	NR	NR	NR	NR
Aliquippa Community	0	NR	NR	NR	NR	NR	NR
Allegheny General	75	2.4	6.7	⊕	2.7	⊖	\$16,158
Alle-Kiski	9	3.4	0.0	⊕	0.0	⊖	\$25,137
Altoona Regional	12	2.8	0.0	⊕	0.0	⊖	\$15,369
Bradford Regional	10	3.1	0.0	⊕	0.0	⊖	\$16,851
Butler Memorial	24	2.4	8.3	⊕	0.0	⊖	\$17,847
Canonsburg General	2	NR	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR	NR
Clarion	0	NR	NR	NR	NR	NR	NR
Clearfield	0	NR	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	76	2.5	0.0	⊕	3.9	⊖	\$12,232
Corry Memorial	0	NR	NR	NR	NR	NR	NR
DuBois Regional	2	NR	NR	NR	NR	NR	NR
Elk Regional	0	NR	NR	NR	NR	NR	NR
Ellwood City	0	NR	NR	NR	NR	NR	NR
Frick	12	4.5	0.0	⊕	16.7	⊖	\$12,651
Grove City	2	NR	NR	NR	NR	NR	NR
Hamot	17	3.5	0.0	⊕	10.5	⊖	\$59,885
Highlands	0	NR	NR	NR	NR	NR	NR
Indiana Regional	0	NR	NR	NR	NR	NR	NR
Jameson Memorial	14	4.2	0.0	⊕	26.7	●	\$18,954
Jefferson Regional	13	4.4	0.0	⊕	23.1	●	\$13,982
Kane Community	0	NR	NR	NR	NR	NR	NR
Latrobe Area	22	3.0	0.0	⊕	0.0	⊖	\$11,368
Magee-Womens	9	2.8	0.0	⊕	0.0	⊖	\$19,069
Meadville	1	NR	NR	NR	NR	NR	NR
Medical Center Beaver	19	3.9	0.0	⊕	20.0	●	\$12,491
Mercy Jeannette	7	5.2	0.0	⊕	28.6	●	\$17,481
Mercy Pittsburgh	36	2.7	0.0	⊕	2.7	⊖	\$17,707
Meyersdale Community	0	NR	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating [†]	%	Rating [†]	
Miners	0	NR	NR	NR	NR	NR	NR
Monongahela Valley	5	3.9	0.0	⊖	0.0	⊖	\$14,811
Nason	0	NR	NR	NR	NR	NR	NR
Ohio Valley General	2	NR	NR	NR	NR	NR	NR
Punxsutawney Area	0	NR	NR	NR	NR	NR	NR
Saint Vincent Health	37	3.8	2.7	⊖	13.5	●	\$38,749
Sewickley Valley	11	4.0	0.0	⊖	18.2	⊖	\$12,937
Sharon Regional	17	3.7	0.0	⊖	0.0	⊖	\$26,584
Somerset	8	3.4	0.0	⊖	0.0	⊖	\$12,377
Southwest Regional MC	7	2.8	0.0	⊖	0.0	⊖	\$31,272
St Clair Memorial	25	2.2	12.0	⊖	0.0	⊖	\$17,304
Titusville Area	3	NR	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR	NR
Uniontown	29	3.2	0.0	⊖	13.3	⊖	\$10,931
UPMC Bedford	7	6.2	0.0	⊖	62.5	●	\$17,007
UPMC Braddock	4	NR	NR	NR	NR	NR	NR
UPMC Horizon	11	4.5	0.0	⊖	18.2	⊖	\$26,581
UPMC McKeesport	1	NR	NR	NR	NR	NR	NR
UPMC Northwest	7	2.0	0.0	⊖	0.0	⊖	\$11,030
UPMC Passavant	42	3.8	0.0	⊖	7.0	⊖	\$24,166
UPMC Presby Shadyside	413	2.3	2.4	○	0.7	○	\$44,310
UPMC South Side	2	NR	NR	NR	NR	NR	NR
UPMC St Margaret	19	2.7	5.3	⊖	0.0	⊖	\$34,093
Warren General	0	NR	NR	NR	NR	NR	NR
Washington	23	3.3	4.3	⊖	4.3	⊖	\$12,838
Western PA Hosp/Forbes	12	4.1	0.0	⊖	16.7	⊖	\$21,188
Western Pennsylvania	15	3.9	0.0	⊖	13.3	⊖	\$36,480
Westmoreland Regional	18	3.7	0.0	⊖	5.6	⊖	\$11,089
Windber	1	NR	NR	NR	NR	NR	NR
Western Pennsylvania	1,084	2.9	2.1		5.2		\$29,196
TOTAL: Statewide	3,830	2.5	4.9		5.0		\$38,684

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
ACMH	9	2.5	\$7,289
Aliquippa Community	7	4.3	\$15,589
Allegheny General	25	2.9	\$14,408
Alle-Kiski	39	2.9	\$14,368
Altoona Regional	105	3.3	\$8,772
Bradford Regional	3	NR	NR
Butler Memorial	23	2.9	\$9,645
Canonsburg General	10	3.3	\$16,067
Charles Cole Memorial	11	2.2	\$5,851
Clarion	8	1.5	\$10,097
Clearfield	0	NR	NR
Conemaugh Valley Memorial	76	2.2	\$6,852
Corry Memorial	4	NR	NR
DuBois Regional	10	2.0	\$13,602
Elk Regional	17	1.3	\$10,723
Ellwood City	10	2.2	\$6,938
Frick	14	3.1	\$9,526
Grove City	36	2.3	\$6,898
Hamot	28	2.4	\$14,020
Highlands	0	NR	NR
Indiana Regional	19	2.8	\$12,894
Jameson Memorial	12	1.9	\$8,040
Jefferson Regional	26	3.3	\$9,342
Kane Community	0	NR	NR
Latrobe Area	13	2.8	\$8,164
Magee-Womens	2	NR	NR
Meadville	32	4.2	\$11,598
Medical Center Beaver	44	3.2	\$9,428
Mercy Jeannette	27	3.8	\$10,731
Mercy Pittsburgh	48	2.7	\$14,553
Meyersdale Community	0	NR	NR
Millcreek Community	1	NR	NR

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Miners	0	NR	NR
Monongahela Valley	11	3.8	\$10,343
Nason	12	2.4	\$4,731
Ohio Valley General	7	2.9	\$11,763
Punxsutawney Area	2	NR	NR
Saint Vincent Health	50	2.5	\$21,442
Sewickley Valley	15	3.2	\$14,251
Sharon Regional	25	3.1	\$13,350
Somerset	29	2.1	\$7,570
Southwest Regional MC	11	2.0	\$15,693
St Clair Memorial	53	2.2	\$9,315
Titusville Area	41	3.0	\$10,043
Tyrone	0	NR	NR
Uniontown	19	2.5	\$9,473
UPMC Bedford	32	2.6	\$7,407
UPMC Braddock	6	4.0	\$17,381
UPMC Horizon	12	3.0	\$11,331
UPMC McKeesport	10	4.3	\$23,228
UPMC Northwest	47	2.2	\$5,962
UPMC Passavant	44	2.8	\$13,437
UPMC Presby Shadyside	94	2.2	\$25,759
UPMC South Side	3	NR	NR
UPMC St Margaret	29	3.0	\$18,495
Warren General	3	NR	NR
Washington	42	2.2	\$9,345
Western PA Hosp/Forbes	21	3.1	\$12,926
Western Pennsylvania	11	4.6	\$19,871
Westmoreland Regional	26	2.9	\$8,037
Windber	1	NR	NR
Western Pennsylvania	1,318	2.8	\$11,935
TOTAL: Statewide	3,776	2.6	\$17,918

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	20	⊙	1.4	⊙	⊙	\$8,033
Aliquippa Community	0	NR	NR	NR	NR	NR
Allegheny General	171	⊙	2.0	⊙	⊙	\$19,829
Alle-Kiski	36	⊙	2.6	⊙	⊙	\$19,258
Altoona Regional	114	⊙	2.0	⊙	⊙	\$15,872
Bradford Regional	24	⊙	2.6	⊙	⊙	\$14,055
Butler Memorial	60	⊙	3.4	⊙	⊙	\$18,921
Canonsburg General	0	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR
Clarion	1	NR	NR	NR	NR	NR
Clearfield	0	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	116	⊙	2.5	⊙	⊙	\$16,700
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	59	⊙	1.5	⊙	⊙	\$16,720
Elk Regional	1	NR	NR	NR	NR	NR
Ellwood City	0	NR	NR	NR	NR	NR
Frick	1	NR	NR	NR	NR	NR
Grove City	10	⊙	1.9	⊙	⊙	\$8,508
Hamot	82	⊙	2.7	⊙	⊙	\$39,541
Highlands	5	⊙	2.7	⊙	⊙	\$11,100
Indiana Regional	5	⊙	2.5	⊙	⊙	\$19,493
Jameson Memorial	10	⊙	2.2	⊙	⊙	\$12,999
Jefferson Regional	97	⊙	2.6	⊙	⊙	\$12,539
Kane Community	0	NR	NR	NR	NR	NR
Latrobe Area	31	⊙	2.2	⊙	⊙	\$12,061
Magee-Womens	2	NR	NR	NR	NR	NR
Meadville	14	⊙	4.8	⊙	⊙	\$19,779
Medical Center Beaver	59	⊙	2.5	⊙	⊙	\$12,865
Mercy Jeannette	20	⊙	3.2	⊙	⊙	\$14,840
Mercy Pittsburgh	39	⊙	2.3	⊙	⊙	\$24,686
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Miners	0	NR	NR	NR	NR	NR
Monongahela Valley	47	⊕	2.8	⊕	⊕	\$15,468
Nason	0	NR	NR	NR	NR	NR
Ohio Valley General	36	⊕	2.2	⊕	⊕	\$17,529
Punxsutawney Area	0	NR	NR	NR	NR	NR
Saint Vincent Health	151	⊕	1.8	⊕	⊕	\$38,931
Sewickley Valley	58	⊕	1.7	⊕	⊕	\$8,713
Sharon Regional	28	⊕	2.2	⊕	⊕	\$18,280
Somerset	0	NR	NR	NR	NR	NR
Southwest Regional MC	0	NR	NR	NR	NR	NR
St Clair Memorial	60	⊕	2.5	⊕	⊕	\$21,903
Titusville Area	0	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR
Uniontown	40	⊕	4.0	⊕	⊕	\$12,611
UPMC Bedford	0	NR	NR	NR	NR	NR
UPMC Braddock	12	⊕	3.8	⊕	⊕	\$26,661
UPMC Horizon	43	⊕	2.2	⊕	⊕	\$16,925
UPMC McKeesport	20	⊕	2.6	⊕	⊕	\$27,539
UPMC Northwest	31	⊕	3.2	⊕	⊕	\$12,380
UPMC Passavant	51	⊕	2.1	⊕	⊕	\$21,396
UPMC Presby Shadyside	147	⊕	2.8	⊕	⊕	\$46,052
UPMC South Side	19	⊕	3.1	⊕	⊕	\$28,217
UPMC St Margaret	40	⊕	2.2	⊕	⊕	\$34,150
Warren General	8	⊕	3.3	⊕	⊕	\$23,650
Washington	45	⊕	2.9	⊕	⊕	\$17,832
Western PA Hosp/Forbes	58	⊕	2.7	⊕	⊕	\$20,687
Western Pennsylvania	55	⊕	2.7	⊕	⊕	\$33,851
Westmoreland Regional	105	⊕	2.0	⊕	⊕	\$9,487
Windber	14	⊕	2.2	⊕	⊕	\$22,891
Western Pennsylvania	2,059		2.4			\$21,765
TOTAL: Statewide	5,206		2.4			\$27,882

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



Pennsylvania Health Care Cost Containment Council

David Wilderman, Acting Executive Director
225 Market Street, Suite 400, Harrisburg, PA 17101
Phone: 717-232-6787 • Fax: 717-232-3821
www.phc4.org

Hospitals may have commented on this report.
Copies of their comments are available on the PHC4 Web site or by request.