



**Southeastern
Pennsylvania**

HOSPITAL PERFORMANCE REPORT

31 Common Medical Procedures and Treatments • FFY 2008



Table of Contents

Berks
Bucks
Carbon
Chester
Delaware
Lehigh
Montgomery
Northampton
Philadelphia
Schuylkill

| | |
|---|----|
| Key Findings | 1 |
| Understanding this Report | 3 |
| Descriptions | 8 |
| Diagnoses | |
| Abnormal Heartbeat | 10 |
| Blood Clot in Extremities | 12 |
| Blood Clot in Lung | 14 |
| Chronic Obstructive Pulmonary Disease (COPD) | 16 |
| Congestive Heart Failure (CHF)..... | 18 |
| Diabetes with Amputation | 20 |
| Diabetes – Medical Management..... | 22 |
| Heart Attack – Medical Management | 24 |
| Intestinal Obstruction | 26 |
| Kidney Failure – Acute | 28 |
| Kidney and Urinary Tract Infections | 30 |
| Pneumonia – Aspiration | 32 |
| Pneumonia – Infectious | 34 |
| Respiratory Failure with Mechanical Ventilation | 36 |
| Respiratory Failure without Mechanical Ventilation..... | 38 |
| Septicemia..... | 40 |
| Stomach and Intestinal Bleeding | 42 |
| Stroke – Hemorrhagic | 44 |
| Stroke – Non-Hemorrhagic..... | 46 |

Procedures

| | |
|---|----|
| Abdominal Aortic Aneurysm Repair – Endovascular | 48 |
| Abdominal Aortic Aneurysm Repair – Open..... | 50 |
| Colorectal Procedures | 52 |
| Gallbladder Removal – Laparoscopic..... | 54 |
| Gallbladder Removal – Open | 56 |
| Heart Attack – Angioplasty/Stent..... | 58 |
| Hip Fracture – Surgical Repair..... | 60 |
| Hysterectomy – Abdominal | 62 |
| Hysterectomy – Vaginal..... | 64 |
| Prostatectomy – Radical..... | 66 |
| Prostatectomy – Transurethral..... | 68 |
| Removal of Blockage of Neck Vessels..... | 70 |

The following hospitals have commented on this report:

- Abington
- St Joseph’s/Philadelphia

Copies of their comments are available on the [PHC4 Web site](#) or by request.

Key Findings


Mortality Rates

- The overall mortality rate for the 20 conditions consistently reported in 2002 through 2008 showed a statistically significant decrease, from 5.1% in 2002 to 4.2% in 2008.
- Patient mortality rates showed a statistically significant decrease in 14 of these 20 conditions between 2002 and 2008. The largest statistically significant decline was in Stroke - Hemorrhagic, where the mortality rate decreased from 33.7% in 2002 to 26.2% in 2008.
- Among the conditions reported in 2008, Respiratory Failure with Mechanical Ventilation had the highest mortality rate at 29.5%. Hysterectomy - Abdominal had the lowest rate at 0.1%.

Readmissions for Any Reason

- There were 57,852 readmissions for any reason in 2008 (for the 21 categories for which readmission ratings were reported). These readmissions amounted to approximately \$2.5 billion in charges and 350,000 hospital days.
- Eight of the conditions had readmission rates for any reason that exceeded the overall rate of 18.9% (based on all 21 conditions for which readmissions were reported in 2008).

**Rates of Readmission for Any Reason:
Conditions Exceeding the 2008 Average Rate***




* The overall rate for the 21 conditions for which readmissions for any reason were reported in 2008 was 18.9%.

- The overall readmission rate for the 15 conditions reported consistently in 2002 through 2008 showed a statistically significant increase from 18.3% in 2002 to 19.1% in 2008. However, it is important to note this rate reached a plateau in recent years: the 2008 rate was not significantly different from the 2004 rate of 19.0%. The largest significant increase over this time period was in Diabetes - Medical Management, where the readmission rate increased from 19.4% in 2002 to 21.3% in 2008.
- Among the conditions reported in 2008, Respiratory Failure with Mechanical Ventilation had the highest readmission rate at 27.6%. Hysterectomy - Vaginal had the lowest rate at 3.0%.

Readmissions for Complication or Infection

- There were 22,094 readmissions for complication or infection in 2008 (for the 21 categories for which these rates were reported in 2008). These readmissions amounted to approximately \$1.1 billion in charges and 157,000 hospital days.
- Nine of the conditions had readmission rates for complication or infection that exceeded the overall rate of 7.2% (based on all 21 conditions for which these rates were reported in 2008).

**Rates of Readmission for Complication or Infection:
Conditions Exceeding the 2008 Average Rate***



* The overall rate for the 21 conditions for which readmissions for complication or infection were reported in 2008 was 7.2%.

- The condition with the highest readmission rate for complication or infection in 2008 was Pneumonia - Aspiration (17.3%). The condition with the lowest rate was Hysterectomy - Vaginal (2.1%).

Length of Stay

- There was wide variation in length of stay among hospitals in 2008. The condition with the most variation was Diabetes with Amputation, where hospitals' average length of stay ranged from 4.1 to 16.1 days after taking patient risk factors into account.
- The average length of stay showed a statistically significant decrease in 17 of the 24 conditions for which length of stay was consistently reported between 2002 and 2008. The largest decline was in Prostatectomy - Radical, where the average length of stay decreased from 3.3 days in 2002 to 2.3 days in 2008. The average length of stay also increased significantly in two conditions during this time period. The largest increase was in Gallbladder Removal - Laparoscopic, where the average length of stay increased from 3.2 days in 2002 to 3.6 days in 2008.

Understanding this Report



Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policymakers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

What is the purpose of the report?

Before we make a major purchase, we usually gather as much information as we can about the available product or service. By comparing what we learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill the information vacuum and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the

31 code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 8 and 9.

- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2008, which includes data from October 1, 2007 through September 30, 2008.



- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at www.phc4.org.

Where does the data come from?

The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals submit data indicating, in simple terms, “how sick the patient was” or, in technical jargon, a “severity score.” The data is then risk-adjusted.

Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to “risk-adjust” the mortality, length of stay and readmission data, meaning that hospitals receive “extra credit” for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient’s probability of mortality and expected length of stay. Atlas Outcomes™ is a clinical information system

developed by MediQual™ services, a business of CareFusion Corporation. This system uses electronically available admit/discharge/transfer and laboratory data to calculate risk for patients in this report. PHC4 also independently adjusts for other relevant patient risk factors, such as poverty level, the presence of cancer, diabetes, etc.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the Technical Notes on PHC4’s Web site at www.phc4.org.

What is measured in the report and why is it important?

PHC4’s mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment. The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.



Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital’s control. Abnormally short or long hospital stays may result from factors, such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the Technical Notes on the PHC4 Web site, www.phc4.org, for a detailed description).

Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack

– Medical Management because subsequent admissions are often planned.

Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average statewide, \$.26 in NPR for every dollar that they charged in Fiscal Year 2008 (for most hospitals 7/1/2007 through 6/30/2008).

Within the geographic area covered in this report, hospitals received, on average, \$.22 in NPR for every dollar charged. Broken down even further, hospitals within the city of Philadelphia received, on average, \$.23 in NPR for every dollar charged, suburban Philadelphia hospitals received an average of \$.17 on the dollar, and hospitals in the Lehigh Valley/Reading area received an average of \$.32 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charg-

es from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

Hospitals not included

Hospitals are asked to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing UB data or patient severity scores in excess of or equal to 10% of all records in the list of 35 diseases, procedures, and medical conditions that need to be abstracted are excluded from this report. These hospitals are listed below. Although hospitalization data specific to these hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

Hospitals not included:

- Abington
- Coordinated Health Orthopedic
- Thomas Jefferson

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.



How to use this report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management:

A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure – Acute: A sudden and rapid loss of kidney function resulting in a build up of waste products that are normally removed from the body through urine. Because these waste products are toxic, acute kidney failure can be life threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical

Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical

Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding:

Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.

Code-based Procedure Descriptions

Abdominal Aortic Aneurysm Repair – Endovascular (EVAR): An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or 'endograft' is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

Abdominal Aortic Aneurysm Repair – Open: An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This 'open' procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic: Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through three or four small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent: Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

Hip Fracture – Surgical Repair: Fracture ("broken bone") of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

Hysterectomy – Vaginal: Includes hysterectomy through a vaginal approach and those laparoscopically (use of microscopic camera) assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.



Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non cancerous) enlargement of the prostate.

Removal of Blockage of Neck Vessels: This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Information about additional treatment and surgical categories is posted on the Web site at www.phc4.org

Abnormal Heartbeat

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 631 | ⊙ | 3.6 | 6.0 | ⊙ | 8.1 | ● | ● | ⊙ | \$52,508 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 208 | ⊙ | 3.2 | 4.4 | ⊙ | 3.9 | ⊙ | ⊙ | ⊙ | \$41,682 |
| Central Montgomery | 176 | ⊙ | 2.8 | 6.9 | ⊙ | 0.6 | ⊙ | ⊙ | ⊙ | \$37,792 |
| Chester County | 476 | ⊙ | 3.3 | 2.7 | ⊙ | 4.4 | ⊙ | ⊙ | ⊙ | \$19,990 |
| Chestnut Hill | 249 | ⊙ | 3.1 | 3.2 | ⊙ | 2.4 | ⊙ | ⊙ | ⊙ | \$51,604 |
| Crozer-Chester | 408 | ⊙ | 3.2 | 4.0 | ⊙ | 5.0 | ⊙ | ⊙ | ⊙ | \$69,501 |
| Delaware County Memorial | 205 | ⊙ | 3.9 | 2.0 | ⊙ | 8.9 | ● | ⊙ | ⊙ | \$74,353 |
| Doylestown | 567 | ⊙ | 3.0 | 4.6 | ⊙ | 3.9 | ⊙ | ⊙ | ⊙ | \$27,471 |
| Eastern Regional | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 347 | ⊙ | 3.7 | 5.2 | ⊙ | 5.8 | ⊙ | ⊙ | ⊙ | \$47,540 |
| Frankford | 1,090 | ⊙ | 4.7 | 2.5 | ⊙ | 12.6 | ● | ⊙ | ⊙ | \$40,969 |
| Gnaden Huetten Memorial | 74 | ⊙ | 2.5 | 14.1 | ● | 1.4 | ⊙ | ⊙ | ⊙ | \$14,138 |
| Grand View | 351 | ⊙ | 3.4 | 4.0 | ⊙ | 3.1 | ⊙ | ⊙ | ⊙ | \$31,313 |
| Hahnemann University | 445 | ⊙ | 4.0 | 5.2 | ⊙ | 13.1 | ● | ⊙ | ⊙ | \$83,593 |
| Holy Redeemer | 361 | ⊙ | 3.7 | 6.7 | ⊙ | 7.0 | ⊙ | ⊙ | ⊙ | \$61,401 |
| Hospital Fox Chase Cancer | 15 | ⊙ | 2.6 | 13.3 | ⊙ | 6.7 | ⊙ | ⊙ | ⊙ | \$22,783 |
| Hospital University PA | 959 | ⊙ | 3.7 | 2.7 | ⊙ | 4.1 | ⊙ | ⊙ | ⊙ | \$66,627 |
| Jeanes | 311 | ● | 4.0 | 4.6 | ⊙ | 8.3 | ● | ⊙ | ⊙ | \$98,328 |
| Jennersville Regional | 84 | ⊙ | 3.3 | 4.8 | ⊙ | 6.0 | ⊙ | ⊙ | ⊙ | \$34,951 |
| Lehigh Valley | 884 | ⊙ | 3.5 | 4.3 | ⊙ | 3.3 | ⊙ | ⊙ | ⊙ | \$43,016 |
| Lehigh Valley/Muhlenberg | 326 | ⊙ | 4.2 | 7.5 | ⊙ | 10.6 | ● | ⊙ | ⊙ | \$49,383 |
| Lower Bucks | 196 | ⊙ | 4.1 | 2.6 | ⊙ | 7.2 | ⊙ | ● | ⊙ | \$63,516 |
| Main Line Bryn Mawr | 464 | ⊙ | 3.1 | 7.2 | ● | 5.0 | ⊙ | ⊙ | ⊙ | \$40,654 |
| Main Line Lankenau | 892 | ⊙ | 2.9 | 6.4 | ⊙ | 2.1 | ⊙ | ⊙ | ⊙ | \$39,586 |
| Main Line Paoli | 381 | ⊙ | 3.1 | 5.3 | ⊙ | 3.2 | ⊙ | ⊙ | ⊙ | \$37,512 |
| Mercy Fitzgerald | 257 | ⊙ | 2.8 | 9.0 | ● | 3.1 | ⊙ | ⊙ | ⊙ | \$44,960 |
| Mercy Philadelphia | 187 | ⊙ | 2.9 | 7.1 | ⊙ | 2.7 | ⊙ | ● | ⊙ | \$58,037 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Abnormal Heartbeat

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 190 | ⊙ | 3.0 | 7.4 | ⊙ | 2.1 | ⊙ | ● | ⊙ | \$40,841 |
| Methodist Division/TJUH | 207 | ⊙ | 3.4 | 1.9 | ○ | 5.8 | ⊙ | ● | ⊙ | \$51,408 |
| Montgomery | 196 | ⊙ | 3.1 | 2.1 | ⊙ | 2.1 | ⊙ | ● | ⊙ | \$34,444 |
| Nazareth | 335 | ⊙ | 4.4 | 2.7 | ○ | 11.7 | ● | ⊙ | ⊙ | \$60,929 |
| Palmerton | 59 | ⊙ | 3.0 | 10.3 | ⊙ | 5.2 | ⊙ | ⊙ | ⊙ | \$17,246 |
| Penn Presbyterian | 857 | ⊙ | 3.1 | 4.5 | ⊙ | 2.7 | ○ | ⊙ | ⊙ | \$59,369 |
| Pennsylvania | 324 | ⊙ | 3.3 | 3.4 | ⊙ | 6.6 | ⊙ | ⊙ | ⊙ | \$61,863 |
| Phoenixville | 238 | ⊙ | 2.7 | 8.4 | ● | 1.7 | ○ | ⊙ | ⊙ | \$35,698 |
| Pottstown Memorial | 294 | ⊙ | 2.8 | 7.2 | ⊙ | 3.1 | ⊙ | ● | ⊙ | \$42,350 |
| Reading | 555 | ⊙ | 3.6 | 8.6 | ● | 6.4 | ⊙ | ○ | ○ | \$23,323 |
| Riddle Memorial | 248 | ⊙ | 3.3 | 5.3 | ⊙ | 4.9 | ⊙ | ⊙ | ⊙ | \$58,411 |
| Roxborough Memorial | 147 | ● | 4.0 | 5.7 | ⊙ | 5.7 | ⊙ | ⊙ | ⊙ | \$37,213 |
| Sacred Heart/Allentown | 128 | ⊙ | 3.8 | 0.8 | ○ | 5.5 | ⊙ | ⊙ | ⊙ | \$28,852 |
| Saint Catherine | 26 | ⊙ | 3.1 | 4.0 | ⊙ | 4.0 | ⊙ | ⊙ | ⊙ | \$18,959 |
| Schuylkill-East Norwegian | 181 | ⊙ | 3.8 | 3.4 | ⊙ | 6.7 | ⊙ | ○ | ⊙ | \$13,061 |
| Schuylkill-South Jackson | 133 | ⊙ | 3.8 | 3.8 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$13,397 |
| Springfield | 65 | ⊙ | 3.5 | 12.5 | ● | 6.3 | ⊙ | ⊙ | ⊙ | \$76,472 |
| St Joseph/Reading | 339 | ⊙ | 2.9 | 10.1 | ● | 1.8 | ○ | ○ | ⊙ | \$17,540 |
| St Joseph's/Philadelphia | 54 | ⊙ | 4.5 | 1.9 | ⊙ | 24.1 | ● | ⊙ | ⊙ | \$35,818 |
| St Luke's Miners | 50 | ⊙ | 4.6 | 10.0 | ⊙ | 14.0 | ● | ⊙ | ⊙ | \$28,327 |
| St Luke's Quakertown | 90 | ⊙ | 2.4 | 4.4 | ⊙ | 0.0 | ○ | ⊙ | ⊙ | \$30,395 |
| St Luke's/Bethlehem | 813 | ⊙ | 3.4 | 6.4 | ⊙ | 4.7 | ⊙ | ⊙ | ⊙ | \$32,447 |
| St Mary | 970 | ⊙ | 3.8 | 3.1 | ○ | 6.2 | ⊙ | ⊙ | ⊙ | \$35,623 |
| Taylor | 233 | ⊙ | 4.2 | 3.9 | ⊙ | 7.0 | ⊙ | ⊙ | ⊙ | \$73,625 |
| Temple East | 177 | ⊙ | 4.1 | 2.3 | ⊙ | 13.1 | ● | ⊙ | ⊙ | \$61,885 |
| Temple University | 369 | ⊙ | 3.6 | 6.0 | ⊙ | 11.2 | ● | ● | ⊙ | \$96,222 |
| Southeastern Pennsylvania | 18,887 | | 3.5 | 4.8 | | 5.9 | | | | \$47,542 |
| TOTAL: Statewide | 44,947 | | 3.5 | 5.0 | | 5.0 | | | | \$32,586 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Extremities

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Albert Einstein | 140 | ⊙ | 3.8 | 11.4 | ● | 2.9 | ⊙ | \$24,065 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 42 | ⊙ | 4.8 | 0.0 | ⊙ | 2.4 | ⊙ | \$23,656 |
| Central Montgomery | 41 | ⊙ | 4.5 | 4.9 | ⊙ | 2.4 | ⊙ | \$31,404 |
| Chester County | 70 | ⊙ | 4.9 | 2.9 | ⊙ | 7.2 | ⊙ | \$17,198 |
| Chestnut Hill | 75 | ⊙ | 3.6 | 5.4 | ⊙ | 0.0 | ⊙ | \$24,958 |
| Crozer-Chester | 88 | ⊙ | 3.0 | 6.8 | ⊙ | 1.1 | ⊙ | \$47,425 |
| Delaware County Memorial | 51 | ⊙ | 5.2 | 2.0 | ⊙ | 2.0 | ⊙ | \$68,960 |
| Doylestown | 75 | ⊙ | 3.5 | 13.3 | ● | 1.3 | ⊙ | \$16,610 |
| Eastern Regional | 5 | ⊙ | 4.6 | 20.0 | ⊙ | 0.0 | ⊙ | NR |
| Easton | 75 | ⊙ | 4.1 | 1.3 | ⊙ | 4.0 | ⊙ | \$16,760 |
| Frankford | 174 | ⊙ | 4.8 | 2.9 | ⊙ | 8.6 | ⊙ | \$23,295 |
| Gnaden Huetten Memorial | 9 | ⊙ | 3.7 | 22.2 | ⊙ | 0.0 | ⊙ | \$6,348 |
| Grand View | 40 | ⊙ | 3.3 | 10.0 | ⊙ | 2.5 | ⊙ | \$17,140 |
| Hahnemann University | 62 | ⊙ | 3.8 | 6.5 | ⊙ | 6.5 | ⊙ | \$54,858 |
| Holy Redeemer | 70 | ⊙ | 4.9 | 2.9 | ⊙ | 2.9 | ⊙ | \$44,245 |
| Hospital Fox Chase Cancer | 16 | ⊙ | 3.6 | 12.5 | ⊙ | 6.3 | ⊙ | \$16,845 |
| Hospital University PA | 121 | ⊙ | 4.2 | 6.6 | ⊙ | 5.8 | ⊙ | \$31,929 |
| Jeanes | 68 | ⊙ | 4.4 | 6.0 | ⊙ | 4.5 | ⊙ | \$42,502 |
| Jennersville Regional | 29 | ⊙ | 3.9 | 0.0 | ⊙ | 3.4 | ⊙ | \$15,636 |
| Lehigh Valley | 121 | ⊙ | 3.8 | 3.4 | ⊙ | 4.2 | ⊙ | \$18,033 |
| Lehigh Valley/Muhlenberg | 65 | ⊙ | 3.6 | 4.6 | ⊙ | 3.1 | ⊙ | \$16,928 |
| Lower Bucks | 36 | ⊙ | 5.3 | 0.0 | ⊙ | 11.1 | ⊙ | \$45,671 |
| Main Line Bryn Mawr | 61 | ⊙ | 3.5 | 16.4 | ● | 6.6 | ⊙ | \$27,610 |
| Main Line Lankenau | 77 | ⊙ | 3.9 | 13.2 | ● | 5.3 | ⊙ | \$30,728 |
| Main Line Paoli | 31 | ⊙ | 3.5 | 3.2 | ⊙ | 3.2 | ⊙ | \$32,674 |
| Mercy Fitzgerald | 57 | ⊙ | 4.4 | 1.8 | ⊙ | 3.5 | ⊙ | \$42,659 |
| Mercy Philadelphia | 64 | ⊙ | 4.3 | 4.7 | ⊙ | 3.1 | ⊙ | \$31,358 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Extremities

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Mercy Suburban | 35 | ⊙ | 4.3 | 0.0 | ⊙ | 8.6 | ⊙ | \$30,347 |
| Methodist Division/TJUH | 46 | ⊙ | 4.9 | 4.3 | ⊙ | 19.6 | ● | \$29,588 |
| Montgomery | 29 | ⊙ | 3.8 | 0.0 | ⊙ | 0.0 | ⊙ | \$26,132 |
| Nazareth | 58 | ⊙ | 5.1 | 1.7 | ⊙ | 6.9 | ⊙ | \$33,756 |
| Palmerton | 14 | ⊙ | 3.6 | 7.1 | ⊙ | 0.0 | ⊙ | \$8,195 |
| Penn Presbyterian | 42 | ⊙ | 3.9 | 16.7 | ● | 9.5 | ⊙ | \$25,291 |
| Pennsylvania | 44 | ⊙ | 5.6 | 2.3 | ⊙ | 13.6 | ● | \$37,219 |
| Phoenixville | 30 | ⊙ | 4.0 | 6.7 | ⊙ | 3.3 | ⊙ | \$22,057 |
| Pottstown Memorial | 49 | ⊙ | 3.3 | 8.3 | ⊙ | 4.2 | ⊙ | \$17,430 |
| Reading | 134 | ⊙ | 4.5 | 3.8 | ⊙ | 6.0 | ⊙ | \$14,194 |
| Riddle Memorial | 66 | ● | 4.2 | 3.1 | ⊙ | 0.0 | ⊙ | \$38,320 |
| Roxborough Memorial | 30 | ⊙ | 4.8 | 10.0 | ⊙ | 6.7 | ⊙ | \$17,811 |
| Sacred Heart/Allentown | 24 | ⊙ | 4.4 | 0.0 | ⊙ | 0.0 | ⊙ | \$12,273 |
| Saint Catherine | 14 | ⊙ | 4.8 | 0.0 | ⊙ | 7.1 | ⊙ | \$7,855 |
| Schuylkill-East Norwegian | 28 | ⊙ | 5.0 | 11.1 | ⊙ | 3.7 | ⊙ | \$9,403 |
| Schuylkill-South Jackson | 51 | ⊙ | 4.3 | 2.0 | ⊙ | 5.9 | ⊙ | \$7,648 |
| Springfield | 15 | ⊙ | 4.6 | 6.7 | ⊙ | 6.7 | ⊙ | \$72,939 |
| St Joseph/Reading | 48 | ⊙ | 4.3 | 12.5 | ● | 6.3 | ⊙ | \$10,440 |
| St Joseph's/Philadelphia | 10 | ⊙ | 6.7 | 0.0 | ⊙ | 20.0 | ⊙ | \$29,570 |
| St Luke's Miners | 13 | ⊙ | 5.3 | 0.0 | ⊙ | 0.0 | ⊙ | \$13,777 |
| St Luke's Quakertown | 31 | ⊙ | 3.4 | 6.5 | ⊙ | 0.0 | ⊙ | \$18,482 |
| St Luke's/Bethlehem | 154 | ⊙ | 3.5 | 10.4 | ● | 5.8 | ⊙ | \$18,631 |
| St Mary | 113 | ⊙ | 4.8 | 2.7 | ⊙ | 5.4 | ⊙ | \$20,963 |
| Taylor | 46 | ⊙ | 5.2 | 0.0 | ⊙ | 13.0 | ● | \$66,928 |
| Temple East | 34 | ⊙ | 4.7 | 2.9 | ⊙ | 8.8 | ⊙ | \$39,980 |
| Temple University | 74 | ⊙ | 3.6 | 11.0 | ⊙ | 9.6 | ⊙ | \$50,212 |
| Southeastern Pennsylvania | 3,171 | | 4.2 | 6.2 | | 5.2 | | \$28,274 |
| TOTAL: Statewide | 7,741 | | 4.2 | 5.0 | | 5.0 | | \$18,496 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Lung

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Albert Einstein | 91 | ⊙ | 4.9 | 7.9 | ⊙ | 4.5 | ⊙ | \$34,914 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 25 | ⊙ | 5.5 | 8.0 | ⊙ | 4.0 | ⊙ | \$42,194 |
| Central Montgomery | 29 | ⊙ | 5.1 | 0.0 | ⊙ | 0.0 | ⊙ | \$54,022 |
| Chester County | 69 | ⊙ | 5.3 | 7.5 | ⊙ | 6.0 | ⊙ | \$21,526 |
| Chestnut Hill | 36 | ⊙ | 4.9 | 11.8 | ⊙ | 5.9 | ⊙ | \$48,253 |
| Crozer-Chester | 46 | ⊙ | 5.1 | 14.0 | ● | 2.3 | ⊙ | \$105,183 |
| Delaware County Memorial | 32 | ⊙ | 6.2 | 3.1 | ⊙ | 3.1 | ⊙ | \$94,946 |
| Doylestown | 48 | ⊙ | 5.9 | 0.0 | ⊙ | 2.1 | ⊙ | \$31,212 |
| Eastern Regional | 2 | NR | NR | NR | NR | NR | NR | NR |
| Easton | 45 | ⊙ | 5.1 | 2.2 | ⊙ | 4.4 | ⊙ | \$33,031 |
| Frankford | 91 | ⊙ | 6.3 | 1.1 | ⊙ | 2.2 | ⊙ | \$36,342 |
| Gnaden Huetten Memorial | 22 | ⊙ | 5.6 | 0.0 | ⊙ | 9.1 | ⊙ | \$11,626 |
| Grand View | 67 | ⊙ | 5.3 | 3.1 | ⊙ | 0.0 | ⊙ | \$33,918 |
| Hahnemann University | 36 | ⊙ | 7.1 | 5.7 | ⊙ | 25.7 | ● | \$99,615 |
| Holy Redeemer | 55 | ⊙ | 6.2 | 1.9 | ⊙ | 7.5 | ⊙ | \$72,233 |
| Hospital Fox Chase Cancer | 23 | ⊙ | 4.0 | 21.7 | ● | 0.0 | ⊙ | \$16,771 |
| Hospital University PA | 122 | ⊙ | 5.7 | 7.5 | ⊙ | 13.3 | ● | \$44,022 |
| Jeanes | 30 | ⊙ | 7.5 | 0.0 | ⊙ | 10.0 | ⊙ | \$87,963 |
| Jennersville Regional | 11 | ⊙ | 5.1 | 0.0 | ⊙ | 9.1 | ⊙ | \$32,762 |
| Lehigh Valley | 209 | ⊙ | 5.0 | 3.4 | ⊙ | 4.8 | ⊙ | \$30,156 |
| Lehigh Valley/Muhlenberg | 72 | ⊙ | 4.6 | 1.4 | ⊙ | 2.8 | ⊙ | \$27,589 |
| Lower Bucks | 20 | ⊙ | 6.1 | 0.0 | ⊙ | 5.3 | ⊙ | \$67,506 |
| Main Line Bryn Mawr | 84 | ⊙ | 4.4 | 10.7 | ● | 1.2 | ⊙ | \$45,742 |
| Main Line Lankenau | 62 | ⊙ | 4.9 | 3.3 | ⊙ | 1.6 | ⊙ | \$42,837 |
| Main Line Paoli | 53 | ⊙ | 4.2 | 3.8 | ⊙ | 3.8 | ⊙ | \$43,730 |
| Mercy Fitzgerald | 53 | ⊙ | 5.4 | 7.7 | ⊙ | 7.7 | ⊙ | \$60,971 |
| Mercy Philadelphia | 33 | ⊙ | 6.4 | 3.1 | ⊙ | 12.5 | ⊙ | \$55,056 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Lung

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Mercy Suburban | 24 | ⊙ | 5.1 | 4.8 | ⊙ | 0.0 | ⊙ | \$44,827 |
| Methodist Division/TJUH | 35 | ⊙ | 6.2 | 3.0 | ⊙ | 12.1 | ⊙ | \$46,591 |
| Montgomery | 26 | ⊙ | 5.4 | 0.0 | ⊙ | 7.7 | ⊙ | \$44,465 |
| Nazareth | 24 | ⊙ | 6.0 | 0.0 | ⊙ | 9.1 | ⊙ | \$45,662 |
| Palmerton | 4 | NR | NR | NR | NR | NR | NR | NR |
| Penn Presbyterian | 47 | ⊙ | 4.6 | 2.1 | ⊙ | 4.3 | ⊙ | \$31,021 |
| Pennsylvania | 39 | ⊙ | 6.3 | 2.6 | ⊙ | 10.5 | ⊙ | \$56,394 |
| Phoenixville | 42 | ⊙ | 4.3 | 2.4 | ⊙ | 0.0 | ⊙ | \$33,751 |
| Pottstown Memorial | 42 | ⊙ | 4.4 | 9.5 | ⊙ | 0.0 | ⊙ | \$30,292 |
| Reading | 159 | ⊙ | 6.0 | 2.6 | ⊙ | 5.8 | ⊙ | \$21,032 |
| Riddle Memorial | 35 | ⊙ | 6.2 | 2.9 | ⊙ | 2.9 | ⊙ | \$80,098 |
| Roxborough Memorial | 6 | ⊙ | 5.6 | 0.0 | ⊙ | 0.0 | ⊙ | \$29,832 |
| Sacred Heart/Allentown | 7 | ⊙ | 4.7 | 0.0 | ⊙ | 0.0 | ⊙ | \$18,261 |
| Saint Catherine | 5 | ⊙ | 5.2 | 0.0 | ⊙ | 0.0 | ⊙ | \$15,981 |
| Schuylkill-East Norwegian | 32 | ⊙ | 5.6 | 3.4 | ⊙ | 3.4 | ⊙ | \$13,896 |
| Schuylkill-South Jackson | 52 | ⊙ | 5.8 | 6.0 | ⊙ | 8.0 | ⊙ | \$12,501 |
| Springfield | 7 | ⊙ | 6.9 | 0.0 | ⊙ | 14.3 | ⊙ | \$126,599 |
| St Joseph/Reading | 42 | ⊙ | 5.2 | 2.5 | ⊙ | 0.0 | ⊙ | \$16,195 |
| St Joseph's/Philadelphia | 3 | NR | NR | NR | NR | NR | NR | NR |
| St Luke's Miners | 16 | ⊙ | 6.5 | 0.0 | ⊙ | 12.5 | ⊙ | \$25,979 |
| St Luke's Quakertown | 24 | ⊙ | 3.9 | 4.2 | ⊙ | 0.0 | ⊙ | \$26,838 |
| St Luke's/Bethlehem | 112 | ⊙ | 6.1 | 1.8 | ⊙ | 6.4 | ⊙ | \$38,406 |
| St Mary | 93 | ⊙ | 6.1 | 5.5 | ⊙ | 8.8 | ⊙ | \$33,276 |
| Taylor | 26 | ⊙ | 5.8 | 4.0 | ⊙ | 8.0 | ⊙ | \$106,743 |
| Temple East | 26 | ⊙ | 5.3 | 0.0 | ⊙ | 3.8 | ⊙ | \$46,432 |
| Temple University | 81 | ⊙ | 4.4 | 15.0 | ● | 5.0 | ⊙ | \$83,804 |
| Southeastern Pennsylvania | 2,603 | | 5.4 | 4.7 | | 5.5 | | \$42,694 |
| TOTAL: Statewide | 6,937 | | 5.3 | 5.0 | | 5.0 | | \$28,880 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Chronic Obstructive Pulmonary Disease (COPD)

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating [†] | % | Rating [†] | | | |
| Albert Einstein | 319 | ⊙ | 3.4 | 15.8 | ● | 1.6 | ○ | ⊙ | ⊙ | \$20,933 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 223 | ● | 5.0 | 3.2 | ⊙ | 6.9 | ⊙ | ● | ⊙ | \$34,749 |
| Central Montgomery | 162 | ⊙ | 4.0 | 6.8 | ⊙ | 4.3 | ⊙ | ⊙ | ⊙ | \$35,378 |
| Chester County | 277 | ⊙ | 4.7 | 3.3 | ⊙ | 7.2 | ⊙ | ⊙ | ⊙ | \$20,966 |
| Chestnut Hill | 188 | ⊙ | 3.8 | 7.1 | ⊙ | 1.6 | ○ | ⊙ | ⊙ | \$38,660 |
| Crozer-Chester | 408 | ⊙ | 4.2 | 6.2 | ⊙ | 5.7 | ⊙ | ⊙ | ⊙ | \$65,953 |
| Delaware County Memorial | 253 | ⊙ | 5.7 | 2.0 | ○ | 15.1 | ● | ⊙ | ⊙ | \$69,641 |
| Doylestown | 219 | ⊙ | 4.6 | 4.6 | ⊙ | 3.7 | ⊙ | ⊙ | ⊙ | \$24,400 |
| Eastern Regional | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 189 | ⊙ | 4.3 | 4.9 | ⊙ | 2.7 | ⊙ | ● | ● | \$27,914 |
| Frankford | 796 | ⊙ | 5.0 | 2.7 | ○ | 5.2 | ⊙ | ⊙ | ○ | \$36,430 |
| Gnaden Huetten Memorial | 84 | ⊙ | 3.5 | 6.1 | ⊙ | 0.0 | ○ | ⊙ | ⊙ | \$8,298 |
| Grand View | 118 | ⊙ | 4.8 | 1.7 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$33,608 |
| Hahnemann University | 132 | ⊙ | 5.2 | 5.3 | ⊙ | 7.6 | ⊙ | ● | ⊙ | \$71,253 |
| Holy Redeemer | 220 | ⊙ | 4.8 | 2.8 | ⊙ | 7.3 | ⊙ | ⊙ | ⊙ | \$53,060 |
| Hospital Fox Chase Cancer | 9 | ⊙ | 2.5 | 22.2 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$10,413 |
| Hospital University PA | 144 | ⊙ | 3.5 | 11.8 | ● | 5.6 | ⊙ | ⊙ | ⊙ | \$31,977 |
| Jeanes | 162 | ⊙ | 4.4 | 1.2 | ○ | 1.9 | ⊙ | ⊙ | ⊙ | \$47,573 |
| Jennersville Regional | 111 | ⊙ | 3.7 | 5.4 | ⊙ | 2.7 | ⊙ | ⊙ | ⊙ | \$21,787 |
| Lehigh Valley | 406 | ⊙ | 4.3 | 5.2 | ⊙ | 5.0 | ⊙ | ⊙ | ⊙ | \$24,007 |
| Lehigh Valley/Muhlenberg | 205 | ⊙ | 3.9 | 9.3 | ● | 3.4 | ⊙ | ⊙ | ⊙ | \$22,533 |
| Lower Bucks | 213 | ⊙ | 4.4 | 4.3 | ⊙ | 4.3 | ⊙ | ⊙ | ○ | \$50,979 |
| Main Line Bryn Mawr | 261 | ⊙ | 4.7 | 5.1 | ⊙ | 6.2 | ⊙ | ⊙ | ⊙ | \$46,352 |
| Main Line Lankenau | 287 | ⊙ | 4.5 | 5.3 | ⊙ | 8.5 | ● | ⊙ | ⊙ | \$39,344 |
| Main Line Paoli | 151 | ⊙ | 3.9 | 8.1 | ⊙ | 2.0 | ⊙ | ○ | ⊙ | \$36,910 |
| Mercy Fitzgerald | 307 | ⊙ | 3.6 | 9.8 | ● | 2.3 | ○ | ⊙ | ⊙ | \$39,302 |
| Mercy Philadelphia | 304 | ⊙ | 3.6 | 9.2 | ● | 4.0 | ⊙ | ● | ⊙ | \$32,600 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Chronic Obstructive Pulmonary Disease (COPD)

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 134 | ● | 4.4 | 10.9 | ● | 5.4 | ○ | ○ | ○ | \$41,344 |
| Methodist Division/TJUH | 351 | ○ | 4.7 | 2.9 | ○ | 6.0 | ○ | ○ | ○ | \$33,849 |
| Montgomery | 200 | ○ | 5.0 | 0.5 | ○ | 7.5 | ○ | ○ | ○ | \$39,576 |
| Nazareth | 247 | ○ | 4.6 | 5.3 | ○ | 4.5 | ○ | ○ | ○ | \$38,114 |
| Palmerton | 80 | ○ | 4.5 | 3.8 | ○ | 2.5 | ○ | ○ | ● | \$11,796 |
| Penn Presbyterian | 131 | ○ | 3.4 | 9.2 | ● | 0.8 | ○ | ○ | ○ | \$24,751 |
| Pennsylvania | 139 | ○ | 5.1 | 1.4 | ○ | 8.6 | ○ | ○ | ○ | \$42,542 |
| Phoenixville | 185 | ○ | 4.1 | 7.1 | ○ | 2.2 | ○ | ○ | ○ | \$34,030 |
| Pottstown Memorial | 309 | ○ | 4.1 | 5.6 | ○ | 3.3 | ○ | ○ | ○ | \$31,738 |
| Reading | 331 | ● | 5.2 | 3.7 | ○ | 10.6 | ● | ○ | ○ | \$20,072 |
| Riddle Memorial | 244 | ○ | 5.0 | 5.0 | ○ | 6.3 | ○ | ○ | ○ | \$51,090 |
| Roxborough Memorial | 172 | ○ | 6.1 | 1.2 | ○ | 10.5 | ● | ○ | ○ | \$24,044 |
| Sacred Heart/Allentown | 123 | ○ | 4.0 | 5.8 | ○ | 2.5 | ○ | ○ | ○ | \$16,733 |
| Saint Catherine | 53 | ○ | 3.6 | 5.7 | ○ | 0.0 | ○ | ○ | ○ | \$9,066 |
| Schuylkill-East Norwegian | 210 | ● | 5.4 | 2.5 | ○ | 8.4 | ○ | ○ | ○ | \$11,034 |
| Schuylkill-South Jackson | 139 | ○ | 5.2 | 3.6 | ○ | 8.0 | ○ | ○ | ○ | \$11,013 |
| Springfield | 45 | ○ | 5.5 | 4.5 | ○ | 6.8 | ○ | ○ | ○ | \$90,556 |
| St Joseph/Reading | 159 | ○ | 4.1 | 10.3 | ● | 3.2 | ○ | ○ | ○ | \$13,718 |
| St Joseph's/Philadelphia | 119 | ○ | 5.4 | 4.2 | ○ | 5.1 | ○ | ● | ○ | \$19,933 |
| St Luke's Miners | 63 | ○ | 5.4 | 8.1 | ○ | 8.1 | ○ | ○ | ○ | \$19,359 |
| St Luke's Quakertown | 60 | ○ | 3.6 | 5.0 | ○ | 1.7 | ○ | ○ | ○ | \$25,089 |
| St Luke's/Bethlehem | 456 | ○ | 4.0 | 12.0 | ● | 3.8 | ○ | ○ | ○ | \$26,492 |
| St Mary | 341 | ○ | 4.6 | 5.6 | ○ | 5.3 | ○ | ○ | ○ | \$28,143 |
| Taylor | 282 | ○ | 5.3 | 4.3 | ○ | 10.8 | ● | ○ | ○ | \$80,643 |
| Temple East | 272 | ○ | 5.2 | 3.0 | ○ | 6.3 | ○ | ○ | ○ | \$40,295 |
| Temple University | 600 | ○ | 4.0 | 7.4 | ● | 7.2 | ● | ● | ○ | \$61,897 |
| Southeastern Pennsylvania | 11,950 | | 4.5 | 5.7 | | 5.6 | | | | \$36,928 |
| TOTAL: Statewide | 32,007 | | 4.5 | 5.0 | | 5.0 | | | | \$22,517 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Congestive Heart Failure (CHF)

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 730 | ⊙ | 4.3 | 8.1 | ● | 2.4 | ○ | ● | ⊙ | \$31,748 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 212 | ⊙ | 5.3 | 3.9 | ⊙ | 7.2 | ⊙ | ⊙ | ⊙ | \$40,412 |
| Central Montgomery | 226 | ⊙ | 3.9 | 12.8 | ● | 2.3 | ⊙ | ⊙ | ⊙ | \$37,828 |
| Chester County | 371 | ⊙ | 4.9 | 6.6 | ⊙ | 4.1 | ⊙ | ⊙ | ⊙ | \$21,371 |
| Chestnut Hill | 282 | ⊙ | 4.1 | 5.5 | ⊙ | 2.2 | ○ | ⊙ | ⊙ | \$43,856 |
| Crozer-Chester | 470 | ⊙ | 4.4 | 6.1 | ⊙ | 4.8 | ⊙ | ● | ⊙ | \$74,051 |
| Delaware County Memorial | 364 | ⊙ | 5.5 | 2.5 | ○ | 7.3 | ⊙ | ⊙ | ⊙ | \$77,842 |
| Doylestown | 375 | ⊙ | 5.0 | 4.7 | ⊙ | 4.4 | ⊙ | ⊙ | ⊙ | \$27,259 |
| Eastern Regional | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 337 | ⊙ | 4.7 | 5.1 | ⊙ | 3.3 | ⊙ | ⊙ | ⊙ | \$26,933 |
| Frankford | 902 | ⊙ | 6.0 | 3.5 | ○ | 8.1 | ● | ● | ⊙ | \$36,383 |
| Gnaden Huetten Memorial | 159 | ⊙ | 4.1 | 12.4 | ● | 2.0 | ⊙ | ⊙ | ⊙ | \$10,261 |
| Grand View | 290 | ⊙ | 4.8 | 6.0 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$34,358 |
| Hahnemann University | 531 | ⊙ | 5.5 | 7.3 | ● | 10.4 | ● | ● | ⊙ | \$78,024 |
| Holy Redeemer | 373 | ⊙ | 5.4 | 6.0 | ⊙ | 7.7 | ● | ⊙ | ⊙ | \$64,376 |
| Hospital Fox Chase Cancer | 5 | ⊙ | 3.7 | 20.0 | ⊙ | 0.0 | ⊙ | NR | NR | \$16,730 |
| Hospital University PA | 637 | ⊙ | 5.7 | 4.3 | ⊙ | 10.1 | ● | ⊙ | ⊙ | \$48,429 |
| Jeanes | 302 | ⊙ | 5.3 | 4.4 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$66,523 |
| Jennersville Regional | 143 | ⊙ | 4.6 | 2.2 | ⊙ | 2.9 | ⊙ | ⊙ | ⊙ | \$29,551 |
| Lehigh Valley | 902 | ⊙ | 4.7 | 6.9 | ● | 5.0 | ⊙ | ⊙ | ⊙ | \$27,613 |
| Lehigh Valley/Muhlenberg | 386 | ⊙ | 4.8 | 7.2 | ⊙ | 2.4 | ○ | ⊙ | ⊙ | \$30,114 |
| Lower Bucks | 311 | ⊙ | 5.1 | 3.3 | ⊙ | 3.3 | ⊙ | ⊙ | ⊙ | \$59,340 |
| Main Line Bryn Mawr | 364 | ⊙ | 4.9 | 4.0 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$47,832 |
| Main Line Lankenau | 672 | ⊙ | 4.7 | 8.5 | ● | 5.3 | ⊙ | ⊙ | ⊙ | \$44,970 |
| Main Line Paoli | 234 | ⊙ | 4.3 | 6.5 | ⊙ | 2.6 | ⊙ | ⊙ | ⊙ | \$42,232 |
| Mercy Fitzgerald | 381 | ⊙ | 3.8 | 8.0 | ● | 2.4 | ○ | ● | ⊙ | \$42,714 |
| Mercy Philadelphia | 447 | ○ | 3.6 | 3.8 | ⊙ | 2.2 | ○ | ● | ⊙ | \$37,067 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Congestive Heart Failure (CHF)

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 228 | ⊙ | 4.3 | 6.5 | ⊙ | 1.4 | ⊙ | ⊙ | \$39,126 | |
| Methodist Division/TJUH | 491 | ⊙ | 5.6 | 3.6 | ⊙ | 12.6 | ● | ⊙ | \$42,790 | |
| Montgomery | 224 | ⊙ | 4.9 | 0.9 | ⊙ | 3.1 | ⊙ | ⊙ | \$35,715 | |
| Nazareth | 523 | ⊙ | 5.5 | 4.5 | ⊙ | 4.5 | ⊙ | ● | \$48,465 | |
| Palmerton | 179 | ⊙ | 4.6 | 3.0 | ⊙ | 0.6 | ⊙ | ⊙ | \$11,332 | |
| Penn Presbyterian | 633 | ⊙ | 4.6 | 6.0 | ⊙ | 3.4 | ⊙ | ● | \$31,383 | |
| Pennsylvania | 339 | ⊙ | 6.0 | 3.6 | ⊙ | 14.9 | ● | ⊙ | \$55,498 | |
| Phoenixville | 158 | ⊙ | 4.3 | 3.9 | ⊙ | 2.6 | ⊙ | ⊙ | \$34,437 | |
| Pottstown Memorial | 369 | ⊙ | 5.0 | 2.5 | ⊙ | 4.5 | ⊙ | ⊙ | \$34,572 | |
| Reading | 605 | ⊙ | 5.3 | 5.5 | ⊙ | 6.1 | ⊙ | ⊙ | \$21,516 | |
| Riddle Memorial | 304 | ⊙ | 4.9 | 6.2 | ⊙ | 4.5 | ⊙ | ⊙ | \$57,584 | |
| Roxborough Memorial | 264 | ⊙ | 5.6 | 1.2 | ⊙ | 5.0 | ⊙ | ⊙ | \$27,159 | |
| Sacred Heart/Allentown | 186 | ⊙ | 5.3 | 3.3 | ⊙ | 3.3 | ⊙ | ⊙ | \$23,223 | |
| Saint Catherine | 115 | ⊙ | 4.3 | 5.3 | ⊙ | 0.9 | ⊙ | ⊙ | \$13,432 | |
| Schuylkill-East Norwegian | 343 | ⊙ | 4.9 | 3.9 | ⊙ | 3.9 | ⊙ | ⊙ | \$12,259 | |
| Schuylkill-South Jackson | 232 | ⊙ | 5.3 | 0.4 | ⊙ | 5.4 | ⊙ | ⊙ | \$12,201 | |
| Springfield | 61 | ⊙ | 4.4 | 0.0 | ⊙ | 3.5 | ⊙ | ⊙ | \$83,172 | |
| St Joseph/Reading | 263 | ⊙ | 4.1 | 18.4 | ● | 2.4 | ⊙ | ⊙ | \$14,306 | |
| St Joseph's/Philadelphia | 73 | ⊙ | 6.6 | 1.4 | ⊙ | 9.6 | ⊙ | ⊙ | \$30,065 | |
| St Luke's Miners | 84 | ⊙ | 5.2 | 3.8 | ⊙ | 3.8 | ⊙ | ⊙ | \$21,346 | |
| St Luke's Quakertown | 84 | ⊙ | 4.1 | 6.1 | ⊙ | 1.2 | ⊙ | ⊙ | \$29,131 | |
| St Luke's/Bethlehem | 773 | ⊙ | 4.6 | 8.8 | ● | 2.9 | ⊙ | ⊙ | \$30,363 | |
| St Mary | 520 | ⊙ | 5.3 | 7.2 | ● | 8.2 | ● | ⊙ | \$31,930 | |
| Taylor | 240 | ⊙ | 5.2 | 5.6 | ⊙ | 6.8 | ⊙ | ⊙ | \$83,323 | |
| Temple East | 368 | ⊙ | 5.9 | 1.7 | ⊙ | 9.9 | ● | ● | \$52,919 | |
| Temple University | 1,105 | ⊙ | 4.6 | 4.7 | ⊙ | 5.9 | ⊙ | ● | \$73,061 | |
| Southeastern Pennsylvania | 20,059 | | 4.9 | 5.4 | | 5.5 | | | \$42,150 | |
| TOTAL: Statewide | 48,294 | | 5.0 | 5.0 | | 5.0 | | | \$27,600 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

| Diabetes with Amputation | | | | | | |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
| | | | | For Any Reason | For Complication or Infection | |
| Albert Einstein | 87 | ⊙ | 9.1 | ⊙ | ● | \$92,278 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR |
| Brandywine | 15 | ⊙ | 9.7 | ⊙ | ⊙ | \$78,582 |
| Central Montgomery | 21 | ⊙ | 6.6 | ⊙ | ⊙ | \$67,465 |
| Chester County | 13 | ⊙ | 9.1 | ⊙ | ⊙ | \$36,486 |
| Chestnut Hill | 9 | ⊙ | 9.9 | ⊙ | ⊙ | \$118,486 |
| Crozer-Chester | 23 | ⊙ | 12.3 | ⊙ | ⊙ | \$173,437 |
| Delaware County Memorial | 7 | ⊙ | 8.4 | ⊙ | ⊙ | \$116,967 |
| Doylestown | 8 | ⊙ | 7.4 | ⊙ | ⊙ | \$55,155 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR |
| Easton | 13 | ⊙ | 10.0 | ⊙ | ⊙ | \$85,763 |
| Frankford | 68 | ⊙ | 9.5 | ⊙ | ⊙ | \$68,764 |
| Gnaden Huetten Memorial | 3 | NR | NR | NR | NR | NR |
| Grand View | 5 | ⊙ | 11.0 | ⊙ | ⊙ | NR |
| Hahnemann University | 22 | ⊙ | 13.3 | ⊙ | ⊙ | \$245,491 |
| Holy Redeemer | 7 | ⊙ | 13.6 | ⊙ | ⊙ | \$177,100 |
| Hospital Fox Chase Cancer | 0 | NR | NR | NR | NR | NR |
| Hospital University PA | 27 | ⊙ | 15.1 | ⊙ | ⊙ | \$129,024 |
| Jeanes | 21 | ⊙ | 10.0 | ⊙ | ⊙ | \$133,040 |
| Jennersville Regional | 1 | NR | NR | NR | NR | NR |
| Lehigh Valley | 37 | ⊙ | 12.8 | ⊙ | ⊙ | \$106,748 |
| Lehigh Valley/Muhlenberg | 9 | ⊙ | 10.6 | ⊙ | ⊙ | \$82,804 |
| Lower Bucks | 4 | NR | NR | NR | NR | NR |
| Main Line Bryn Mawr | 18 | ⊙ | 7.4 | ⊙ | ⊙ | \$60,620 |
| Main Line Lankenau | 17 | ⊙ | 9.3 | ⊙ | ⊙ | \$96,114 |
| Main Line Paoli | 8 | ⊙ | 10.3 | ● | ⊙ | \$101,414 |
| Mercy Fitzgerald | 18 | ⊙ | 10.2 | ⊙ | ⊙ | \$134,169 |
| Mercy Philadelphia | 18 | ⊙ | 12.3 | ⊙ | ⊙ | \$122,195 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Diabetes with Amputation

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Mercy Suburban | 22 | ⊙ | 10.6 | ⊙ | ⊙ | \$85,235 |
| Methodist Division/TJUH | 10 | ⊙ | 16.1 | ⊙ | ⊙ | \$126,160 |
| Montgomery | 3 | NR | NR | NR | NR | NR |
| Nazareth | 10 | ⊙ | 10.5 | ⊙ | ⊙ | \$81,411 |
| Palmerton | 0 | NR | NR | NR | NR | NR |
| Penn Presbyterian | 41 | ⊙ | 9.3 | ⊙ | ⊙ | \$99,172 |
| Pennsylvania | 20 | ⊙ | 8.9 | ⊙ | ⊙ | \$102,613 |
| Phoenixville | 4 | NR | NR | NR | NR | NR |
| Pottstown Memorial | 8 | ⊙ | 9.0 | ⊙ | ⊙ | \$84,142 |
| Reading | 48 | ⊙ | 11.3 | ⊙ | ⊙ | \$60,387 |
| Riddle Memorial | 15 | ⊙ | 8.3 | ⊙ | ⊙ | \$122,776 |
| Roxborough Memorial | 12 | ⊙ | 9.6 | ⊙ | ⊙ | \$42,781 |
| Sacred Heart/Allentown | 6 | ⊙ | 13.9 | ⊙ | ⊙ | \$43,672 |
| Saint Catherine | 2 | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 15 | ⊙ | 7.4 | ⊙ | ⊙ | \$18,465 |
| Schuylkill-South Jackson | 4 | NR | NR | NR | NR | NR |
| Springfield | 5 | ⊙ | 6.3 | ⊙ | ⊙ | NR |
| St Joseph/Reading | 10 | ● | 8.3 | ⊙ | ⊙ | \$43,066 |
| St Joseph's/Philadelphia | 6 | ⊙ | 9.8 | ⊙ | ⊙ | \$53,799 |
| St Luke's Miners | 4 | NR | NR | NR | NR | NR |
| St Luke's Quakertown | 14 | ⊙ | 6.4 | ⊙ | ⊙ | \$46,114 |
| St Luke's/Bethlehem | 44 | ⊙ | 10.9 | ⊙ | ⊙ | \$82,455 |
| St Mary | 25 | ⊙ | 10.3 | ⊙ | ⊙ | \$65,878 |
| Taylor | 11 | ⊙ | 7.6 | ⊙ | ⊙ | \$146,537 |
| Temple East | 31 | ⊙ | 8.4 | ⊙ | ⊙ | \$92,250 |
| Temple University | 48 | ⊙ | 10.0 | ⊙ | ⊙ | \$202,292 |
| Southeastern Pennsylvania | 936 | | 10.1 | | | \$100,369 |
| TOTAL: Statewide | 2,015 | | 9.5 | | | \$68,378 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes - Medical Management

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|-----------------------------|---------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Complication Reason | For Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 670 | ⊙ | 3.4 | 8.6 | ● | 5.0 | ⊙ | ● | ⊙ | \$23,320 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 105 | ● | 4.0 | 2.0 | ⊙ | 2.9 | ⊙ | ⊙ | ⊙ | \$26,648 |
| Central Montgomery | 73 | ⊙ | 3.5 | 6.8 | ⊙ | 2.7 | ⊙ | ⊙ | ⊙ | \$30,908 |
| Chester County | 121 | ⊙ | 3.2 | 1.7 | ⊙ | 0.8 | ○ | ⊙ | ⊙ | \$14,421 |
| Chestnut Hill | 140 | ⊙ | 2.9 | 7.2 | ⊙ | 1.4 | ⊙ | ⊙ | ⊙ | \$25,102 |
| Crozer-Chester | 265 | ⊙ | 3.3 | 3.4 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$51,068 |
| Delaware County Memorial | 132 | ⊙ | 4.5 | 2.3 | ⊙ | 9.8 | ● | ⊙ | ⊙ | \$55,888 |
| Doylestown | 84 | ⊙ | 3.5 | 7.2 | ⊙ | 4.8 | ⊙ | ⊙ | ⊙ | \$20,316 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 157 | ⊙ | 3.9 | 5.7 | ⊙ | 3.2 | ⊙ | ⊙ | ⊙ | \$24,244 |
| Frankford | 632 | ⊙ | 4.4 | 2.1 | ○ | 7.5 | ● | ● | ⊙ | \$23,398 |
| Gnaden Huetten Memorial | 33 | ⊙ | 3.3 | 12.1 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$8,338 |
| Grand View | 59 | ⊙ | 3.3 | 1.7 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$24,675 |
| Hahnemann University | 180 | ⊙ | 4.1 | 3.3 | ⊙ | 11.1 | ● | ⊙ | ⊙ | \$60,200 |
| Holy Redeemer | 61 | ⊙ | 3.9 | 8.2 | ⊙ | 11.5 | ● | ⊙ | ⊙ | \$47,249 |
| Hospital Fox Chase Cancer | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Hospital University PA | 328 | ⊙ | 3.8 | 2.1 | ○ | 8.0 | ● | ⊙ | ⊙ | \$30,723 |
| Jeanes | 122 | ⊙ | 3.8 | 6.6 | ⊙ | 0.8 | ○ | ⊙ | ⊙ | \$44,711 |
| Jennersville Regional | 51 | ⊙ | 2.6 | 5.9 | ⊙ | 0.0 | ⊙ | ○ | ⊙ | \$17,452 |
| Lehigh Valley | 241 | ⊙ | 3.4 | 8.4 | ● | 2.1 | ○ | ○ | ⊙ | \$22,531 |
| Lehigh Valley/Muhlenberg | 124 | ⊙ | 3.8 | 4.1 | ⊙ | 3.3 | ⊙ | ⊙ | ⊙ | \$25,673 |
| Lower Bucks | 85 | ● | 3.7 | 2.5 | ⊙ | 2.5 | ⊙ | ⊙ | ⊙ | \$47,878 |
| Main Line Bryn Mawr | 128 | ⊙ | 3.6 | 6.3 | ⊙ | 5.5 | ⊙ | ⊙ | ⊙ | \$34,014 |
| Main Line Lankenau | 256 | ⊙ | 3.3 | 6.3 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$30,129 |
| Main Line Paoli | 71 | ⊙ | 3.6 | 1.4 | ⊙ | 4.2 | ⊙ | ⊙ | ⊙ | \$31,437 |
| Mercy Fitzgerald | 208 | ⊙ | 3.3 | 5.8 | ⊙ | 3.4 | ⊙ | ● | ● | \$36,207 |
| Mercy Philadelphia | 337 | ⊙ | 3.3 | 6.3 | ⊙ | 3.0 | ⊙ | ● | ⊙ | \$32,911 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Diabetes - Medical Management

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|-----------------------------|---------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Complication Reason | For Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 123 | ⊙ | 3.4 | 4.9 | ⊙ | 3.3 | ⊙ | ● | ⊙ | \$28,522 |
| Methodist Division/TJUH | 201 | ⊙ | 4.2 | 2.0 | ⊙ | 9.0 | ● | ⊙ | ⊙ | \$31,000 |
| Montgomery | 71 | ⊙ | 3.8 | 1.4 | ⊙ | 1.4 | ⊙ | ⊙ | ⊙ | \$24,533 |
| Nazareth | 99 | ⊙ | 3.7 | 2.0 | ⊙ | 3.0 | ⊙ | ⊙ | ⊙ | \$32,710 |
| Palmerton | 24 | ⊙ | 4.5 | 0.0 | ⊙ | 4.2 | ⊙ | ⊙ | ⊙ | \$10,244 |
| Penn Presbyterian | 178 | ⊙ | 3.3 | 2.3 | ⊙ | 2.8 | ⊙ | ⊙ | ⊙ | \$24,701 |
| Pennsylvania | 129 | ⊙ | 4.8 | 5.4 | ⊙ | 9.3 | ● | ⊙ | ⊙ | \$38,323 |
| Phoenixville | 81 | ⊙ | 3.2 | 4.9 | ⊙ | 3.7 | ⊙ | ⊙ | ⊙ | \$24,937 |
| Pottstown Memorial | 127 | ⊙ | 3.3 | 1.6 | ⊙ | 1.6 | ⊙ | ⊙ | ⊙ | \$21,908 |
| Reading | 210 | ⊙ | 4.2 | 4.9 | ⊙ | 11.7 | ● | ○ | ⊙ | \$18,252 |
| Riddle Memorial | 90 | ⊙ | 3.7 | 6.7 | ⊙ | 6.7 | ⊙ | ⊙ | ⊙ | \$40,113 |
| Roxborough Memorial | 66 | ⊙ | 4.1 | 4.5 | ⊙ | 12.1 | ● | ⊙ | ⊙ | \$16,796 |
| Sacred Heart/Allentown | 113 | ⊙ | 3.4 | 9.7 | ● | 2.7 | ⊙ | ⊙ | ⊙ | \$15,705 |
| Saint Catherine | 38 | ⊙ | 3.4 | 5.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$9,122 |
| Schuylkill-East Norwegian | 78 | ⊙ | 4.3 | 2.6 | ⊙ | 9.1 | ⊙ | ⊙ | ⊙ | \$10,855 |
| Schuylkill-South Jackson | 62 | ⊙ | 4.4 | 1.6 | ⊙ | 9.8 | ⊙ | ⊙ | ⊙ | \$8,401 |
| Springfield | 28 | ⊙ | 3.2 | 0.0 | ⊙ | 0.0 | ⊙ | ○ | ⊙ | \$51,183 |
| St Joseph/Reading | 88 | ⊙ | 3.0 | 13.6 | ● | 2.3 | ⊙ | ⊙ | ⊙ | \$11,167 |
| St Joseph's/Philadelphia | 172 | ⊙ | 4.0 | 4.7 | ⊙ | 8.1 | ⊙ | ● | ⊙ | \$18,861 |
| St Luke's Miners | 30 | ⊙ | 4.2 | 13.3 | ⊙ | 6.7 | ⊙ | ○ | ⊙ | \$15,233 |
| St Luke's Quakertown | 60 | ⊙ | 3.2 | 3.3 | ⊙ | 1.7 | ⊙ | ⊙ | ⊙ | \$22,879 |
| St Luke's/Bethlehem | 374 | ⊙ | 3.7 | 4.0 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$22,387 |
| St Mary | 192 | ⊙ | 4.2 | 4.2 | ⊙ | 9.4 | ● | ● | ⊙ | \$24,726 |
| Taylor | 96 | ⊙ | 3.8 | 2.1 | ⊙ | 6.3 | ⊙ | ⊙ | ⊙ | \$52,294 |
| Temple East | 243 | ⊙ | 3.5 | 5.3 | ⊙ | 2.5 | ⊙ | ⊙ | ⊙ | \$29,510 |
| Temple University | 446 | ⊙ | 3.4 | 6.3 | ⊙ | 5.4 | ⊙ | ● | ⊙ | \$49,695 |
| Southeastern Pennsylvania | 8,460 | | 3.7 | 4.8 | | 5.2 | | | | \$29,948 |
| TOTAL: Statewide | 17,278 | | 3.7 | 5.0 | | 5.0 | | | | \$21,463 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Heart Attack - Medical Management

| Hospital | Cases | Transfer to Acute Care | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | | % | Rating† | % | Rating† | |
| Albert Einstein* | 121 | 2.7 | ⊙ | 6.0 | 3.8 | ⊙ | 8.6 | ⊙ | \$53,809 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine* | 40 | 15.6 | ⊙ | 6.3 | 5.6 | ⊙ | 11.1 | ⊙ | \$61,504 |
| Central Montgomery | 83 | 43.4 | ⊙ | 4.8 | 11.0 | ⊙ | 1.4 | ⊙ | \$43,939 |
| Chester County* | 117 | 6.2 | ⊙ | 5.3 | 3.8 | ⊙ | 2.9 | ⊙ | \$25,057 |
| Chestnut Hill | 56 | 46.8 | ⊙ | 5.5 | 4.2 | ⊙ | 4.2 | ⊙ | \$51,294 |
| Crozer-Chester* | 151 | 5.0 | ⊙ | 4.9 | 5.3 | ⊙ | 6.0 | ⊙ | \$101,066 |
| Delaware County Memorial | 49 | 64.5 | ⊙ | 7.7 | 4.7 | ⊙ | 11.6 | ⊙ | \$96,274 |
| Doylestown* | 137 | 0.8 | ⊙ | 4.4 | 5.8 | ⊙ | 1.7 | ⊙ | \$32,891 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton* | 104 | 4.2 | ⊙ | 5.5 | 2.2 | ⊙ | 6.5 | ⊙ | \$40,641 |
| Frankford* | 292 | 9.8 | ⊙ | 7.0 | 1.1 | ⊙ | 11.7 | ● | \$46,283 |
| Gnaden Huetten Memorial | 27 | 54.5 | ⊙ | 3.7 | 24.0 | ● | 0.0 | ⊙ | \$9,983 |
| Grand View* | 45 | 58.1 | ⊙ | 4.6 | 0.0 | ⊙ | 0.0 | ⊙ | \$37,356 |
| Hahnemann University* | 89 | 0.0 | ⊙ | 5.9 | 7.2 | ⊙ | 15.7 | ● | \$119,342 |
| Holy Redeemer* | 109 | 18.7 | ⊙ | 5.9 | 4.0 | ⊙ | 9.0 | ⊙ | \$82,780 |
| Hospital Fox Chase Cancer | 5 | 0.0 | ⊙ | 6.8 | 0.0 | ⊙ | 0.0 | ⊙ | \$24,007 |
| Hospital University PA* | 61 | 3.5 | ⊙ | 5.2 | 5.5 | ⊙ | 10.9 | ⊙ | \$78,929 |
| Jeanes* | 126 | 10.0 | ⊙ | 6.1 | 1.7 | ⊙ | 6.0 | ⊙ | \$87,611 |
| Jennersville Regional | 12 | 62.5 | ⊙ | 5.5 | 8.3 | ⊙ | 0.0 | ⊙ | \$35,270 |
| Lehigh Valley* | 366 | 0.9 | ⊙ | 4.7 | 9.5 | ● | 2.6 | ⊙ | \$37,196 |
| Lehigh Valley/Muhlenberg* | 104 | 2.0 | ⊙ | 5.6 | 4.1 | ⊙ | 6.2 | ⊙ | \$43,239 |
| Lower Bucks* | 38 | 8.3 | ⊙ | 6.0 | 3.0 | ⊙ | 3.0 | ⊙ | \$85,417 |
| Main Line Bryn Mawr* | 69 | 3.1 | ⊙ | 5.1 | 3.2 | ⊙ | 3.2 | ⊙ | \$60,653 |
| Main Line Lankenau* | 109 | 3.1 | ⊙ | 5.0 | 5.4 | ⊙ | 3.2 | ⊙ | \$58,122 |
| Main Line Paoli* | 81 | 11.0 | ⊙ | 5.1 | 1.4 | ⊙ | 5.5 | ⊙ | \$54,482 |
| Mercy Fitzgerald* | 68 | 13.0 | ⊙ | 5.2 | 7.8 | ⊙ | 4.7 | ⊙ | \$77,608 |
| Mercy Philadelphia | 63 | 36.2 | ⊙ | 4.9 | 5.1 | ⊙ | 13.6 | ● | \$54,572 |

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Heart Attack - Medical Management

| Hospital | Cases | Transfer to Acute Care | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|--------|------------------------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | | % | Rating† | % | Rating† | |
| Mercy Suburban | 31 | 48.0 | ⊙ | 5.1 | 0.0 | ⊙ | 3.8 | ⊙ | \$45,255 |
| Methodist Division/TJUH | 49 | 46.2 | ⊙ | 7.0 | 0.0 | ⊙ | 19.6 | ● | \$54,093 |
| Montgomery* | 61 | 18.9 | ⊙ | 4.7 | 1.7 | ⊙ | 1.7 | ⊙ | \$52,332 |
| Nazareth | 100 | 49.2 | ⊙ | 6.2 | 1.1 | ⊙ | 6.6 | ⊙ | \$52,770 |
| Palmerton | 15 | 41.2 | ⊙ | 6.2 | 0.0 | ⊙ | 10.0 | ⊙ | \$12,984 |
| Penn Presbyterian* | 208 | 1.0 | ⊙ | 5.0 | 7.2 | ⊙ | 4.1 | ⊙ | \$59,023 |
| Pennsylvania* | 43 | 0.0 | ⊙ | 5.1 | 2.6 | ⊙ | 5.3 | ⊙ | \$66,747 |
| Phoenixville* | 54 | 7.8 | ⊙ | 4.2 | 10.6 | ⊙ | 4.3 | ⊙ | \$43,684 |
| Pottstown Memorial | 47 | 62.9 | ⊙ | 5.8 | 2.6 | ⊙ | 5.1 | ⊙ | \$39,048 |
| Reading* | 175 | 0.0 | ⊙ | 5.3 | 3.3 | ⊙ | 7.2 | ⊙ | \$28,977 |
| Riddle Memorial* | 83 | 15.9 | ⊙ | 5.7 | 4.3 | ⊙ | 2.9 | ⊙ | \$76,282 |
| Roxborough Memorial | 23 | 55.3 | ⊙ | 6.9 | 0.0 | ⊙ | 14.3 | ⊙ | \$30,163 |
| Sacred Heart/Allentown* | 40 | 37.7 | ⊙ | 6.4 | 0.0 | ⊙ | 13.2 | ● | \$30,546 |
| Saint Catherine | 22 | 45.2 | ⊙ | 4.4 | 5.9 | ⊙ | 0.0 | ⊙ | \$17,356 |
| Schuylkill-East Norwegian | 67 | 43.8 | ⊙ | 5.8 | 6.8 | ⊙ | 5.1 | ⊙ | \$14,187 |
| Schuylkill-South Jackson | 34 | 54.4 | ⊙ | 6.8 | 0.0 | ⊙ | 15.4 | ● | \$12,749 |
| Springfield | 21 | 11.8 | ⊙ | 5.1 | 0.0 | ⊙ | 0.0 | ⊙ | \$85,443 |
| St Joseph/Reading* | 78 | 0.0 | ⊙ | 4.5 | 12.2 | ● | 1.4 | ⊙ | \$21,875 |
| St Joseph's/Philadelphia | 37 | 53.7 | ⊙ | 8.1 | 0.0 | ⊙ | 25.8 | ● | \$35,352 |
| St Luke's Miners | 22 | 56.8 | ⊙ | 7.4 | 5.3 | ⊙ | 10.5 | ⊙ | \$27,298 |
| St Luke's Quakertown | 5 | 73.3 | ⊙ | NR | NR | NR | NR | NR | \$37,555 |
| St Luke's/Bethlehem* | 174 | 6.0 | ⊙ | 5.0 | 6.4 | ⊙ | 1.3 | ⊙ | \$38,394 |
| St Mary* | 169 | 1.3 | ⊙ | 5.8 | 1.3 | ⊙ | 6.5 | ⊙ | \$38,076 |
| Taylor | 76 | 20.0 | ⊙ | 6.1 | 10.3 | ⊙ | 7.4 | ⊙ | \$104,220 |
| Temple East | 50 | 63.6 | ⊙ | 5.4 | 2.3 | ⊙ | 7.0 | ⊙ | \$58,061 |
| Temple University* | 194 | 0.0 | ⊙ | 5.5 | 3.9 | ⊙ | 11.0 | ● | \$112,383 |
| Southeastern Pennsylvania | 4,578 | 19.6 | | 5.5 | 4.7 | | 6.4 | | \$55,434 |
| TOTAL: Statewide | 12,941 | 21.7 | | 5.3 | 5.0 | | 5.0 | | \$34,378 |

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Intestinal Obstruction

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating [†] | % | Rating [†] | |
| Albert Einstein | 126 | ⊙ | 4.3 | 4.9 | ⊙ | 4.9 | ⊙ | \$27,720 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 41 | ⊙ | 4.0 | 5.1 | ⊙ | 2.6 | ⊙ | \$28,778 |
| Central Montgomery | 43 | ⊙ | 3.8 | 9.3 | ⊙ | 2.3 | ⊙ | \$31,857 |
| Chester County | 95 | ⊙ | 4.7 | 3.2 | ⊙ | 8.5 | ⊙ | \$15,992 |
| Chestnut Hill | 97 | ⊙ | 3.5 | 8.5 | ⊙ | 0.0 | ⊙ | \$27,609 |
| Crozer-Chester | 75 | ⊙ | 4.8 | 5.3 | ⊙ | 9.3 | ⊙ | \$56,507 |
| Delaware County Memorial | 45 | ⊙ | 3.6 | 4.4 | ⊙ | 2.2 | ⊙ | \$46,489 |
| Doylestown | 72 | ⊙ | 4.0 | 5.7 | ⊙ | 1.4 | ⊙ | \$16,582 |
| Eastern Regional | 10 | ⊙ | 5.8 | 0.0 | ⊙ | 20.0 | ⊙ | \$50,664 |
| Easton | 84 | ⊙ | 3.4 | 6.0 | ⊙ | 3.6 | ⊙ | \$20,359 |
| Frankford | 179 | ⊙ | 4.6 | 4.0 | ⊙ | 5.6 | ⊙ | \$24,415 |
| Gnaden Huetten Memorial | 11 | ⊙ | 2.3 | 9.1 | ⊙ | 0.0 | ⊙ | \$7,646 |
| Grand View | 67 | ⊙ | 4.7 | 4.6 | ⊙ | 4.6 | ⊙ | \$25,255 |
| Hahnemann University | 43 | ⊙ | 4.9 | 4.7 | ⊙ | 16.3 | ● | \$58,407 |
| Holy Redeemer | 79 | ⊙ | 5.0 | 6.4 | ⊙ | 9.0 | ⊙ | \$45,718 |
| Hospital Fox Chase Cancer | 33 | ● | 5.6 | 16.7 | ● | 16.7 | ● | \$23,566 |
| Hospital University PA | 164 | ⊙ | 5.0 | 3.0 | ⊙ | 6.7 | ⊙ | \$32,020 |
| Jeanes | 85 | ⊙ | 3.7 | 3.7 | ⊙ | 1.2 | ⊙ | \$47,678 |
| Jennersville Regional | 19 | ⊙ | 3.4 | 5.6 | ⊙ | 0.0 | ⊙ | \$21,473 |
| Lehigh Valley | 243 | ⊙ | 4.0 | 9.2 | ● | 2.9 | ⊙ | \$20,178 |
| Lehigh Valley/Muhlenberg | 90 | ⊙ | 3.9 | 9.0 | ⊙ | 3.4 | ⊙ | \$22,500 |
| Lower Bucks | 38 | ⊙ | 4.1 | 2.7 | ⊙ | 0.0 | ⊙ | \$47,056 |
| Main Line Bryn Mawr | 122 | ⊙ | 3.9 | 5.1 | ⊙ | 2.5 | ⊙ | \$35,776 |
| Main Line Lankenau | 148 | ⊙ | 4.4 | 5.5 | ⊙ | 4.1 | ⊙ | \$37,352 |
| Main Line Paoli | 116 | ⊙ | 3.7 | 3.5 | ⊙ | 2.6 | ⊙ | \$36,144 |
| Mercy Fitzgerald | 62 | ⊙ | 4.2 | 3.2 | ⊙ | 4.8 | ⊙ | \$40,603 |
| Mercy Philadelphia | 29 | ⊙ | 3.7 | 0.0 | ⊙ | 3.4 | ⊙ | \$38,184 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Intestinal Obstruction

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Mercy Suburban | 63 | ⊙ | 3.7 | 8.1 | ⊙ | 0.0 | ⊙ | \$30,869 |
| Methodist Division/TJUH | 60 | ⊙ | 5.2 | 1.7 | ⊙ | 23.3 | ● | \$40,629 |
| Montgomery | 39 | ⊙ | 4.1 | 2.6 | ⊙ | 5.1 | ⊙ | \$27,895 |
| Nazareth | 43 | ⊙ | 5.1 | 4.7 | ⊙ | 11.6 | ⊙ | \$35,874 |
| Palmerton | 12 | ⊙ | 3.0 | 8.3 | ⊙ | 0.0 | ⊙ | \$7,179 |
| Penn Presbyterian | 68 | ⊙ | 3.6 | 1.5 | ⊙ | 4.4 | ⊙ | \$25,463 |
| Pennsylvania | 79 | ⊙ | 4.4 | 7.7 | ⊙ | 6.4 | ⊙ | \$37,024 |
| Phoenixville | 35 | ⊙ | 3.8 | 2.9 | ⊙ | 2.9 | ⊙ | \$32,028 |
| Pottstown Memorial | 90 | ⊙ | 4.8 | 5.7 | ⊙ | 11.5 | ● | \$33,561 |
| Reading | 134 | ⊙ | 4.2 | 4.5 | ⊙ | 3.0 | ⊙ | \$16,254 |
| Riddle Memorial | 90 | ⊙ | 4.7 | 9.4 | ⊙ | 1.2 | ⊙ | \$45,056 |
| Roxborough Memorial | 30 | ⊙ | 4.9 | 0.0 | ⊙ | 3.3 | ⊙ | \$18,843 |
| Sacred Heart/Allentown | 26 | ⊙ | 4.9 | 3.8 | ⊙ | 7.7 | ⊙ | \$15,421 |
| Saint Catherine | 6 | ⊙ | 3.4 | 16.7 | ⊙ | 0.0 | ⊙ | \$8,689 |
| Schuylkill-East Norwegian | 60 | ⊙ | 5.2 | 1.7 | ⊙ | 6.7 | ⊙ | \$10,349 |
| Schuylkill-South Jackson | 50 | ⊙ | 4.7 | 6.4 | ⊙ | 10.6 | ⊙ | \$7,967 |
| Springfield | 8 | ⊙ | 3.6 | 0.0 | ⊙ | 0.0 | ⊙ | \$52,408 |
| St Joseph/Reading | 47 | ⊙ | 4.3 | 4.3 | ⊙ | 4.3 | ⊙ | \$14,816 |
| St Joseph's/Philadelphia | 19 | ⊙ | 6.1 | 0.0 | ⊙ | 21.1 | ● | \$27,497 |
| St Luke's Miners | 8 | ⊙ | 4.9 | 0.0 | ⊙ | 12.5 | ⊙ | \$14,916 |
| St Luke's Quakertown | 22 | ⊙ | 3.6 | 13.6 | ⊙ | 4.5 | ⊙ | \$24,520 |
| St Luke's/Bethlehem | 131 | ⊙ | 4.0 | 3.8 | ⊙ | 3.1 | ⊙ | \$22,801 |
| St Mary | 158 | ⊙ | 4.3 | 3.2 | ⊙ | 3.2 | ⊙ | \$22,279 |
| Taylor | 40 | ⊙ | 4.9 | 0.0 | ⊙ | 7.5 | ⊙ | \$61,299 |
| Temple East | 49 | ⊙ | 4.0 | 0.0 | ⊙ | 12.2 | ● | \$34,278 |
| Temple University | 102 | ⊙ | 4.7 | 4.9 | ⊙ | 9.8 | ● | \$67,585 |
| Southeastern Pennsylvania | 3,917 | | 4.3 | 5.0 | | 5.4 | | \$31,231 |
| TOTAL: Statewide | 9,357 | | 4.3 | 5.0 | | 5.0 | | \$21,216 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney Failure - Acute

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|-----------------------------|---------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Complication Reason | For Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 676 | ⊙ | 5.0 | 7.4 | ● | 4.3 | ⊙ | ⊙ | ⊙ | \$33,624 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 66 | ⊙ | 6.7 | 1.6 | ⊙ | 4.9 | ⊙ | ⊙ | ⊙ | \$44,525 |
| Central Montgomery | 81 | ⊙ | 5.1 | 6.5 | ⊙ | 6.5 | ⊙ | ⊙ | ⊙ | \$43,614 |
| Chester County | 101 | ⊙ | 6.1 | 5.3 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$25,691 |
| Chestnut Hill | 122 | ⊙ | 5.1 | 5.4 | ⊙ | 2.7 | ⊙ | ⊙ | ⊙ | \$45,026 |
| Crozer-Chester | 208 | ⊙ | 5.9 | 4.6 | ⊙ | 7.7 | ⊙ | ⊙ | ⊙ | \$90,472 |
| Delaware County Memorial | 99 | ⊙ | 8.0 | 4.2 | ⊙ | 20.8 | ● | ⊙ | ⊙ | \$95,668 |
| Doylestown | 77 | ⊙ | 4.5 | 8.1 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$22,926 |
| Eastern Regional | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 267 | ⊙ | 6.1 | 3.5 | ⊙ | 4.2 | ⊙ | ⊙ | ⊙ | \$32,931 |
| Frankford | 403 | ⊙ | 6.2 | 3.1 | ⊙ | 5.7 | ⊙ | ● | ⊙ | \$36,554 |
| Gnaden Huetten Memorial | 74 | ⊙ | 4.4 | 13.6 | ● | 0.0 | ⊙ | ⊙ | ⊙ | \$10,495 |
| Grand View | 92 | ⊙ | 4.7 | 10.3 | ● | 2.3 | ⊙ | ⊙ | ⊙ | \$30,179 |
| Hahnemann University | 126 | ⊙ | 5.8 | 8.4 | ⊙ | 7.6 | ⊙ | ⊙ | ⊙ | \$92,707 |
| Holy Redeemer | 91 | ⊙ | 6.5 | 2.4 | ⊙ | 6.0 | ⊙ | ⊙ | ⊙ | \$70,475 |
| Hospital Fox Chase Cancer | 43 | ⊙ | 6.6 | 12.5 | ● | 17.5 | ● | ● | ● | \$29,250 |
| Hospital University PA | 303 | ⊙ | 5.7 | 4.8 | ⊙ | 7.2 | ⊙ | ● | ⊙ | \$51,989 |
| Jeanes | 124 | ⊙ | 6.2 | 2.5 | ⊙ | 5.9 | ⊙ | ⊙ | ⊙ | \$70,941 |
| Jennersville Regional | 24 | ⊙ | 5.4 | 0.0 | ⊙ | 4.3 | ⊙ | ⊙ | ⊙ | \$30,773 |
| Lehigh Valley | 347 | ⊙ | 5.7 | 4.9 | ⊙ | 4.0 | ⊙ | ⊙ | ⊙ | \$33,744 |
| Lehigh Valley/Muhlenberg | 229 | ⊙ | 5.7 | 3.2 | ⊙ | 7.3 | ⊙ | ⊙ | ⊙ | \$30,147 |
| Lower Bucks | 60 | ⊙ | 4.9 | 3.5 | ⊙ | 1.8 | ⊙ | ⊙ | ⊙ | \$62,640 |
| Main Line Bryn Mawr | 121 | ⊙ | 5.4 | 6.3 | ⊙ | 5.4 | ⊙ | ⊙ | ⊙ | \$51,382 |
| Main Line Lankenau | 222 | ⊙ | 4.9 | 6.3 | ⊙ | 3.9 | ⊙ | ⊙ | ⊙ | \$46,443 |
| Main Line Paoli | 122 | ⊙ | 4.8 | 7.8 | ⊙ | 5.2 | ⊙ | ⊙ | ⊙ | \$48,224 |
| Mercy Fitzgerald | 140 | ⊙ | 4.6 | 5.1 | ⊙ | 3.7 | ⊙ | ⊙ | ⊙ | \$55,879 |
| Mercy Philadelphia | 140 | ⊙ | 5.6 | 2.2 | ⊙ | 5.2 | ⊙ | ⊙ | ⊙ | \$52,089 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney Failure - Acute

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|-----------------------------|---------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Complication Reason | For Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 109 | ⊙ | 5.1 | 4.0 | ⊙ | 3.0 | ⊙ | ⊙ | \$41,955 | |
| Methodist Division/TJUH | 283 | ⊙ | 6.4 | 4.7 | ⊙ | 12.3 | ● | ⊙ | \$45,222 | |
| Montgomery | 76 | ⊙ | 5.6 | 2.7 | ⊙ | 2.7 | ⊙ | ⊙ | \$42,711 | |
| Nazareth | 168 | ⊙ | 5.9 | 5.7 | ⊙ | 5.0 | ⊙ | ⊙ | \$44,128 | |
| Palmerton | 43 | ⊙ | 5.6 | 0.0 | ⊙ | 9.5 | ⊙ | ● | \$13,790 | |
| Penn Presbyterian | 180 | ⊙ | 5.2 | 5.7 | ⊙ | 5.7 | ⊙ | ⊙ | \$35,671 | |
| Pennsylvania | 107 | ⊙ | 6.2 | 3.0 | ⊙ | 5.0 | ⊙ | ⊙ | \$57,491 | |
| Phoenixville | 67 | ⊙ | 5.0 | 3.1 | ⊙ | 3.1 | ⊙ | ⊙ | \$43,421 | |
| Pottstown Memorial | 155 | ⊙ | 5.0 | 2.8 | ⊙ | 1.4 | ⊙ | ⊙ | \$36,667 | |
| Reading | 186 | ⊙ | 6.8 | 1.8 | ⊙ | 10.7 | ● | ⊙ | \$28,646 | |
| Riddle Memorial | 92 | ⊙ | 7.0 | 3.5 | ⊙ | 10.5 | ● | ⊙ | \$67,849 | |
| Roxborough Memorial | 97 | ⊙ | 6.6 | 2.2 | ⊙ | 8.9 | ⊙ | ⊙ | \$27,940 | |
| Sacred Heart/Allentown | 63 | ⊙ | 5.7 | 1.6 | ⊙ | 4.9 | ⊙ | ⊙ | \$22,049 | |
| Saint Catherine | 17 | ⊙ | 4.5 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$12,058 | |
| Schuylkill-East Norwegian | 106 | ⊙ | 6.6 | 3.2 | ⊙ | 6.4 | ⊙ | ⊙ | \$13,376 | |
| Schuylkill-South Jackson | 56 | ● | 6.4 | 2.0 | ⊙ | 4.1 | ⊙ | ⊙ | \$12,890 | |
| Springfield | 25 | ⊙ | 3.9 | 9.1 | ⊙ | 4.5 | ⊙ | ⊙ | \$78,397 | |
| St Joseph/Reading | 157 | ⊙ | 5.5 | 7.6 | ⊙ | 7.6 | ⊙ | ⊙ | \$18,610 | |
| St Joseph's/Philadelphia | 78 | ⊙ | 6.2 | 2.6 | ⊙ | 9.2 | ⊙ | ⊙ | \$32,641 | |
| St Luke's Miners | 11 | ⊙ | 6.2 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$19,971 | |
| St Luke's Quakertown | 26 | ⊙ | 4.2 | 8.3 | ⊙ | 0.0 | ⊙ | ⊙ | \$30,562 | |
| St Luke's/Bethlehem | 430 | ⊙ | 5.2 | 7.8 | ● | 4.4 | ⊙ | ⊙ | \$34,231 | |
| St Mary | 165 | ⊙ | 5.6 | 7.1 | ⊙ | 8.3 | ⊙ | ⊙ | \$34,415 | |
| Taylor | 100 | ⊙ | 6.1 | 1.1 | ⊙ | 5.3 | ⊙ | ⊙ | \$87,544 | |
| Temple East | 87 | ⊙ | 6.2 | 2.4 | ⊙ | 9.8 | ⊙ | ⊙ | \$60,904 | |
| Temple University | 326 | ⊙ | 5.6 | 3.8 | ⊙ | 6.6 | ⊙ | ⊙ | \$78,776 | |
| Southeastern Pennsylvania | 7,970 | | 5.7 | 4.9 | | 6.0 | | | \$44,926 | |
| TOTAL: Statewide | 20,371 | | 5.6 | 5.0 | | 5.0 | | | \$29,457 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney and Urinary Tract Infections

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 380 | ⊙ | 3.5 | 13.2 | ● | 2.4 | ⊙ | ● | ⊙ | \$23,961 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 136 | ⊙ | 4.9 | 2.2 | ⊙ | 8.8 | ⊙ | ⊙ | ⊙ | \$29,490 |
| Central Montgomery | 138 | ⊙ | 3.4 | 3.6 | ⊙ | 1.5 | ⊙ | ⊙ | ⊙ | \$27,264 |
| Chester County | 343 | ⊙ | 4.4 | 3.2 | ⊙ | 5.0 | ⊙ | ⊙ | ⊙ | \$16,081 |
| Chestnut Hill | 277 | ⊙ | 3.6 | 6.9 | ⊙ | 2.2 | ⊙ | ⊙ | ⊙ | \$27,950 |
| Crozer-Chester | 294 | ⊙ | 3.8 | 6.2 | ⊙ | 4.5 | ⊙ | ● | ⊙ | \$59,764 |
| Delaware County Memorial | 186 | ⊙ | 5.9 | 2.7 | ⊙ | 13.7 | ● | ⊙ | ⊙ | \$66,256 |
| Doylestown | 290 | ⊙ | 4.5 | 3.1 | ⊙ | 5.2 | ⊙ | ⊙ | ⊙ | \$20,447 |
| Eastern Regional | 5 | ⊙ | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 148 | ⊙ | 4.2 | 4.1 | ⊙ | 6.8 | ⊙ | ⊙ | ● | \$21,211 |
| Frankford | 640 | ⊙ | 4.8 | 3.3 | ⊙ | 7.7 | ● | ⊙ | ⊙ | \$25,746 |
| Gnaden Huetten Memorial | 33 | ⊙ | 3.5 | 12.1 | ⊙ | 6.1 | ⊙ | ⊙ | ⊙ | \$9,933 |
| Grand View | 96 | ⊙ | 3.2 | 8.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$18,604 |
| Hahnemann University | 158 | ⊙ | 4.6 | 5.7 | ⊙ | 9.5 | ● | ⊙ | ⊙ | \$58,689 |
| Holy Redeemer | 239 | ⊙ | 4.6 | 4.2 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$48,011 |
| Hospital Fox Chase Cancer | 27 | ⊙ | 3.7 | 0.0 | ⊙ | 3.8 | ⊙ | ⊙ | ⊙ | \$15,847 |
| Hospital University PA | 282 | ⊙ | 3.7 | 8.2 | ● | 6.4 | ⊙ | ⊙ | ⊙ | \$28,000 |
| Jeanes | 128 | ⊙ | 4.4 | 7.1 | ⊙ | 4.7 | ⊙ | ⊙ | ⊙ | \$48,037 |
| Jennersville Regional | 125 | ● | 4.1 | 5.8 | ⊙ | 5.0 | ⊙ | ⊙ | ⊙ | \$17,943 |
| Lehigh Valley | 418 | ⊙ | 4.5 | 5.3 | ⊙ | 7.2 | ⊙ | ⊙ | ⊙ | \$22,872 |
| Lehigh Valley/Muhlenberg | 161 | ⊙ | 3.7 | 8.3 | ⊙ | 1.9 | ⊙ | ⊙ | ⊙ | \$20,469 |
| Lower Bucks | 89 | ⊙ | 4.4 | 3.4 | ⊙ | 4.5 | ⊙ | ⊙ | ⊙ | \$46,608 |
| Main Line Bryn Mawr | 383 | ⊙ | 4.0 | 4.7 | ⊙ | 5.5 | ⊙ | ⊙ | ⊙ | \$35,528 |
| Main Line Lankenau | 297 | ⊙ | 3.9 | 6.1 | ⊙ | 4.4 | ⊙ | ⊙ | ⊙ | \$31,771 |
| Main Line Paoli | 239 | ⊙ | 3.7 | 5.9 | ⊙ | 2.9 | ⊙ | ⊙ | ⊙ | \$34,846 |
| Mercy Fitzgerald | 181 | ⊙ | 4.5 | 3.3 | ⊙ | 7.2 | ⊙ | ● | ● | \$46,061 |
| Mercy Philadelphia | 167 | ⊙ | 4.2 | 4.8 | ⊙ | 4.8 | ⊙ | ⊙ | ⊙ | \$34,236 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney and Urinary Tract Infections

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 205 | ⊙ | 3.9 | 8.0 | ⊙ | 4.0 | ⊙ | ⊙ | \$29,868 | |
| Methodist Division/TJUH | 208 | ⊙ | 4.6 | 3.9 | ⊙ | 8.7 | ● | ⊙ | \$31,172 | |
| Montgomery | 132 | ⊙ | 3.9 | 3.8 | ⊙ | 3.8 | ⊙ | ⊙ | \$25,142 | |
| Nazareth | 161 | ⊙ | 4.3 | 5.1 | ⊙ | 3.8 | ⊙ | ● | \$32,563 | |
| Palmerton | 89 | ⊙ | 4.4 | 3.5 | ⊙ | 3.5 | ⊙ | ⊙ | \$10,015 | |
| Penn Presbyterian | 189 | ⊙ | 3.8 | 10.1 | ● | 5.9 | ⊙ | ⊙ | \$24,548 | |
| Pennsylvania | 168 | ⊙ | 4.6 | 3.0 | ⊙ | 8.4 | ⊙ | ● | \$34,719 | |
| Phoenixville | 145 | ⊙ | 3.7 | 7.7 | ⊙ | 2.8 | ⊙ | ⊙ | \$30,105 | |
| Pottstown Memorial | 253 | ⊙ | 4.2 | 0.4 | ⊙ | 6.4 | ⊙ | ⊙ | \$27,434 | |
| Reading | 310 | ⊙ | 4.8 | 3.6 | ⊙ | 8.8 | ● | ⊙ | \$17,301 | |
| Riddle Memorial | 268 | ⊙ | 4.2 | 7.5 | ⊙ | 4.9 | ⊙ | ⊙ | \$43,137 | |
| Roxborough Memorial | 102 | ⊙ | 4.7 | 4.9 | ⊙ | 9.8 | ● | ⊙ | \$18,498 | |
| Sacred Heart/Allentown | 81 | ⊙ | 3.9 | 3.8 | ⊙ | 6.3 | ⊙ | ⊙ | \$15,264 | |
| Saint Catherine | 44 | ⊙ | 4.2 | 9.1 | ⊙ | 6.8 | ⊙ | ⊙ | \$10,549 | |
| Schuylkill-East Norwegian | 140 | ⊙ | 4.0 | 2.9 | ⊙ | 4.3 | ⊙ | ⊙ | \$8,753 | |
| Schuylkill-South Jackson | 101 | ⊙ | 4.0 | 2.0 | ⊙ | 4.0 | ⊙ | ⊙ | \$6,926 | |
| Springfield | 41 | ⊙ | 3.5 | 9.8 | ⊙ | 2.4 | ⊙ | ⊙ | \$61,620 | |
| St Joseph/Reading | 113 | ⊙ | 3.7 | 7.1 | ⊙ | 1.8 | ⊙ | ⊙ | \$12,046 | |
| St Joseph's/Philadelphia | 108 | ⊙ | 6.3 | 0.9 | ⊙ | 18.5 | ● | ● | \$23,815 | |
| St Luke's Miners | 60 | ⊙ | 5.0 | 6.7 | ⊙ | 6.7 | ⊙ | ⊙ | \$14,809 | |
| St Luke's Quakertown | 44 | ⊙ | 3.9 | 7.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$21,818 | |
| St Luke's/Bethlehem | 451 | ⊙ | 4.1 | 8.2 | ● | 3.6 | ⊙ | ⊙ | \$23,534 | |
| St Mary | 401 | ⊙ | 4.5 | 3.5 | ⊙ | 6.6 | ⊙ | ⊙ | \$24,038 | |
| Taylor | 133 | ⊙ | 4.6 | 6.8 | ⊙ | 9.8 | ● | ⊙ | \$60,720 | |
| Temple East | 89 | ⊙ | 4.6 | 1.1 | ⊙ | 8.0 | ⊙ | ⊙ | \$32,769 | |
| Temple University | 254 | ⊙ | 3.9 | 7.1 | ⊙ | 7.9 | ● | ● | \$54,059 | |
| Southeastern Pennsylvania | 10,714 | | 4.2 | 5.5 | | 5.9 | | | \$30,556 | |
| TOTAL: Statewide | 23,419 | | 4.2 | 5.0 | | 5.0 | | | \$20,730 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Aspiration

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 221 | ⊙ | 5.2 | 14.6 | ● | 2.4 | ⊙ | ● | ● | \$29,252 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 45 | ⊙ | 7.9 | 2.6 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$51,562 |
| Central Montgomery | 44 | ⊙ | 6.4 | 7.7 | ⊙ | 5.1 | ⊙ | ⊙ | ⊙ | \$51,685 |
| Chester County | 87 | ⊙ | 8.7 | 1.3 | ⊙ | 9.0 | ⊙ | ⊙ | ⊙ | \$34,054 |
| Chestnut Hill | 69 | ⊙ | 5.6 | 6.9 | ⊙ | 1.7 | ⊙ | ⊙ | ⊙ | \$53,817 |
| Crozer-Chester | 69 | ⊙ | 6.7 | 12.5 | ● | 6.3 | ⊙ | ⊙ | ⊙ | \$108,881 |
| Delaware County Memorial | 47 | ⊙ | 9.1 | 0.0 | ⊙ | 9.8 | ⊙ | ● | ● | \$111,204 |
| Doylestown | 87 | ⊙ | 6.7 | 4.0 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$38,203 |
| Eastern Regional | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 64 | ⊙ | 6.5 | 3.4 | ⊙ | 3.4 | ⊙ | ⊙ | ⊙ | \$35,810 |
| Frankford | 107 | ⊙ | 7.8 | 1.0 | ⊙ | 8.2 | ⊙ | ⊙ | ⊙ | \$51,057 |
| Gnaden Huetten Memorial | 24 | ⊙ | 4.9 | 14.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$11,758 |
| Grand View | 41 | ⊙ | 8.2 | 5.3 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$47,088 |
| Hahnemann University | 31 | ⊙ | 8.6 | 0.0 | ⊙ | 13.8 | ● | ⊙ | ⊙ | \$109,476 |
| Holy Redeemer | 113 | ⊙ | 7.8 | 1.9 | ⊙ | 6.7 | ⊙ | ⊙ | ⊙ | \$78,373 |
| Hospital Fox Chase Cancer | 14 | ⊙ | 7.8 | 0.0 | ⊙ | 7.7 | ⊙ | ● | ⊙ | \$33,244 |
| Hospital University PA | 90 | ⊙ | 6.7 | 7.0 | ⊙ | 7.0 | ⊙ | ⊙ | ⊙ | \$57,831 |
| Jeanes | 195 | ⊙ | 7.0 | 4.0 | ⊙ | 6.3 | ⊙ | ⊙ | ⊙ | \$65,907 |
| Jennersville Regional | 27 | ⊙ | 7.9 | 0.0 | ⊙ | 15.4 | ● | ⊙ | ⊙ | \$44,133 |
| Lehigh Valley | 135 | ⊙ | 7.1 | 4.7 | ⊙ | 9.3 | ● | ⊙ | ⊙ | \$39,093 |
| Lehigh Valley/Muhlenberg | 56 | ⊙ | 6.2 | 1.8 | ⊙ | 3.6 | ⊙ | ⊙ | ⊙ | \$33,272 |
| Lower Bucks | 18 | ⊙ | 7.8 | 6.3 | ⊙ | 12.5 | ⊙ | ⊙ | ⊙ | \$82,594 |
| Main Line Bryn Mawr | 108 | ⊙ | 6.1 | 9.9 | ● | 1.0 | ⊙ | ⊙ | ⊙ | \$61,362 |
| Main Line Lankenau | 91 | ⊙ | 6.3 | 6.8 | ⊙ | 4.5 | ⊙ | ⊙ | ⊙ | \$55,778 |
| Main Line Paoli | 88 | ⊙ | 5.4 | 9.4 | ⊙ | 2.4 | ⊙ | ● | ⊙ | \$53,789 |
| Mercy Fitzgerald | 78 | ⊙ | 6.0 | 2.8 | ⊙ | 2.8 | ⊙ | ● | ⊙ | \$66,054 |
| Mercy Philadelphia | 39 | ⊙ | 6.5 | 5.3 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$56,498 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Aspiration

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 88 | ⊙ | 6.3 | 11.3 | ● | 5.0 | ⊙ | ⊙ | \$53,599 | |
| Methodist Division/TJUH | 54 | ⊙ | 8.6 | 2.0 | ⊙ | 13.7 | ● | ⊙ | \$52,216 | |
| Montgomery | 14 | ⊙ | 4.5 | 23.1 | ● | 0.0 | ⊙ | ⊙ | \$44,199 | |
| Nazareth | 91 | ⊙ | 6.7 | 7.0 | ⊙ | 7.0 | ⊙ | ⊙ | \$50,199 | |
| Palmerton | 16 | ⊙ | 7.0 | 7.1 | ⊙ | 7.1 | ⊙ | ⊙ | \$23,575 | |
| Penn Presbyterian | 65 | ⊙ | 5.6 | 9.7 | ⊙ | 1.6 | ⊙ | ⊙ | \$37,339 | |
| Pennsylvania | 26 | ⊙ | 6.1 | 8.0 | ⊙ | 12.0 | ⊙ | ⊙ | \$59,889 | |
| Phoenixville | 78 | ⊙ | 5.7 | 2.8 | ⊙ | 1.4 | ⊙ | ⊙ | \$48,773 | |
| Pottstown Memorial | 62 | ⊙ | 7.5 | 5.4 | ⊙ | 12.5 | ● | ⊙ | \$66,194 | |
| Reading | 108 | ⊙ | 6.7 | 4.2 | ⊙ | 4.2 | ⊙ | ⊙ | \$23,769 | |
| Riddle Memorial | 124 | ⊙ | 8.0 | 1.8 | ⊙ | 8.3 | ⊙ | ⊙ | \$79,278 | |
| Roxborough Memorial | 57 | ⊙ | 7.4 | 6.3 | ⊙ | 10.4 | ⊙ | ⊙ | \$33,207 | |
| Sacred Heart/Allentown | 26 | ⊙ | 8.0 | 4.3 | ⊙ | 8.7 | ⊙ | ⊙ | \$27,392 | |
| Saint Catherine | 6 | ⊙ | 7.1 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$18,886 | |
| Schuylkill-East Norwegian | 44 | ⊙ | 7.7 | 2.4 | ⊙ | 4.8 | ⊙ | ⊙ | \$16,524 | |
| Schuylkill-South Jackson | 41 | ⊙ | 6.9 | 2.6 | ⊙ | 7.9 | ⊙ | ⊙ | \$14,386 | |
| Springfield | 23 | ⊙ | 8.6 | 4.8 | ⊙ | 9.5 | ⊙ | ⊙ | \$122,609 | |
| St Joseph/Reading | 42 | ⊙ | 5.9 | 7.9 | ⊙ | 2.6 | ⊙ | ⊙ | \$17,600 | |
| St Joseph's/Philadelphia | 28 | ● | 9.4 | 0.0 | ⊙ | 9.1 | ⊙ | ⊙ | \$39,350 | |
| St Luke's Miners | 13 | ⊙ | 8.8 | 0.0 | ⊙ | 9.1 | ⊙ | ⊙ | \$22,741 | |
| St Luke's Quakertown | 20 | ⊙ | 6.0 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$36,080 | |
| St Luke's/Bethlehem | 164 | ⊙ | 6.1 | 11.2 | ● | 3.3 | ⊙ | ⊙ | \$38,754 | |
| St Mary | 67 | ⊙ | 7.0 | 4.8 | ⊙ | 6.3 | ⊙ | ⊙ | \$34,908 | |
| Taylor | 52 | ⊙ | 8.5 | 0.0 | ⊙ | 4.7 | ⊙ | ⊙ | \$113,370 | |
| Temple East | 10 | ⊙ | 8.2 | 0.0 | ⊙ | 11.1 | ⊙ | ⊙ | \$77,534 | |
| Temple University | 56 | ⊙ | 6.0 | 9.6 | ⊙ | 5.8 | ⊙ | ⊙ | \$90,191 | |
| Southeastern Pennsylvania | 3,496 | | 6.8 | 5.8 | | 5.7 | | | \$53,111 | |
| TOTAL: Statewide | 9,442 | | 6.8 | 5.0 | | 4.8 | | | \$34,248 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Infectious

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 355 | ⊙ | 4.3 | 8.1 | ● | 2.3 | ⊙ | ⊙ | \$24,728 | |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | |
| Brandywine | 227 | ⊙ | 5.4 | 4.1 | ⊙ | 6.3 | ⊙ | ● | \$38,075 | |
| Central Montgomery | 170 | ⊙ | 3.9 | 10.9 | ● | 1.2 | ⊙ | ● | \$34,802 | |
| Chester County | 358 | ⊙ | 5.4 | 2.6 | ⊙ | 6.0 | ⊙ | ⊙ | \$22,386 | |
| Chestnut Hill | 232 | ● | 4.5 | 4.1 | ⊙ | 5.0 | ⊙ | ⊙ | \$40,626 | |
| Crozer-Chester | 425 | ⊙ | 4.4 | 4.1 | ⊙ | 4.1 | ⊙ | ⊙ | \$69,566 | |
| Delaware County Memorial | 265 | ⊙ | 5.9 | 0.4 | ⊙ | 11.9 | ● | ⊙ | \$80,372 | |
| Doylestown | 378 | ⊙ | 5.5 | 3.5 | ⊙ | 9.8 | ● | ⊙ | \$28,548 | |
| Eastern Regional | 7 | ⊙ | 9.1 | 0.0 | ⊙ | 28.6 | ● | NR | \$98,344 | |
| Easton | 233 | ⊙ | 5.2 | 3.5 | ⊙ | 4.3 | ⊙ | ● | \$30,012 | |
| Frankford | 842 | ⊙ | 5.5 | 3.5 | ⊙ | 6.6 | ● | ⊙ | \$37,064 | |
| Gnaden Huetten Memorial | 131 | ⊙ | 3.9 | 11.7 | ● | 2.3 | ⊙ | ⊙ | \$10,488 | |
| Grand View | 365 | ⊙ | 5.4 | 4.9 | ⊙ | 6.9 | ⊙ | ⊙ | \$35,980 | |
| Hahnemann University | 225 | ⊙ | 5.3 | 5.8 | ⊙ | 5.8 | ⊙ | ● | \$75,336 | |
| Holy Redeemer | 271 | ⊙ | 4.9 | 3.4 | ⊙ | 4.5 | ⊙ | ⊙ | \$52,722 | |
| Hospital Fox Chase Cancer | 52 | ⊙ | 4.7 | 6.4 | ⊙ | 2.1 | ⊙ | ⊙ | \$19,770 | |
| Hospital University PA | 316 | ⊙ | 4.2 | 4.5 | ⊙ | 4.8 | ⊙ | ⊙ | \$32,762 | |
| Jeanes | 208 | ⊙ | 5.2 | 5.4 | ⊙ | 5.9 | ⊙ | ⊙ | \$56,550 | |
| Jennersville Regional | 201 | ⊙ | 4.3 | 2.5 | ⊙ | 3.5 | ⊙ | ⊙ | \$26,638 | |
| Lehigh Valley | 569 | ⊙ | 4.9 | 3.6 | ⊙ | 5.6 | ⊙ | ⊙ | \$28,265 | |
| Lehigh Valley/Muhlenberg | 302 | ⊙ | 4.7 | 5.3 | ⊙ | 5.3 | ⊙ | ⊙ | \$26,094 | |
| Lower Bucks | 130 | ⊙ | 4.8 | 3.1 | ⊙ | 2.4 | ⊙ | ⊙ | \$56,953 | |
| Main Line Bryn Mawr | 355 | ⊙ | 5.1 | 2.9 | ⊙ | 8.2 | ● | ⊙ | \$47,534 | |
| Main Line Lankenau | 353 | ⊙ | 4.9 | 6.1 | ⊙ | 5.5 | ⊙ | ⊙ | \$44,668 | |
| Main Line Paoli | 259 | ⊙ | 4.2 | 5.5 | ⊙ | 0.8 | ⊙ | ⊙ | \$41,697 | |
| Mercy Fitzgerald | 266 | ⊙ | 4.3 | 4.6 | ⊙ | 5.0 | ⊙ | ● | \$47,923 | |
| Mercy Philadelphia | 218 | ⊙ | 4.6 | 6.1 | ⊙ | 5.1 | ⊙ | ⊙ | \$38,441 | |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Infectious

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 188 | ⊙ | 4.3 | 8.2 | ⊙ | 0.5 | ⊙ | ⊙ | ⊙ | \$38,252 |
| Methodist Division/TJUH | 254 | ⊙ | 5.1 | 3.6 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$35,542 |
| Montgomery | 159 | ⊙ | 4.9 | 3.2 | ⊙ | 3.2 | ⊙ | ⊙ | ⊙ | \$38,781 |
| Nazareth | 270 | ⊙ | 5.0 | 5.3 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$40,275 |
| Palmerton | 126 | ⊙ | 4.7 | 2.4 | ⊙ | 3.2 | ⊙ | ⊙ | ⊙ | \$11,832 |
| Penn Presbyterian | 219 | ⊙ | 4.3 | 4.6 | ⊙ | 4.2 | ⊙ | ⊙ | ⊙ | \$29,370 |
| Pennsylvania | 171 | ⊙ | 5.3 | 4.8 | ⊙ | 6.6 | ⊙ | ⊙ | ⊙ | \$47,668 |
| Phoenixville | 233 | ⊙ | 4.5 | 9.4 | ● | 3.1 | ⊙ | ⊙ | ⊙ | \$37,691 |
| Pottstown Memorial | 432 | ⊙ | 4.7 | 6.8 | ⊙ | 6.1 | ⊙ | ● | ● | \$38,871 |
| Reading | 639 | ⊙ | 5.2 | 5.5 | ⊙ | 5.7 | ⊙ | ⊙ | ⊙ | \$20,862 |
| Riddle Memorial | 330 | ⊙ | 5.3 | 3.8 | ⊙ | 4.7 | ⊙ | ⊙ | ⊙ | \$56,847 |
| Roxborough Memorial | 109 | ● | 5.4 | 3.0 | ⊙ | 11.9 | ● | ⊙ | ⊙ | \$26,473 |
| Sacred Heart/Allentown | 171 | ⊙ | 4.7 | 5.3 | ⊙ | 3.0 | ⊙ | ⊙ | ⊙ | \$18,644 |
| Saint Catherine | 36 | ● | 3.9 | 3.0 | ⊙ | 3.0 | ⊙ | ⊙ | ⊙ | \$12,254 |
| Schuylkill-East Norwegian | 178 | ⊙ | 5.3 | 2.4 | ⊙ | 5.9 | ⊙ | ⊙ | ⊙ | \$11,634 |
| Schuylkill-South Jackson | 196 | ⊙ | 5.4 | 3.1 | ⊙ | 6.7 | ⊙ | ● | ⊙ | \$10,319 |
| Springfield | 63 | ⊙ | 4.8 | 3.3 | ⊙ | 6.6 | ⊙ | ⊙ | ⊙ | \$78,240 |
| St Joseph/Reading | 172 | ⊙ | 4.3 | 7.9 | ⊙ | 0.6 | ⊙ | ⊙ | ⊙ | \$14,343 |
| St Joseph's/Philadelphia | 70 | ● | 6.4 | 3.0 | ⊙ | 6.1 | ⊙ | ⊙ | ⊙ | \$24,206 |
| St Luke's Miners | 78 | ● | 6.1 | 1.4 | ⊙ | 14.1 | ● | ⊙ | ⊙ | \$20,902 |
| St Luke's Quakertown | 107 | ⊙ | 4.1 | 11.4 | ● | 1.9 | ⊙ | ⊙ | ⊙ | \$26,818 |
| St Luke's/Bethlehem | 567 | ⊙ | 4.4 | 7.9 | ● | 2.5 | ⊙ | ⊙ | ⊙ | \$26,993 |
| St Mary | 499 | ⊙ | 5.1 | 1.2 | ⊙ | 4.9 | ⊙ | ⊙ | ⊙ | \$30,614 |
| Taylor | 209 | ⊙ | 5.4 | 3.9 | ⊙ | 8.3 | ⊙ | ⊙ | ⊙ | \$79,791 |
| Temple East | 259 | ⊙ | 5.1 | 0.4 | ⊙ | 4.7 | ⊙ | ⊙ | ⊙ | \$39,631 |
| Temple University | 475 | ⊙ | 4.3 | 6.9 | ⊙ | 4.9 | ⊙ | ● | ⊙ | \$66,573 |
| Southeastern Pennsylvania | 14,542 | | 4.9 | 4.7 | | 5.4 | | | | \$38,699 |
| TOTAL: Statewide | 39,707 | | 4.9 | 5.0 | | 5.0 | | | | \$24,313 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure with Mechanical Ventilation

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating [†] | % | Rating [†] | | | |
| Albert Einstein | 185 | ⊙ | 8.6 | 9.3 | ● | 3.9 | ⊙ | ⊙ | ⊙ | \$66,818 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 26 | ⊙ | 9.0 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$106,259 |
| Central Montgomery | 12 | ⊙ | 7.9 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$105,194 |
| Chester County | 25 | ⊙ | 8.7 | 6.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$65,890 |
| Chestnut Hill | 51 | ⊙ | 7.2 | 12.9 | ⊙ | 3.2 | ⊙ | ⊙ | ⊙ | \$105,763 |
| Crozer-Chester | 94 | ⊙ | 12.3 | 0.0 | ⊙ | 8.5 | ⊙ | ⊙ | ⊙ | \$237,671 |
| Delaware County Memorial | 17 | ⊙ | 12.9 | 0.0 | ⊙ | 10.0 | ⊙ | ⊙ | ⊙ | \$223,541 |
| Doylestown | 28 | ⊙ | 11.3 | 5.6 | ⊙ | 5.6 | ⊙ | ⊙ | ⊙ | \$83,704 |
| Eastern Regional | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 42 | ⊙ | 9.0 | 3.6 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$55,302 |
| Frankford | 215 | ⊙ | 9.4 | 3.5 | ⊙ | 5.6 | ⊙ | ⊙ | ⊙ | \$82,268 |
| Gnaden Huetten Memorial | 8 | ⊙ | 4.5 | 14.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$22,671 |
| Grand View | 14 | ⊙ | 7.4 | 8.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$100,874 |
| Hahnemann University | 68 | ⊙ | 11.2 | 6.1 | ⊙ | 18.4 | ● | ⊙ | ⊙ | \$238,783 |
| Holy Redeemer | 47 | ⊙ | 10.4 | 2.7 | ⊙ | 2.7 | ⊙ | ⊙ | ⊙ | \$160,176 |
| Hospital Fox Chase Cancer | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Hospital University PA | 60 | ⊙ | 11.6 | 0.0 | ⊙ | 13.2 | ● | ⊙ | ⊙ | \$143,372 |
| Jeanes | 25 | ⊙ | 13.1 | 4.5 | ⊙ | 9.1 | ⊙ | ⊙ | ⊙ | \$178,027 |
| Jennersville Regional | 13 | ⊙ | 9.9 | 0.0 | ⊙ | 7.7 | ⊙ | ⊙ | ⊙ | \$82,837 |
| Lehigh Valley | 100 | ⊙ | 10.4 | 4.9 | ⊙ | 8.6 | ⊙ | ⊙ | ⊙ | \$80,871 |
| Lehigh Valley/Muhlenberg | 39 | ⊙ | 9.8 | 7.7 | ⊙ | 11.5 | ⊙ | ⊙ | ⊙ | \$76,193 |
| Lower Bucks | 21 | ⊙ | 8.3 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$122,874 |
| Main Line Bryn Mawr | 46 | ⊙ | 11.2 | 3.2 | ⊙ | 6.5 | ⊙ | ⊙ | ⊙ | \$146,452 |
| Main Line Lankenau | 51 | ⊙ | 10.3 | 16.7 | ● | 8.3 | ⊙ | ⊙ | ⊙ | \$123,103 |
| Main Line Paoli | 20 | ⊙ | 8.8 | 5.9 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$127,121 |
| Mercy Fitzgerald | 50 | ⊙ | 8.3 | 5.3 | ⊙ | 2.6 | ⊙ | ⊙ | ⊙ | \$120,970 |
| Mercy Philadelphia | 66 | ⊙ | 8.7 | 0.0 | ⊙ | 4.7 | ⊙ | ● | ⊙ | \$125,384 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure with Mechanical Ventilation

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating [†] | % | Rating [†] | | | |
| Mercy Suburban | 41 | ⊙ | 7.2 | 24.2 | ● | 3.0 | ⊙ | ● | ⊙ | \$92,462 |
| Methodist Division/TJUH | 66 | ⊙ | 10.8 | 5.8 | ⊙ | 11.5 | ● | ⊙ | ⊙ | \$88,793 |
| Montgomery | 27 | ⊙ | 7.5 | 11.1 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$76,070 |
| Nazareth | 85 | ⊙ | 9.7 | 2.9 | ⊙ | 1.4 | ⊙ | ⊙ | ⊙ | \$79,792 |
| Palmerton | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Penn Presbyterian | 79 | ⊙ | 9.9 | 5.9 | ⊙ | 7.4 | ⊙ | ⊙ | ⊙ | \$131,186 |
| Pennsylvania | 20 | ⊙ | 9.0 | 0.0 | ⊙ | 6.7 | ⊙ | ⊙ | ⊙ | \$126,235 |
| Phoenixville | 15 | ⊙ | 9.6 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$101,018 |
| Pottstown Memorial | 29 | ⊙ | 8.2 | 0.0 | ⊙ | 4.0 | ⊙ | ⊙ | ⊙ | \$128,163 |
| Reading | 72 | ⊙ | 8.8 | 12.5 | ● | 5.4 | ⊙ | ⊙ | ⊙ | \$58,173 |
| Riddle Memorial | 19 | ⊙ | 9.5 | 0.0 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$142,430 |
| Roxborough Memorial | 38 | ⊙ | 10.5 | 7.4 | ⊙ | 7.4 | ⊙ | ⊙ | ⊙ | \$65,753 |
| Sacred Heart/Allentown | 26 | ⊙ | 7.0 | 0.0 | ⊙ | 5.3 | ⊙ | ⊙ | ⊙ | \$52,255 |
| Saint Catherine | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 18 | ⊙ | 7.8 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$28,611 |
| Schuylkill-South Jackson | 18 | ⊙ | 11.5 | 0.0 | ⊙ | 7.7 | ⊙ | ⊙ | ⊙ | \$30,698 |
| Springfield | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| St Joseph/Reading | 43 | ⊙ | 9.7 | 3.0 | ⊙ | 6.1 | ⊙ | ⊙ | ● | \$42,206 |
| St Joseph's/Philadelphia | 41 | ⊙ | 12.2 | 3.8 | ⊙ | 7.7 | ⊙ | ⊙ | ⊙ | \$63,097 |
| St Luke's Miners | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| St Luke's Quakertown | 9 | ⊙ | 6.7 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$64,205 |
| St Luke's/Bethlehem | 114 | ⊙ | 8.3 | 1.1 | ⊙ | 1.1 | ⊙ | ⊙ | ⊙ | \$75,654 |
| St Mary | 40 | ⊙ | 10.0 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$74,380 |
| Taylor | 18 | ● | 11.6 | 0.0 | ⊙ | 14.3 | ⊙ | ⊙ | ⊙ | \$192,976 |
| Temple East | 51 | ⊙ | 10.4 | 2.8 | ⊙ | 8.3 | ⊙ | ⊙ | ⊙ | \$107,910 |
| Temple University | 183 | ⊙ | 9.9 | 2.3 | ⊙ | 12.8 | ● | ⊙ | ⊙ | \$241,052 |
| Southeastern Pennsylvania | 2,449 | | 9.6 | 5.0 | | 6.3 | | | | \$114,892 |
| TOTAL: Statewide | 6,122 | | 9.4 | 5.0 | | 5.0 | | | | \$79,603 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure without Mechanical Ventilation

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 104 | ⊙ | 5.3 | 13.0 | ● | 5.4 | ⊙ | ⊙ | ⊙ | \$32,966 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 42 | ⊙ | 6.1 | 8.3 | ⊙ | 2.8 | ⊙ | ⊙ | ⊙ | \$49,415 |
| Central Montgomery | 14 | ⊙ | 5.0 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$50,462 |
| Chester County | 79 | ⊙ | 7.1 | 1.4 | ⊙ | 11.3 | ● | ⊙ | ⊙ | \$35,852 |
| Chestnut Hill | 26 | ⊙ | 4.0 | 9.1 | ⊙ | 0.0 | ⊙ | ● | ⊙ | \$44,983 |
| Crozer-Chester | 31 | ⊙ | 5.6 | 7.4 | ⊙ | 7.4 | ⊙ | ⊙ | ⊙ | \$117,892 |
| Delaware County Memorial | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Doylestown | 82 | ⊙ | 6.4 | 0.0 | ⊙ | 6.5 | ⊙ | ⊙ | ⊙ | \$35,343 |
| Eastern Regional | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 152 | ⊙ | 5.7 | 6.6 | ⊙ | 3.6 | ⊙ | ⊙ | ⊙ | \$35,854 |
| Frankford | 30 | ⊙ | 6.2 | 3.8 | ⊙ | 3.8 | ⊙ | ⊙ | ⊙ | \$55,207 |
| Gnaden Huetten Memorial | 24 | ⊙ | 5.3 | 8.7 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$13,376 |
| Grand View | 23 | ⊙ | 7.1 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$67,493 |
| Hahnemann University | 33 | ⊙ | 8.8 | 3.0 | ⊙ | 15.2 | ● | ● | ● | \$146,958 |
| Holy Redeemer | 45 | ⊙ | 7.1 | 4.9 | ⊙ | 7.3 | ⊙ | ⊙ | ⊙ | \$88,263 |
| Hospital Fox Chase Cancer | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Hospital University PA | 46 | ⊙ | 8.8 | 2.5 | ⊙ | 20.0 | ● | ⊙ | ⊙ | \$85,181 |
| Jeanes | 64 | ⊙ | 7.1 | 1.8 | ⊙ | 9.1 | ⊙ | ⊙ | ⊙ | \$79,367 |
| Jennersville Regional | 10 | ⊙ | 6.1 | 0.0 | ⊙ | 25.0 | ⊙ | ⊙ | ⊙ | \$33,630 |
| Lehigh Valley | 162 | ⊙ | 5.8 | 5.9 | ⊙ | 3.7 | ⊙ | ⊙ | ⊙ | \$38,217 |
| Lehigh Valley/Muhlenberg | 126 | ⊙ | 5.5 | 4.2 | ⊙ | 5.9 | ⊙ | ⊙ | ⊙ | \$30,405 |
| Lower Bucks | 14 | ⊙ | 5.7 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$67,258 |
| Main Line Bryn Mawr | 53 | ⊙ | 7.5 | 2.4 | ⊙ | 9.8 | ⊙ | ⊙ | ⊙ | \$70,718 |
| Main Line Lankenau | 32 | ⊙ | 7.9 | 3.7 | ⊙ | 18.5 | ● | ● | ⊙ | \$72,078 |
| Main Line Paoli | 10 | ⊙ | 5.1 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$59,218 |
| Mercy Fitzgerald | 26 | ⊙ | 5.6 | 0.0 | ⊙ | 4.5 | ⊙ | ⊙ | ⊙ | \$73,548 |
| Mercy Philadelphia | 15 | ⊙ | 5.4 | 7.1 | ⊙ | 0.0 | ⊙ | ● | ⊙ | \$59,282 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure without Mechanical Ventilation

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 14 | ⊙ | 5.4 | 16.7 | ⊙ | 8.3 | ⊙ | ⊙ | \$49,088 | |
| Methodist Division/TJUH | 12 | ⊙ | 5.6 | 9.1 | ⊙ | 9.1 | ⊙ | ⊙ | \$51,331 | |
| Montgomery | 5 | ⊙ | NR | NR | NR | NR | NR | NR | \$29,796 | |
| Nazareth | 16 | ⊙ | 6.6 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$50,279 | |
| Palmerton | 4 | NR | NR | NR | NR | NR | NR | NR | NR | |
| Penn Presbyterian | 20 | ⊙ | 7.0 | 0.0 | ⊙ | 10.5 | ⊙ | ⊙ | \$48,230 | |
| Pennsylvania | 29 | ⊙ | 6.7 | 4.0 | ⊙ | 4.0 | ⊙ | ⊙ | \$70,232 | |
| Phoenixville | 81 | ⊙ | 5.2 | 2.9 | ⊙ | 2.9 | ⊙ | ⊙ | \$41,854 | |
| Pottstown Memorial | 8 | ● | NR | NR | NR | NR | NR | NR | \$52,232 | |
| Reading | 130 | ⊙ | 6.3 | 2.6 | ⊙ | 6.1 | ⊙ | ⊙ | \$25,438 | |
| Riddle Memorial | 26 | ● | 7.8 | 5.0 | ⊙ | 10.0 | ⊙ | ⊙ | \$92,564 | |
| Roxborough Memorial | 8 | ⊙ | 8.2 | 0.0 | ⊙ | 42.9 | ● | ⊙ | \$39,467 | |
| Sacred Heart/Allentown | 19 | ⊙ | 6.3 | 0.0 | ⊙ | 6.7 | ⊙ | ⊙ | \$23,605 | |
| Saint Catherine | 24 | ⊙ | 5.4 | 8.3 | ⊙ | 0.0 | ⊙ | ⊙ | \$16,808 | |
| Schuylkill-East Norwegian | 92 | ⊙ | 6.5 | 3.5 | ⊙ | 2.4 | ⊙ | ⊙ | \$14,876 | |
| Schuylkill-South Jackson | 112 | ⊙ | 7.3 | 2.0 | ⊙ | 13.3 | ● | ⊙ | \$15,288 | |
| Springfield | 3 | NR | NR | NR | NR | NR | NR | NR | NR | |
| St Joseph/Reading | 255 | ⊙ | 5.3 | 8.2 | ● | 2.9 | ⊙ | ⊙ | \$17,509 | |
| St Joseph's/Philadelphia | 19 | ⊙ | 8.7 | 0.0 | ⊙ | 23.5 | ● | ⊙ | \$33,998 | |
| St Luke's Miners | 18 | ⊙ | 7.6 | 0.0 | ⊙ | 7.1 | ⊙ | ⊙ | \$32,452 | |
| St Luke's Quakertown | 26 | ⊙ | 6.8 | 4.8 | ⊙ | 14.3 | ⊙ | ⊙ | \$48,267 | |
| St Luke's/Bethlehem | 63 | ⊙ | 5.5 | 15.8 | ● | 0.0 | ⊙ | ⊙ | \$40,671 | |
| St Mary | 26 | ● | 6.6 | 17.6 | ⊙ | 5.9 | ⊙ | ⊙ | \$28,923 | |
| Taylor | 10 | ⊙ | 9.8 | 0.0 | ⊙ | 12.5 | ⊙ | ⊙ | \$149,427 | |
| Temple East | 45 | ⊙ | 7.0 | 4.8 | ⊙ | 2.4 | ⊙ | ⊙ | \$62,290 | |
| Temple University | 176 | ⊙ | 6.6 | 7.1 | ⊙ | 8.9 | ● | ● | \$124,825 | |
| Southeastern Pennsylvania | 2,543 | | 6.3 | 5.5 | | 6.4 | | | \$48,871 | |
| TOTAL: Statewide | 9,884 | | 6.0 | 5.0 | | 5.0 | | | \$28,676 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

| Septicemia | | | | | | | | |
|---------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating [†] | % | Rating [†] | |
| Albert Einstein | 351 | ⊙ | 7.5 | 6.2 | ⊙ | 8.1 | ● | \$62,160 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 101 | ⊙ | 7.0 | 5.6 | ⊙ | 3.3 | ⊙ | \$66,767 |
| Central Montgomery | 121 | ⊙ | 6.4 | 8.9 | ⊙ | 2.0 | ⊙ | \$75,884 |
| Chester County | 194 | ⊙ | 7.7 | 4.0 | ⊙ | 3.5 | ⊙ | \$39,567 |
| Chestnut Hill | 198 | ⊙ | 6.4 | 15.2 | ● | 3.4 | ⊙ | \$78,131 |
| Crozer-Chester | 152 | ● | 7.4 | 9.7 | ⊙ | 8.6 | ⊙ | \$151,545 |
| Delaware County Memorial | 56 | ● | 9.0 | 6.7 | ⊙ | 6.7 | ⊙ | \$139,080 |
| Doylestown | 194 | ● | 7.6 | 2.1 | ⊙ | 4.9 | ⊙ | \$47,589 |
| Eastern Regional | 6 | ⊙ | 11.6 | 0.0 | ⊙ | 16.7 | ⊙ | \$120,940 |
| Easton | 512 | ⊙ | 7.5 | 1.7 | ⊙ | 4.5 | ⊙ | \$44,510 |
| Frankford | 174 | ⊙ | 8.7 | 7.8 | ⊙ | 10.3 | ● | \$59,882 |
| Gnaden Huetten Memorial | 60 | ⊙ | 4.8 | 3.8 | ⊙ | 0.0 | ⊙ | \$13,959 |
| Grand View | 140 | ⊙ | 6.7 | 6.2 | ⊙ | 2.3 | ⊙ | \$65,989 |
| Hahnemann University | 130 | ⊙ | 10.1 | 6.8 | ⊙ | 18.2 | ● | \$195,630 |
| Holy Redeemer | 164 | ⊙ | 8.1 | 7.9 | ⊙ | 6.3 | ⊙ | \$122,575 |
| Hospital Fox Chase Cancer | 15 | ⊙ | 9.0 | 25.0 | ⊙ | 25.0 | ⊙ | \$38,111 |
| Hospital University PA | 275 | ● | 8.9 | 3.7 | ⊙ | 13.9 | ● | \$113,546 |
| Jeanes | 111 | ⊙ | 6.9 | 3.8 | ⊙ | 3.8 | ⊙ | \$110,146 |
| Jennersville Regional | 28 | ⊙ | 9.1 | 0.0 | ⊙ | 21.1 | ● | \$69,525 |
| Lehigh Valley | 549 | ⊙ | 8.0 | 2.6 | ⊙ | 7.2 | ● | \$49,144 |
| Lehigh Valley/Muhlenberg | 326 | ⊙ | 6.6 | 4.0 | ⊙ | 3.6 | ⊙ | \$41,687 |
| Lower Bucks | 45 | ⊙ | 8.5 | 3.2 | ⊙ | 6.5 | ⊙ | \$106,870 |
| Main Line Bryn Mawr | 110 | ⊙ | 8.4 | 2.5 | ⊙ | 10.1 | ⊙ | \$105,271 |
| Main Line Lankenau | 145 | ⊙ | 7.2 | 10.0 | ● | 1.8 | ⊙ | \$85,148 |
| Main Line Paoli | 69 | ⊙ | 7.3 | 11.6 | ⊙ | 4.7 | ⊙ | \$80,726 |
| Mercy Fitzgerald | 220 | ⊙ | 8.0 | 9.1 | ● | 8.4 | ⊙ | \$98,591 |
| Mercy Philadelphia | 145 | ⊙ | 7.8 | 8.2 | ⊙ | 10.0 | ● | \$113,165 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

| Septicemia | | | | | | | | |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Mercy Suburban | 216 | ⊙ | 7.4 | 12.3 | ● | 4.9 | ⊙ | \$59,883 |
| Methodist Division/TJUH | 89 | ⊙ | 8.2 | 14.8 | ● | 6.6 | ⊙ | \$63,454 |
| Montgomery | 69 | ⊙ | 7.4 | 3.4 | ⊙ | 5.1 | ⊙ | \$66,434 |
| Nazareth | 146 | ○ | 7.8 | 10.9 | ● | 10.1 | ● | \$76,670 |
| Palmerton | 11 | ⊙ | 8.6 | 9.1 | ⊙ | 9.1 | ⊙ | \$22,472 |
| Penn Presbyterian | 69 | ⊙ | 8.6 | 7.0 | ⊙ | 11.6 | ⊙ | \$84,822 |
| Pennsylvania | 47 | ⊙ | 9.4 | 12.1 | ⊙ | 15.2 | ● | \$114,096 |
| Phoenixville | 120 | ⊙ | 6.0 | 5.3 | ⊙ | 3.2 | ⊙ | \$60,446 |
| Pottstown Memorial | 70 | ⊙ | 9.3 | 3.9 | ⊙ | 9.8 | ⊙ | \$80,944 |
| Reading | 389 | ○ | 7.6 | 6.5 | ⊙ | 7.4 | ⊙ | \$35,647 |
| Riddle Memorial | 156 | ⊙ | 9.0 | 3.7 | ⊙ | 11.0 | ● | \$105,731 |
| Roxborough Memorial | 122 | ● | 9.5 | 4.4 | ⊙ | 15.4 | ● | \$52,366 |
| Sacred Heart/Allentown | 44 | ⊙ | 7.9 | 2.6 | ⊙ | 5.3 | ⊙ | \$36,195 |
| Saint Catherine | 56 | ⊙ | 5.4 | 6.1 | ⊙ | 0.0 | ⊙ | \$16,558 |
| Schuylkill-East Norwegian | 128 | ⊙ | 7.2 | 1.9 | ⊙ | 3.8 | ⊙ | \$17,011 |
| Schuylkill-South Jackson | 52 | ● | 8.2 | 2.7 | ⊙ | 2.7 | ⊙ | \$13,085 |
| Springfield | 24 | ⊙ | 6.5 | 0.0 | ⊙ | 0.0 | ⊙ | \$130,084 |
| St Joseph/Reading | 206 | ⊙ | 6.1 | 11.2 | ● | 2.8 | ⊙ | \$25,818 |
| St Joseph's/Philadelphia | 119 | ● | 11.5 | 2.2 | ⊙ | 26.4 | ● | \$61,206 |
| St Luke's Miners | 36 | ⊙ | 9.1 | 0.0 | ⊙ | 5.9 | ⊙ | \$33,850 |
| St Luke's Quakertown | 52 | ⊙ | 5.7 | 4.5 | ⊙ | 0.0 | ⊙ | \$44,534 |
| St Luke's/Bethlehem | 435 | ⊙ | 7.8 | 6.3 | ⊙ | 6.3 | ⊙ | \$53,647 |
| St Mary | 168 | ⊙ | 7.6 | 6.6 | ⊙ | 4.9 | ⊙ | \$56,234 |
| Taylor | 76 | ● | 10.1 | 0.0 | ⊙ | 19.6 | ● | \$151,367 |
| Temple East | 59 | ⊙ | 9.2 | 4.5 | ⊙ | 18.2 | ● | \$111,752 |
| Temple University | 204 | ⊙ | 7.5 | 7.5 | ⊙ | 8.2 | ⊙ | \$165,499 |
| Southeastern Pennsylvania | 8,000 | | 7.8 | 6.0 | | 7.3 | | \$72,942 |
| TOTAL: Statewide | 26,171 | | 7.2 | 5.0 | | 5.0 | | \$43,160 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stomach and Intestinal Bleeding

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 304 | ⊙ | 4.2 | 4.7 | ⊙ | 4.7 | ⊙ | ● | ⊙ | \$33,196 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 83 | ⊙ | 4.2 | 2.5 | ⊙ | 3.7 | ⊙ | ⊙ | ⊙ | \$37,935 |
| Central Montgomery | 55 | ⊙ | 3.4 | 9.1 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$33,952 |
| Chester County | 192 | ⊙ | 4.1 | 3.7 | ⊙ | 3.7 | ⊙ | ⊙ | ⊙ | \$21,380 |
| Chestnut Hill | 136 | ⊙ | 3.6 | 8.3 | ⊙ | 1.5 | ⊙ | ⊙ | ⊙ | \$38,127 |
| Crozer-Chester | 182 | ⊙ | 5.1 | 5.1 | ⊙ | 9.6 | ● | ● | ⊙ | \$78,950 |
| Delaware County Memorial | 173 | ⊙ | 5.1 | 1.8 | ⊙ | 11.4 | ● | ⊙ | ⊙ | \$71,738 |
| Doylestown | 243 | ⊙ | 5.1 | 1.3 | ⊙ | 6.3 | ⊙ | ⊙ | ⊙ | \$29,656 |
| Eastern Regional | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 161 | ⊙ | 4.3 | 5.6 | ⊙ | 4.3 | ⊙ | ⊙ | ⊙ | \$36,876 |
| Frankford | 413 | ⊙ | 5.0 | 2.7 | ⊙ | 6.8 | ⊙ | ⊙ | ⊙ | \$35,920 |
| Gnaden Huetten Memorial | 40 | ⊙ | 3.7 | 12.5 | ● | 0.0 | ⊙ | ⊙ | ⊙ | \$11,080 |
| Grand View | 119 | ⊙ | 4.3 | 5.0 | ⊙ | 5.9 | ⊙ | ⊙ | ⊙ | \$31,598 |
| Hahnemann University | 119 | ⊙ | 5.7 | 2.5 | ⊙ | 13.6 | ● | ● | ⊙ | \$86,744 |
| Holy Redeemer | 157 | ⊙ | 4.5 | 5.1 | ⊙ | 10.9 | ● | ⊙ | ⊙ | \$56,911 |
| Hospital Fox Chase Cancer | 18 | ⊙ | 3.2 | 16.7 | ⊙ | 5.6 | ⊙ | ⊙ | ⊙ | \$20,887 |
| Hospital University PA | 156 | ⊙ | 4.6 | 3.9 | ⊙ | 7.2 | ⊙ | ⊙ | ⊙ | \$40,050 |
| Jeanes | 125 | ⊙ | 4.9 | 1.7 | ⊙ | 6.6 | ⊙ | ⊙ | ⊙ | \$58,911 |
| Jennersville Regional | 52 | ⊙ | 3.7 | 7.8 | ⊙ | 3.9 | ⊙ | ⊙ | ⊙ | \$34,358 |
| Lehigh Valley | 341 | ⊙ | 4.6 | 3.3 | ⊙ | 6.0 | ⊙ | ⊙ | ⊙ | \$29,472 |
| Lehigh Valley/Muhlenberg | 178 | ⊙ | 4.4 | 5.1 | ⊙ | 2.3 | ⊙ | ⊙ | ⊙ | \$29,142 |
| Lower Bucks | 61 | ⊙ | 4.6 | 6.6 | ⊙ | 3.3 | ⊙ | ⊙ | ⊙ | \$62,893 |
| Main Line Bryn Mawr | 202 | ⊙ | 4.5 | 4.1 | ⊙ | 5.6 | ⊙ | ⊙ | ⊙ | \$46,223 |
| Main Line Lankenau | 199 | ⊙ | 3.9 | 7.7 | ⊙ | 3.1 | ⊙ | ⊙ | ⊙ | \$38,994 |
| Main Line Paoli | 153 | ⊙ | 3.8 | 4.6 | ⊙ | 3.3 | ⊙ | ⊙ | ⊙ | \$39,874 |
| Mercy Fitzgerald | 99 | ⊙ | 4.5 | 7.1 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$55,903 |
| Mercy Philadelphia | 94 | ⊙ | 4.1 | 6.4 | ⊙ | 5.3 | ⊙ | ● | ⊙ | \$51,028 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stomach and Intestinal Bleeding

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 75 | ⊙ | 4.2 | 4.2 | ⊙ | 5.6 | ⊙ | ⊙ | \$40,849 | |
| Methodist Division/TJUH | 104 | ● | 4.8 | 2.0 | ⊙ | 10.2 | ● | ⊙ | \$36,761 | |
| Montgomery | 70 | ⊙ | 4.5 | 1.4 | ⊙ | 5.8 | ⊙ | ⊙ | \$37,035 | |
| Nazareth | 105 | ⊙ | 5.7 | 1.0 | ○ | 17.3 | ● | ⊙ | \$46,630 | |
| Palmerton | 41 | ⊙ | 4.1 | 4.9 | ⊙ | 0.0 | ⊙ | ⊙ | \$13,685 | |
| Penn Presbyterian | 146 | ⊙ | 4.2 | 6.9 | ⊙ | 4.1 | ⊙ | ⊙ | \$36,973 | |
| Pennsylvania | 104 | ⊙ | 4.8 | 4.9 | ⊙ | 11.8 | ● | ⊙ | \$50,296 | |
| Phoenixville | 114 | ⊙ | 3.8 | 5.4 | ⊙ | 3.6 | ⊙ | ⊙ | \$35,657 | |
| Pottstown Memorial | 116 | ⊙ | 4.1 | 4.4 | ⊙ | 4.4 | ⊙ | ⊙ | \$35,210 | |
| Reading | 341 | ⊙ | 4.6 | 4.5 | ⊙ | 5.3 | ⊙ | ○ | \$23,145 | |
| Riddle Memorial | 161 | ⊙ | 4.7 | 8.9 | ● | 3.2 | ⊙ | ⊙ | \$55,660 | |
| Roxborough Memorial | 50 | ⊙ | 5.1 | 2.0 | ⊙ | 8.2 | ⊙ | ⊙ | \$28,071 | |
| Sacred Heart/Allentown | 84 | ⊙ | 4.3 | 4.9 | ⊙ | 6.1 | ⊙ | ⊙ | \$20,537 | |
| Saint Catherine | 28 | ⊙ | 4.0 | 0.0 | ⊙ | 3.8 | ⊙ | ⊙ | \$13,889 | |
| Schuylkill-East Norwegian | 113 | ⊙ | 4.4 | 7.3 | ⊙ | 3.6 | ⊙ | ⊙ | \$12,135 | |
| Schuylkill-South Jackson | 104 | ⊙ | 4.5 | 2.9 | ⊙ | 1.0 | ⊙ | ⊙ | \$11,944 | |
| Springfield | 17 | ⊙ | 4.0 | 0.0 | ⊙ | 5.9 | ⊙ | ⊙ | \$70,837 | |
| St Joseph/Reading | 166 | ⊙ | 4.1 | 8.5 | ⊙ | 3.0 | ⊙ | ⊙ | \$18,505 | |
| St Joseph's/Philadelphia | 68 | ⊙ | 5.6 | 0.0 | ⊙ | 14.9 | ● | ⊙ | \$33,531 | |
| St Luke's Miners | 33 | ⊙ | 4.9 | 9.1 | ⊙ | 3.0 | ⊙ | ⊙ | \$18,219 | |
| St Luke's Quakertown | 35 | ⊙ | 4.2 | 2.9 | ⊙ | 2.9 | ⊙ | ⊙ | \$29,224 | |
| St Luke's/Bethlehem | 279 | ⊙ | 3.9 | 9.1 | ● | 3.6 | ⊙ | ⊙ | \$28,228 | |
| St Mary | 241 | ⊙ | 5.0 | 3.8 | ⊙ | 5.9 | ⊙ | ⊙ | \$33,172 | |
| Taylor | 95 | ⊙ | 3.8 | 6.6 | ⊙ | 2.2 | ⊙ | ⊙ | \$65,173 | |
| Temple East | 68 | ⊙ | 4.6 | 1.5 | ⊙ | 5.9 | ⊙ | ● | \$47,527 | |
| Temple University | 250 | ⊙ | 4.0 | 4.1 | ⊙ | 3.7 | ⊙ | ● | \$70,770 | |
| Southeastern Pennsylvania | 7,395 | | 4.5 | 4.6 | | 5.8 | | | \$40,223 | |
| TOTAL: Statewide | 19,810 | | 4.4 | 5.0 | | 5.0 | | | \$26,111 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Hemorrhagic

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Albert Einstein | 57 | ⊙ | 6.1 | 14.0 | ● | 2.3 | ⊙ | ⊙ | ● | \$47,136 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 5 | ⊙ | NR | NR | NR | NR | NR | NR | NR | \$22,159 |
| Central Montgomery | 9 | ⊙ | 3.7 | 14.3 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$35,789 |
| Chester County | 11 | ⊙ | 3.4 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$15,172 |
| Chestnut Hill | 9 | ⊙ | 3.7 | 12.5 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$28,530 |
| Crozer-Chester | 65 | ⊙ | 6.8 | 2.2 | ⊙ | 4.3 | ⊙ | ● | ⊙ | \$88,846 |
| Delaware County Memorial | 8 | ⊙ | NR | NR | NR | NR | NR | NR | NR | \$53,123 |
| Doylestown | 14 | ⊙ | 6.5 | 7.7 | ⊙ | 15.4 | ⊙ | ⊙ | ⊙ | \$39,152 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 13 | ⊙ | 7.2 | 0.0 | ⊙ | 22.2 | ⊙ | ⊙ | ⊙ | \$32,297 |
| Frankford | 43 | ⊙ | 6.7 | 0.0 | ⊙ | 8.8 | ⊙ | ○ | ⊙ | \$49,325 |
| Gnaden Huetten Memorial | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Grand View | 8 | ⊙ | 1.9 | 16.7 | ⊙ | 0.0 | ⊙ | NR | NR | \$16,480 |
| Hahnemann University | 19 | ⊙ | 6.8 | 0.0 | ⊙ | 6.3 | ⊙ | ⊙ | ⊙ | \$98,708 |
| Holy Redeemer | 23 | ⊙ | 5.5 | 6.7 | ⊙ | 6.7 | ⊙ | ⊙ | ⊙ | \$49,145 |
| Hospital Fox Chase Cancer | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Hospital University PA | 110 | ⊙ | 6.3 | 5.9 | ⊙ | 10.6 | ● | ⊙ | ⊙ | \$68,946 |
| Jeanes | 17 | ⊙ | 4.4 | 7.7 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$47,729 |
| Jennersville Regional | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Lehigh Valley | 182 | ⊙ | 7.0 | 2.2 | ⊙ | 5.9 | ⊙ | ⊙ | ⊙ | \$54,427 |
| Lehigh Valley/Muhlenberg | 13 | ⊙ | 4.7 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$25,325 |
| Lower Bucks | 11 | ● | 8.3 | 0.0 | ⊙ | 0.0 | ⊙ | NR | NR | \$54,497 |
| Main Line Bryn Mawr | 51 | ⊙ | 7.0 | 7.1 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$66,003 |
| Main Line Lankenau | 29 | ⊙ | 5.1 | 13.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$43,757 |
| Main Line Paoli | 30 | ⊙ | 5.2 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$44,246 |
| Mercy Fitzgerald | 24 | ⊙ | 5.5 | 9.5 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$56,326 |
| Mercy Philadelphia | 23 | ⊙ | 5.3 | 10.0 | ⊙ | 5.0 | ⊙ | ⊙ | ⊙ | \$62,821 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Hemorrhagic

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Methodist Division/TJUH | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Montgomery | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Nazareth | 26 | ⊙ | 6.7 | 0.0 | ⊙ | 4.3 | ⊙ | ⊙ | ⊙ | \$47,674 |
| Palmerton | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Penn Presbyterian | 6 | ⊙ | NR | NR | NR | NR | NR | NR | NR | \$24,614 |
| Pennsylvania | 16 | ⊙ | 5.1 | 6.7 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$61,906 |
| Phoenixville | 15 | ⊙ | 3.6 | 11.1 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$34,957 |
| Pottstown Memorial | 4 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Reading | 79 | ⊙ | 5.2 | 5.4 | ⊙ | 7.1 | ⊙ | ⊙ | ⊙ | \$24,561 |
| Riddle Memorial | 17 | ⊙ | 3.6 | 16.7 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$47,398 |
| Roxborough Memorial | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Sacred Heart/Allentown | 16 | ⊙ | 5.7 | 9.1 | ⊙ | 9.1 | ⊙ | ⊙ | ⊙ | \$25,844 |
| Saint Catherine | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 7 | ⊙ | 5.9 | 16.7 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$11,936 |
| Schuylkill-South Jackson | 6 | ⊙ | NR | NR | NR | NR | NR | NR | NR | \$14,803 |
| Springfield | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| St Joseph/Reading | 11 | ⊙ | 4.0 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$10,716 |
| St Joseph's/Philadelphia | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| St Luke's Miners | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| St Luke's Quakertown | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| St Luke's/Bethlehem | 114 | ⊙ | 6.4 | 6.9 | ⊙ | 6.9 | ⊙ | ⊙ | ⊙ | \$48,699 |
| St Mary | 46 | ⊙ | 6.0 | 2.6 | ⊙ | 2.6 | ⊙ | ⊙ | ⊙ | \$40,926 |
| Taylor | 5 | ⊙ | NR | NR | NR | NR | NR | NR | NR | NR |
| Temple East | 1 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Temple University | 121 | ⊙ | 6.6 | 2.2 | ⊙ | 12.9 | ● | ⊙ | ⊙ | \$123,811 |
| Southeastern Pennsylvania | 1,638 | | 6.2 | 4.5 | | 6.4 | | | | \$59,806 |
| TOTAL: Statewide | 3,634 | | 5.9 | 4.8 | | 4.8 | | | | \$44,142 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Non-Hemorrhagic

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating [†] | % | Rating [†] | | | |
| Albert Einstein | 338 | ⊙ | 4.6 | 5.2 | ⊙ | 4.6 | ⊙ | ● | ⊙ | \$37,310 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 83 | ⊙ | 6.0 | 1.3 | ⊙ | 3.8 | ⊙ | ⊙ | ⊙ | \$49,372 |
| Central Montgomery | 97 | ⊙ | 4.5 | 8.4 | ⊙ | 2.1 | ⊙ | ⊙ | ⊙ | \$48,844 |
| Chester County | 150 | ⊙ | 5.5 | 3.4 | ⊙ | 5.5 | ⊙ | ⊙ | ⊙ | \$26,596 |
| Chestnut Hill | 157 | ⊙ | 4.2 | 7.2 | ⊙ | 0.0 | ⊙ | ⊙ | ⊙ | \$45,427 |
| Crozer-Chester | 228 | ⊙ | 5.3 | 7.6 | ⊙ | 9.5 | ● | ⊙ | ⊙ | \$96,483 |
| Delaware County Memorial | 126 | ⊙ | 6.0 | 1.7 | ⊙ | 7.6 | ⊙ | ⊙ | ⊙ | \$85,698 |
| Doylestown | 172 | ⊙ | 4.9 | 3.7 | ⊙ | 1.8 | ⊙ | ⊙ | ⊙ | \$30,779 |
| Eastern Regional | 2 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Easton | 100 | ⊙ | 4.3 | 3.2 | ⊙ | 3.2 | ⊙ | ⊙ | ⊙ | \$30,983 |
| Frankford | 310 | ⊙ | 6.5 | 1.0 | ⊙ | 9.4 | ● | ● | ● | \$40,076 |
| Gnaden Huetten Memorial | 40 | ⊙ | 3.8 | 13.9 | ● | 5.6 | ⊙ | ⊙ | ⊙ | \$13,368 |
| Grand View | 129 | ⊙ | 4.8 | 5.5 | ⊙ | 3.9 | ⊙ | ⊙ | ⊙ | \$40,700 |
| Hahnemann University | 118 | ⊙ | 6.7 | 7.5 | ⊙ | 18.7 | ● | ⊙ | ⊙ | \$111,933 |
| Holy Redeemer | 140 | ⊙ | 4.4 | 8.0 | ⊙ | 2.2 | ⊙ | ⊙ | ⊙ | \$63,724 |
| Hospital Fox Chase Cancer | 3 | NR | NR | NR | NR | NR | NR | NR | NR | NR |
| Hospital University PA | 259 | ⊙ | 5.6 | 6.8 | ⊙ | 11.6 | ● | ⊙ | ⊙ | \$63,821 |
| Jeanes | 102 | ⊙ | 5.2 | 3.1 | ⊙ | 3.1 | ⊙ | ⊙ | ⊙ | \$68,836 |
| Jennersville Regional | 32 | ⊙ | 5.1 | 6.5 | ⊙ | 9.7 | ⊙ | ⊙ | ● | \$37,312 |
| Lehigh Valley | 516 | ⊙ | 4.9 | 7.7 | ● | 5.1 | ⊙ | ⊙ | ⊙ | \$36,820 |
| Lehigh Valley/Muhlenberg | 192 | ⊙ | 4.7 | 7.1 | ⊙ | 2.7 | ⊙ | ⊙ | ⊙ | \$34,305 |
| Lower Bucks | 71 | ⊙ | 6.0 | 1.5 | ⊙ | 12.1 | ● | ⊙ | ⊙ | \$78,142 |
| Main Line Bryn Mawr | 179 | ⊙ | 4.5 | 4.7 | ⊙ | 2.4 | ⊙ | ⊙ | ⊙ | \$55,167 |
| Main Line Lankenau | 186 | ⊙ | 4.6 | 5.1 | ⊙ | 4.0 | ⊙ | ⊙ | ⊙ | \$50,092 |
| Main Line Paoli | 159 | ⊙ | 3.9 | 5.8 | ⊙ | 0.6 | ⊙ | ⊙ | ⊙ | \$49,717 |
| Mercy Fitzgerald | 117 | ⊙ | 5.4 | 4.4 | ⊙ | 6.2 | ⊙ | ⊙ | ⊙ | \$69,095 |
| Mercy Philadelphia | 108 | ⊙ | 5.4 | 5.0 | ⊙ | 11.0 | ● | ⊙ | ⊙ | \$54,037 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Non-Hemorrhagic

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Readmission Rating | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|--------------------|-------------------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | For Any Reason | For Complication or Infection | |
| | | | | % | Rating† | % | Rating† | | | |
| Mercy Suburban | 77 | ⊙ | 4.9 | 5.3 | ⊙ | 4.0 | ⊙ | ⊙ | \$43,856 | |
| Methodist Division/TJUH | 67 | ⊙ | 5.7 | 3.0 | ⊙ | 9.0 | ⊙ | ⊙ | \$46,954 | |
| Montgomery | 74 | ⊙ | 4.7 | 1.4 | ⊙ | 0.0 | ⊙ | ⊙ | \$35,997 | |
| Nazareth | 244 | ⊙ | 5.5 | 1.7 | ⊙ | 5.8 | ⊙ | ⊙ | \$53,963 | |
| Palmerton | 34 | ⊙ | 4.9 | 6.1 | ⊙ | 3.0 | ⊙ | ⊙ | \$13,831 | |
| Penn Presbyterian | 109 | ⊙ | 4.9 | 9.6 | ⊙ | 3.8 | ⊙ | ⊙ | \$42,157 | |
| Pennsylvania | 92 | ⊙ | 4.5 | 5.6 | ⊙ | 6.7 | ⊙ | ⊙ | \$57,743 | |
| Phoenixville | 77 | ⊙ | 4.4 | 4.1 | ⊙ | 2.7 | ⊙ | ⊙ | \$36,807 | |
| Pottstown Memorial | 111 | ⊙ | 5.5 | 4.0 | ⊙ | 6.9 | ⊙ | ⊙ | \$37,459 | |
| Reading | 414 | ⊙ | 5.1 | 4.3 | ⊙ | 6.6 | ⊙ | ⊙ | \$24,138 | |
| Riddle Memorial | 159 | ⊙ | 5.2 | 5.2 | ⊙ | 5.2 | ⊙ | ⊙ | \$69,011 | |
| Roxborough Memorial | 79 | ⊙ | 5.4 | 1.4 | ⊙ | 6.8 | ⊙ | ⊙ | \$27,375 | |
| Sacred Heart/Allentown | 58 | ⊙ | 4.8 | 3.5 | ⊙ | 5.3 | ⊙ | ⊙ | \$27,943 | |
| Saint Catherine | 19 | ⊙ | 3.1 | 5.9 | ⊙ | 5.9 | ⊙ | ⊙ | \$15,210 | |
| Schuylkill-East Norwegian | 83 | ⊙ | 4.3 | 5.1 | ⊙ | 3.8 | ⊙ | ⊙ | \$13,067 | |
| Schuylkill-South Jackson | 66 | ⊙ | 6.2 | 1.7 | ⊙ | 0.0 | ⊙ | ⊙ | \$15,922 | |
| Springfield | 30 | ⊙ | 4.3 | 6.7 | ⊙ | 0.0 | ⊙ | ⊙ | \$87,733 | |
| St Joseph/Reading | 120 | ⊙ | 4.6 | 3.5 | ⊙ | 2.6 | ⊙ | ⊙ | \$20,753 | |
| St Joseph's/Philadelphia | 36 | ⊙ | 9.2 | 0.0 | ⊙ | 39.4 | ● | ⊙ | \$44,405 | |
| St Luke's Miners | 21 | ⊙ | 6.0 | 0.0 | ⊙ | 0.0 | ⊙ | ⊙ | \$19,928 | |
| St Luke's Quakertown | 33 | ⊙ | 4.3 | 3.1 | ⊙ | 0.0 | ⊙ | ⊙ | \$36,794 | |
| St Luke's/Bethlehem | 327 | ⊙ | 4.9 | 5.2 | ⊙ | 4.2 | ⊙ | ⊙ | \$37,898 | |
| St Mary | 305 | ● | 4.8 | 4.3 | ⊙ | 2.8 | ⊙ | ⊙ | \$37,578 | |
| Taylor | 110 | ⊙ | 5.7 | 1.9 | ⊙ | 7.6 | ⊙ | ⊙ | \$99,047 | |
| Temple East | 96 | ⊙ | 5.9 | 1.1 | ⊙ | 12.1 | ● | ⊙ | \$65,702 | |
| Temple University | 281 | ⊙ | 4.7 | 4.4 | ⊙ | 7.3 | ⊙ | ⊙ | \$109,374 | |
| Southeastern Pennsylvania | 7,688 | | 5.1 | 4.7 | | 5.9 | | | \$50,118 | |
| TOTAL: Statewide | 18,770 | | 4.9 | 5.0 | | 4.9 | | | \$34,134 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Endovascular) during the report period.

| Abdominal Aortic Aneurysm Repair - Endovascular | | | | | | |
|---|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
| | | | | For Any Reason | For Complication or Infection | |
| Albert Einstein | 13 | ⊖ | 3.0 | ⊖ | ⊖ | \$159,704 |
| Chester County | 28 | ⊖ | 1.8 | ⊖ | ⊖ | \$33,454 |
| Chestnut Hill | 5 | ⊖ | 2.9 | ⊖ | ⊖ | \$114,256 |
| Crozer-Chester | 26 | ⊖ | 3.1 | ⊖ | ⊖ | \$185,948 |
| Delaware County Memorial | 4 | NR | NR | NR | NR | NR |
| Doylestown | 11 | ⊖ | 3.2 | ⊖ | ⊖ | \$79,693 |
| Easton | 1 | NR | NR | NR | NR | NR |
| Frankford | 29 | ⊖ | 3.4 | ⊖ | ⊖ | \$62,713 |
| Grand View | 1 | NR | NR | NR | NR | NR |
| Hahnemann University | 12 | ⊖ | 4.5 | ⊖ | ⊖ | \$155,276 |
| Holy Redeemer | 10 | ⊖ | 4.7 | ⊖ | ⊖ | \$143,384 |
| Hospital University PA | 116 | ⊖ | 3.8 | ⊖ | ⊖ | \$122,846 |
| Jeanes | 10 | ⊖ | 2.2 | ● | ● | \$99,873 |
| Lehigh Valley | 74 | ⊖ | 2.7 | ⊖ | ⊖ | \$138,358 |
| Lower Bucks | 1 | NR | NR | NR | NR | NR |
| Main Line Bryn Mawr | 32 | ⊖ | 2.1 | ⊖ | ⊖ | \$57,496 |
| Main Line Lankenau | 19 | ⊖ | 2.7 | ⊖ | ⊖ | \$67,074 |
| Main Line Paoli | 0 | NR | NR | NR | NR | NR |
| Mercy Fitzgerald | 4 | NR | NR | NR | NR | NR |
| Mercy Philadelphia | 2 | NR | NR | NR | NR | NR |
| Methodist Division/TJUH | 3 | NR | NR | NR | NR | NR |
| Montgomery | 1 | NR | NR | NR | NR | NR |
| Nazareth | 3 | NR | NR | NR | NR | NR |
| Penn Presbyterian | 20 | ⊖ | 3.5 | ⊖ | ● | \$119,763 |
| Pennsylvania | 27 | ⊖ | 2.5 | ⊖ | ⊖ | \$99,155 |
| Pottstown Memorial | 16 | ⊖ | 3.2 | ⊖ | ⊖ | \$213,311 |

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Abdominal Aortic Aneurysm Repair - Endovascular

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Reading | 13 | ⊙ | 3.4 | ⊙ | ⊙ | \$54,669 |
| Riddle Memorial | 4 | NR | NR | NR | NR | NR |
| Sacred Heart/Allentown | 9 | ⊙ | 2.8 | ⊙ | ⊙ | \$88,103 |
| Schuylkill-South Jackson | 6 | ⊙ | 3.0 | ⊙ | ⊙ | \$28,346 |
| St Joseph/Reading | 12 | ⊙ | 1.8 | ⊙ | ⊙ | \$57,852 |
| St Luke's/Bethlehem | 24 | ⊙ | 2.1 | ⊙ | ⊙ | \$112,360 |
| St Mary | 29 | ⊙ | 4.5 | ⊙ | ⊙ | \$108,005 |
| Temple University | 20 | ⊙ | 3.4 | ⊙ | ⊙ | \$250,409 |
| Southeastern Pennsylvania | 630 | | 3.2 | | | \$114,696 |
| TOTAL: Statewide | 1,682 | | 2.8 | | | \$95,135 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Open) during the report period.

| Abdominal Aortic Aneurysm Repair - Open | | | | | | | |
|---|-------|------------------|----------------|--------------------|-------------------------------|----------------|--|
| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge | |
| | | | | For Any Reason | For Complication or Infection | | |
| Albert Einstein | 2 | NR | NR | NR | NR | NR | |
| Chester County | 2 | NR | NR | NR | NR | NR | |
| Crozer-Chester | 4 | NR | NR | NR | NR | NR | |
| Delaware County Memorial | 4 | NR | NR | NR | NR | NR | |
| Doylestown | 6 | ⊙ | 5.7 | ⊙ | ⊙ | \$58,010 | |
| Easton | 3 | NR | NR | NR | NR | NR | |
| Frankford | 3 | NR | NR | NR | NR | NR | |
| Hahnemann University | 1 | NR | NR | NR | NR | NR | |
| Holy Redeemer | 3 | NR | NR | NR | NR | NR | |
| Hospital University PA | 28 | ⊙ | 9.0 | ⊙ | ⊙ | \$140,701 | |
| Jeanes | 2 | NR | NR | NR | NR | NR | |
| Lehigh Valley | 20 | ⊙ | 9.4 | ⊙ | ⊙ | \$115,857 | |
| Lehigh Valley/Muhlenberg | 1 | NR | NR | NR | NR | NR | |
| Lower Bucks | 1 | NR | NR | NR | NR | NR | |
| Main Line Bryn Mawr | 2 | NR | NR | NR | NR | NR | |
| Main Line Lankenau | 1 | NR | NR | NR | NR | NR | |
| Main Line Paoli | 4 | NR | NR | NR | NR | NR | |
| Montgomery | 4 | NR | NR | NR | NR | NR | |
| Penn Presbyterian | 9 | ⊙ | 6.2 | NR | NR | \$135,608 | |
| Pennsylvania | 5 | ⊙ | 9.5 | NR | NR | \$150,405 | |
| Phoenixville | 1 | NR | NR | NR | NR | NR | |
| Reading | 12 | ⊙ | 8.2 | ⊙ | ⊙ | \$57,714 | |
| Riddle Memorial | 2 | NR | NR | NR | NR | NR | |
| Sacred Heart/Allentown | 4 | NR | NR | NR | NR | NR | |
| St Joseph/Reading | 1 | NR | NR | NR | NR | NR | |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

| Abdominal Aortic Aneurysm Repair - Open | | | | | | |
|---|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
| | | | | For Any Reason | For Complication or Infection | |
| St Luke's/Bethlehem | 14 | ⊖ | 8.0 | ⊖ | ⊖ | \$97,212 |
| St Mary | 14 | ⊖ | 8.9 | ● | ⊖ | \$99,254 |
| Taylor | 1 | NR | NR | NR | NR | NR |
| Temple University | 3 | NR | NR | NR | NR | NR |
| Southeastern Pennsylvania | 168 | | 8.6 | | | \$126,631 |
| TOTAL: Statewide | 485 | | 8.0 | | | \$88,988 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

| Colorectal Procedures | | | | |
|---------------------------|-------|------------------|----------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Average Charge |
| Albert Einstein | 156 | ⊖ | 8.5 | \$97,317 |
| Barix Clinics/PA | 0 | NR | NR | NR |
| Brandywine | 40 | ⊖ | 9.1 | \$126,605 |
| Central Montgomery | 37 | ⊖ | 10.4 | \$101,455 |
| Chester County | 135 | ⊖ | 10.2 | \$47,359 |
| Chestnut Hill | 57 | ⊖ | 7.5 | \$110,274 |
| Crozer-Chester | 91 | ⊖ | 9.2 | \$190,654 |
| Delaware County Memorial | 144 | ⊖ | 11.0 | \$174,969 |
| Doylestown | 129 | ⊖ | 8.8 | \$54,738 |
| Eastern Regional | 11 | ⊖ | 10.5 | \$69,923 |
| Easton | 99 | ⊖ | 9.3 | \$107,599 |
| Frankford | 293 | ⊖ | 9.8 | \$73,398 |
| Gnaden Huetten Memorial | 32 | ⊖ | 7.3 | \$28,041 |
| Grand View | 109 | ⊖ | 9.5 | \$67,437 |
| Hahnemann University | 113 | ⊖ | 7.4 | \$187,180 |
| Holy Redeemer | 113 | ● | 8.9 | \$135,627 |
| Hospital Fox Chase Cancer | 101 | ⊖ | 8.6 | \$52,138 |
| Hospital University PA | 257 | ⊖ | 10.8 | \$126,848 |
| Jeanes | 96 | ⊖ | 9.2 | \$119,917 |
| Jennersville Regional | 36 | ⊖ | 9.6 | \$99,960 |
| Lehigh Valley | 396 | ⊖ | 7.8 | \$72,691 |
| Lehigh Valley/Muhlenberg | 112 | ⊖ | 7.7 | \$61,475 |
| Lower Bucks | 61 | ⊖ | 11.3 | \$141,730 |
| Main Line Bryn Mawr | 131 | ⊖ | 8.7 | \$100,388 |
| Main Line Lankenau | 226 | ⊖ | 7.8 | \$104,126 |
| Main Line Paoli | 109 | ⊖ | 7.2 | \$76,776 |
| Mercy Fitzgerald | 49 | ⊖ | 9.8 | \$130,323 |
| Mercy Philadelphia | 49 | ⊖ | 10.3 | \$131,974 |

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

| Colorectal Procedures | | | | |
|---------------------------|--------|------------------|----------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Average Charge |
| Mercy Suburban | 65 | ⊖ | 8.6 | \$104,979 |
| Methodist Division/TJUH | 42 | ⊖ | 10.8 | \$98,043 |
| Montgomery | 33 | ⊖ | 7.6 | \$86,548 |
| Nazareth | 69 | ⊖ | 12.6 | \$86,634 |
| Palmerton | 16 | ⊖ | 6.6 | \$34,529 |
| Penn Presbyterian | 109 | ⊖ | 8.4 | \$103,833 |
| Pennsylvania | 228 | ⊖ | 6.8 | \$81,074 |
| Phoenixville | 83 | ⊖ | 7.9 | \$74,072 |
| Pottstown Memorial | 68 | ⊖ | 8.6 | \$101,652 |
| Reading | 287 | ⊖ | 8.3 | \$49,591 |
| Riddle Memorial | 97 | ⊖ | 9.8 | \$131,892 |
| Roxborough Memorial | 28 | ⊖ | 11.5 | \$62,124 |
| Sacred Heart/Allentown | 28 | ⊖ | 9.1 | \$45,991 |
| Saint Catherine | 12 | ⊖ | 7.0 | \$35,415 |
| Schuylkill-East Norwegian | 58 | ⊖ | 9.7 | \$31,211 |
| Schuylkill-South Jackson | 48 | ⊖ | 9.5 | \$27,803 |
| Springfield | 5 | ⊖ | 9.4 | \$137,966 |
| St Joseph/Reading | 64 | ● | 10.3 | \$45,005 |
| St Joseph's/Philadelphia | 10 | ⊖ | 14.8 | \$117,822 |
| St Luke's Miners | 11 | ⊖ | 6.8 | \$60,202 |
| St Luke's Quakertown | 18 | ⊖ | 9.9 | \$77,097 |
| St Luke's/Bethlehem | 237 | ⊖ | 7.7 | \$77,876 |
| St Mary | 189 | ⊖ | 9.1 | \$82,006 |
| Taylor | 48 | ⊖ | 11.1 | \$199,291 |
| Temple East | 49 | ⊖ | 11.1 | \$124,956 |
| Temple University | 137 | ⊖ | 9.2 | \$221,300 |
| Southeastern Pennsylvania | 5,598 | | 8.9 | \$97,084 |
| TOTAL: Statewide | 14,418 | | 8.6 | \$65,597 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Laparoscopic

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Albert Einstein | 272 | ⊙ | 3.4 | ⊙ | ⊙ | \$48,218 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR |
| Brandywine | 58 | ⊙ | 4.4 | ⊙ | ⊙ | \$69,254 |
| Central Montgomery | 126 | ⊙ | 3.2 | ⊙ | ⊙ | \$41,720 |
| Chester County | 288 | ⊙ | 3.3 | ⊙ | ⊙ | \$18,449 |
| Chestnut Hill | 79 | ⊙ | 3.1 | ⊙ | ⊙ | \$42,718 |
| Crozer-Chester | 74 | ⊙ | 4.0 | ⊙ | ⊙ | \$88,985 |
| Delaware County Memorial | 115 | ⊙ | 4.0 | ⊙ | ⊙ | \$77,576 |
| Doylestown | 218 | ⊙ | 3.2 | ⊙ | ⊙ | \$28,290 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR |
| Easton | 114 | ⊙ | 3.3 | ⊙ | ⊙ | \$69,528 |
| Frankford | 294 | ⊙ | 3.8 | ⊙ | ⊙ | \$40,310 |
| Gnaden Huetten Memorial | 25 | ⊙ | 3.3 | ⊙ | ⊙ | \$19,046 |
| Grand View | 140 | ⊙ | 3.9 | ⊙ | ⊙ | \$31,865 |
| Hahnemann University | 81 | ⊙ | 3.3 | ⊙ | ⊙ | \$84,036 |
| Holy Redeemer | 141 | ⊙ | 3.4 | ⊙ | ⊙ | \$50,270 |
| Hospital Fox Chase Cancer | 4 | NR | NR | NR | NR | NR |
| Hospital University PA | 174 | ⊙ | 3.9 | ⊙ | ⊙ | \$53,824 |
| Jeanes | 87 | ⊙ | 3.5 | ⊙ | ⊙ | \$66,838 |
| Jennersville Regional | 33 | ⊙ | 4.0 | ⊙ | ⊙ | \$40,911 |
| Lehigh Valley | 298 | ⊙ | 3.3 | ⊙ | ⊙ | \$38,380 |
| Lehigh Valley/Muhlenberg | 134 | ⊙ | 3.6 | ⊙ | ⊙ | \$31,711 |
| Lower Bucks | 51 | ⊙ | 3.7 | ⊙ | ⊙ | \$72,493 |
| Main Line Bryn Mawr | 197 | ⊙ | 3.1 | ⊙ | ⊙ | \$36,742 |
| Main Line Lankenau | 193 | ⊙ | 3.1 | ⊙ | ⊙ | \$33,003 |
| Main Line Paoli | 224 | ⊙ | 2.6 | ⊙ | ⊙ | \$22,785 |
| Mercy Fitzgerald | 82 | ⊙ | 3.2 | ⊙ | ⊙ | \$69,987 |
| Mercy Philadelphia | 51 | ⊙ | 3.2 | ⊙ | ⊙ | \$54,555 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

| Gallbladder Removal - Laparoscopic | | | | | | |
|------------------------------------|--------|------------------|----------------|--------------------|-------------------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
| | | | | For Any Reason | For Complication or Infection | |
| Mercy Suburban | 47 | ⊙ | 3.8 | ⊙ | ⊙ | \$50,952 |
| Methodist Division/TJUH | 72 | ⊙ | 3.9 | ⊙ | ⊙ | \$41,640 |
| Montgomery | 54 | ⊙ | 3.6 | ⊙ | ⊙ | \$46,736 |
| Nazareth | 142 | ⊙ | 4.3 | ⊙ | ⊙ | \$41,121 |
| Palmerton | 21 | ⊙ | 3.0 | ⊙ | ⊙ | \$22,260 |
| Penn Presbyterian | 77 | ⊙ | 3.0 | ⊙ | ⊙ | \$49,150 |
| Pennsylvania | 127 | ⊙ | 3.7 | ● | ⊙ | \$42,622 |
| Phoenixville | 138 | ⊙ | 2.9 | ⊙ | ● | \$35,530 |
| Pottstown Memorial | 108 | ⊙ | 3.5 | ⊙ | ⊙ | \$44,112 |
| Reading | 271 | ⊙ | 3.6 | ⊙ | ⊙ | \$23,167 |
| Riddle Memorial | 196 | ⊙ | 3.3 | ⊙ | ⊙ | \$52,216 |
| Roxborough Memorial | 20 | ⊙ | 3.7 | ⊙ | ⊙ | \$30,656 |
| Sacred Heart/Allentown | 23 | ⊙ | 3.6 | ⊙ | ⊙ | \$20,315 |
| Saint Catherine | 10 | ⊙ | 3.1 | ⊙ | ⊙ | \$20,879 |
| Schuylkill-East Norwegian | 56 | ⊙ | 3.6 | ⊙ | ⊙ | \$15,034 |
| Schuylkill-South Jackson | 68 | ⊙ | 3.9 | ⊙ | ⊙ | \$17,741 |
| Springfield | 10 | ⊙ | 4.0 | ⊙ | ⊙ | \$85,232 |
| St Joseph/Reading | 85 | ⊙ | 3.8 | ⊙ | ⊙ | \$27,642 |
| St Joseph's/Philadelphia | 9 | ⊙ | 4.2 | ⊙ | ⊙ | \$49,033 |
| St Luke's Miners | 21 | ⊙ | 3.5 | ⊙ | ⊙ | \$36,169 |
| St Luke's Quakertown | 37 | ⊙ | 3.2 | ⊙ | ⊙ | \$37,181 |
| St Luke's/Bethlehem | 204 | ⊙ | 3.1 | ⊙ | ⊙ | \$39,060 |
| St Mary | 191 | ⊙ | 4.1 | ⊙ | ⊙ | \$40,799 |
| Taylor | 118 | ⊙ | 3.7 | ⊙ | ⊙ | \$89,627 |
| Temple East | 123 | ⊙ | 3.5 | ⊙ | ⊙ | \$45,554 |
| Temple University | 107 | ⊙ | 3.4 | ⊙ | ⊙ | \$108,151 |
| Southeastern Pennsylvania | 6,234 | | 3.5 | | | \$43,361 |
| TOTAL: Statewide | 13,636 | | 3.6 | | | \$32,671 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Open

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Albert Einstein | 40 | ● | 8.3 | ○ | ○ | \$80,720 |
| Barix Clinics/PA | 1 | NR | NR | NR | NR | NR |
| Brandywine | 14 | ○ | 8.3 | ○ | ○ | \$111,744 |
| Central Montgomery | 5 | ○ | 5.1 | ○ | ○ | \$63,632 |
| Chester County | 12 | ○ | 9.3 | ○ | ○ | \$40,331 |
| Chestnut Hill | 19 | ○ | 5.8 | ○ | ○ | \$79,567 |
| Crozer-Chester | 13 | ○ | 9.2 | ○ | ○ | \$179,185 |
| Delaware County Memorial | 35 | ○ | 7.8 | ○ | ○ | \$132,724 |
| Doylestown | 23 | ○ | 5.9 | ○ | ○ | \$46,798 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR |
| Easton | 28 | ○ | 6.4 | ○ | ○ | \$83,974 |
| Frankford | 45 | ○ | 7.9 | ○ | ○ | \$65,264 |
| Gnaden Huetten Memorial | 8 | ○ | 7.7 | ○ | ● | \$23,598 |
| Grand View | 17 | ○ | 6.6 | ○ | ○ | \$50,163 |
| Hahnemann University | 15 | ○ | 6.6 | ○ | ○ | \$158,645 |
| Holy Redeemer | 31 | ○ | 6.0 | ○ | ○ | \$87,238 |
| Hospital Fox Chase Cancer | 1 | NR | NR | NR | NR | NR |
| Hospital University PA | 65 | ○ | 8.0 | ● | ○ | \$105,543 |
| Jeanes | 42 | ○ | 5.7 | ○ | ○ | \$76,943 |
| Jennersville Regional | 7 | ○ | 6.4 | ○ | ○ | \$85,872 |
| Lehigh Valley | 17 | ○ | 5.8 | ○ | ○ | \$69,479 |
| Lehigh Valley/Muhlenberg | 16 | ○ | 5.1 | ○ | ○ | \$46,443 |
| Lower Bucks | 1 | NR | NR | NR | NR | NR |
| Main Line Bryn Mawr | 13 | ○ | 7.5 | ○ | ○ | \$67,440 |
| Main Line Lankenau | 20 | ○ | 6.0 | ○ | ○ | \$61,739 |
| Main Line Paoli | 9 | ○ | 6.1 | ○ | ○ | \$51,625 |
| Mercy Fitzgerald | 11 | ○ | 8.8 | ○ | ○ | \$113,491 |
| Mercy Philadelphia | 24 | ○ | 5.7 | ○ | ○ | \$92,771 |

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Gallbladder Removal - Open

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Mercy Suburban | 18 | ⊙ | 5.5 | ⊙ | ⊙ | \$73,166 |
| Methodist Division/TJUH | 27 | ⊙ | 7.0 | ⊙ | ⊙ | \$59,373 |
| Montgomery | 16 | ⊙ | 6.3 | ⊙ | ⊙ | \$71,144 |
| Nazareth | 9 | ⊙ | 8.9 | ⊙ | ⊙ | \$60,223 |
| Palmerton | 5 | ⊙ | 4.7 | ⊙ | ⊙ | \$19,549 |
| Penn Presbyterian | 15 | ⊙ | 6.8 | ⊙ | ● | \$93,476 |
| Pennsylvania | 5 | ⊙ | NR | NR | NR | \$94,112 |
| Phoenixville | 9 | ⊙ | 6.8 | ⊙ | ⊙ | \$82,162 |
| Pottstown Memorial | 22 | ⊙ | 6.4 | ⊙ | ⊙ | \$72,356 |
| Reading | 24 | ⊙ | 6.9 | ⊙ | ⊙ | \$31,592 |
| Riddle Memorial | 33 | ⊙ | 6.7 | ⊙ | ⊙ | \$121,143 |
| Roxborough Memorial | 6 | ⊙ | 7.5 | ⊙ | ⊙ | \$59,700 |
| Sacred Heart/Allentown | 20 | ⊙ | 7.0 | ⊙ | ⊙ | \$28,773 |
| Saint Catherine | 2 | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 7 | ⊙ | 6.1 | ⊙ | ⊙ | \$20,341 |
| Schuylkill-South Jackson | 10 | ⊙ | 9.3 | ⊙ | ⊙ | \$24,908 |
| Springfield | 5 | ⊙ | 5.9 | ⊙ | ⊙ | \$142,342 |
| St Joseph/Reading | 10 | ⊙ | 7.4 | ⊙ | ⊙ | \$34,405 |
| St Joseph's/Philadelphia | 11 | ⊙ | 9.1 | ⊙ | ⊙ | \$61,373 |
| St Luke's Miners | 0 | NR | NR | NR | NR | NR |
| St Luke's Quakertown | 3 | NR | NR | NR | NR | NR |
| St Luke's/Bethlehem | 32 | ⊙ | 6.4 | ⊙ | ⊙ | \$62,713 |
| St Mary | 19 | ⊙ | 8.3 | ⊙ | ⊙ | \$74,453 |
| Taylor | 7 | ⊙ | 8.5 | ⊙ | ⊙ | \$141,979 |
| Temple East | 25 | ⊙ | 6.4 | ⊙ | ⊙ | \$79,545 |
| Temple University | 17 | ⊙ | 7.7 | ⊙ | ⊙ | \$174,839 |
| Southeastern Pennsylvania | 958 | | 7.0 | | | \$81,925 |
| TOTAL: Statewide | 2,365 | | 6.7 | | | \$54,051 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

| Heart Attack - Angioplasty/Stent | | | | | | | | |
|----------------------------------|-------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating [†] | % | Rating [†] | |
| Albert Einstein | 141 | ⊙ | 4.4 | 4.3 | ⊙ | 10.7 | ● | \$77,488 |
| Brandywine | 60 | ⊙ | 3.7 | 7.0 | ⊙ | 5.3 | ⊙ | \$160,216 |
| Chester County | 109 | ⊙ | 4.0 | 2.8 | ⊙ | 3.7 | ⊙ | \$40,127 |
| Crozer-Chester | 144 | ⊙ | 3.3 | 2.1 | ⊙ | 2.8 | ⊙ | \$142,169 |
| Doylestown | 195 | ⊙ | 3.5 | 2.6 | ⊙ | 2.1 | ⊙ | \$68,358 |
| Easton | 109 | ⊙ | 3.9 | 1.9 | ⊙ | 6.5 | ⊙ | \$111,676 |
| Frankford | 204 | ⊙ | 4.9 | 3.0 | ⊙ | 14.1 | ● | \$51,814 |
| Grand View | 31 | ⊙ | 3.1 | 6.5 | ⊙ | 0.0 | ⊙ | \$51,230 |
| Hahnemann University | 141 | ⊙ | 4.3 | 5.1 | ⊙ | 10.9 | ● | \$135,500 |
| Holy Redeemer | 52 | ⊙ | 4.3 | 0.0 | ⊙ | 7.7 | ⊙ | \$160,679 |
| Hospital University PA | 112 | ⊙ | 3.4 | 4.5 | ⊙ | 2.7 | ⊙ | \$131,491 |
| Jeanes | 64 | ⊙ | 4.5 | 3.1 | ⊙ | 14.1 | ● | \$128,316 |
| Lehigh Valley | 465 | ⊙ | 3.5 | 6.8 | ⊙ | 4.4 | ⊙ | \$89,473 |
| Lehigh Valley/Muhlenberg | 121 | ⊙ | 4.2 | 0.8 | ○ | 12.4 | ● | \$89,820 |
| Lower Bucks | 42 | ⊙ | 3.9 | 4.8 | ⊙ | 0.0 | ⊙ | \$129,261 |
| Main Line Bryn Mawr | 122 | ⊙ | 4.4 | 4.2 | ⊙ | 12.5 | ● | \$100,840 |
| Main Line Lankenau | 105 | ⊙ | 3.5 | 7.7 | ⊙ | 3.8 | ⊙ | \$98,613 |
| Main Line Paoli | 83 | ● | 3.6 | 2.5 | ⊙ | 3.8 | ⊙ | \$92,538 |
| Mercy Fitzgerald | 71 | ⊙ | 4.2 | 1.4 | ⊙ | 10.0 | ⊙ | \$156,832 |
| Montgomery | 88 | ⊙ | 4.0 | 2.3 | ⊙ | 9.3 | ⊙ | \$97,944 |
| Penn Presbyterian | 413 | ⊙ | 3.9 | 7.6 | ● | 5.1 | ⊙ | \$108,146 |
| Pennsylvania | 59 | ⊙ | 4.2 | 6.9 | ⊙ | 12.1 | ● | \$128,474 |
| Phoenixville | 132 | ⊙ | 3.9 | 7.1 | ⊙ | 7.9 | ⊙ | \$145,929 |
| Reading | 230 | ⊙ | 3.7 | 4.4 | ⊙ | 3.1 | ⊙ | \$59,394 |
| Riddle Memorial | 36 | ⊙ | 3.9 | 0.0 | ⊙ | 2.9 | ⊙ | \$126,584 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Heart Attack - Angioplasty/Stent

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Sacred Heart/Allentown | 9 | ⊙ | 4.6 | 0.0 | ⊙ | 11.1 | ⊙ | \$65,395 |
| St Joseph/Reading | 89 | ⊙ | 3.7 | 6.7 | ⊙ | 1.1 | ⊙ | \$45,704 |
| St Luke's/Bethlehem | 247 | ⊙ | 3.8 | 5.3 | ⊙ | 5.3 | ⊙ | \$76,726 |
| St Mary | 209 | ⊙ | 4.5 | 3.9 | ⊙ | 8.9 | ● | \$77,347 |
| Temple University | 152 | ⊙ | 3.9 | 3.4 | ⊙ | 5.4 | ⊙ | \$148,974 |
| Southeastern Pennsylvania | 4,194 | | 3.9 | 4.6 | | 6.6 | | \$97,725 |
| TOTAL: Statewide | 11,314 | | 3.7 | 5.0 | | 5.0 | | \$71,601 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hip Fracture - Surgical Repair

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Albert Einstein | 81 | ⊙ | 6.7 | ⊙ | ⊙ | \$74,931 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR |
| Brandywine | 71 | ⊙ | 5.4 | ⊙ | ⊙ | \$80,006 |
| Central Montgomery | 84 | ⊙ | 5.7 | ⊙ | ⊙ | \$71,287 |
| Chester County | 109 | ⊙ | 5.4 | ⊙ | ⊙ | \$29,377 |
| Chestnut Hill | 80 | ⊙ | 5.5 | ⊙ | ⊙ | \$72,622 |
| Crozer-Chester | 101 | ● | 5.6 | ⊙ | ⊙ | \$111,394 |
| Delaware County Memorial | 91 | ⊙ | 6.7 | ⊙ | ⊙ | \$117,850 |
| Doylestown | 127 | ⊙ | 6.4 | ⊙ | ⊙ | \$47,091 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR |
| Easton | 76 | ⊙ | 5.6 | ⊙ | ⊙ | \$85,719 |
| Frankford | 235 | ⊙ | 6.8 | ● | ⊙ | \$54,899 |
| Gnaden Huetten Memorial | 39 | ⊙ | 5.4 | ⊙ | ⊙ | \$28,568 |
| Grand View | 100 | ⊙ | 5.7 | ⊙ | ⊙ | \$47,127 |
| Hahnemann University | 41 | ⊙ | 7.4 | ● | ● | \$177,119 |
| Holy Redeemer | 115 | ⊙ | 6.2 | ⊙ | ⊙ | \$86,810 |
| Hospital Fox Chase Cancer | 0 | NR | NR | NR | NR | NR |
| Hospital University PA | 71 | ⊙ | 7.5 | ⊙ | ⊙ | \$117,728 |
| Jeanes | 83 | ⊙ | 6.1 | ⊙ | ⊙ | \$96,400 |
| Jennersville Regional | 40 | ⊙ | 7.1 | ⊙ | ⊙ | \$55,945 |
| Lehigh Valley | 285 | ⊙ | 6.9 | ⊙ | ⊙ | \$65,063 |
| Lehigh Valley/Muhlenberg | 117 | ⊙ | 6.1 | ⊙ | ⊙ | \$49,459 |
| Lower Bucks | 45 | ⊙ | 5.8 | ⊙ | ⊙ | \$93,360 |
| Main Line Bryn Mawr | 155 | ⊙ | 5.5 | ⊙ | ⊙ | \$58,250 |
| Main Line Lankenau | 115 | ⊙ | 6.3 | ⊙ | ⊙ | \$65,262 |
| Main Line Paoli | 141 | ⊙ | 5.3 | ⊙ | ⊙ | \$55,488 |
| Mercy Fitzgerald | 38 | ⊙ | 6.8 | ⊙ | ⊙ | \$88,582 |
| Mercy Philadelphia | 25 | ⊙ | 6.2 | ⊙ | ⊙ | \$94,618 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

| Hip Fracture - Surgical Repair | | | | | | |
|--------------------------------|--------|------------------|----------------|--------------------|-------------------------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
| | | | | For Any Reason | For Complication or Infection | |
| Mercy Suburban | 68 | ⊙ | 5.4 | ● | ● | \$73,103 |
| Methodist Division/TJUH | 56 | ⊙ | 9.4 | ⊙ | ⊙ | \$78,338 |
| Montgomery | 60 | ⊙ | 5.5 | ⊙ | ⊙ | \$61,496 |
| Nazareth | 81 | ⊙ | 6.1 | ⊙ | ⊙ | \$68,000 |
| Palmerton | 23 | ⊙ | 6.1 | ⊙ | ⊙ | \$23,061 |
| Penn Presbyterian | 35 | ⊙ | 5.4 | ⊙ | ⊙ | \$80,775 |
| Pennsylvania | 50 | ⊙ | 8.4 | ⊙ | ⊙ | \$94,809 |
| Phoenixville | 83 | ⊙ | 6.1 | ⊙ | ⊙ | \$59,961 |
| Pottstown Memorial | 106 | ⊙ | 5.9 | ● | ⊙ | \$81,628 |
| Reading | 267 | ⊙ | 5.9 | ⊙ | ⊙ | \$34,708 |
| Riddle Memorial | 124 | ⊙ | 6.0 | ⊙ | ⊙ | \$88,517 |
| Roxborough Memorial | 48 | ⊙ | 6.7 | ⊙ | ⊙ | \$46,635 |
| Sacred Heart/Allentown | 57 | ⊙ | 6.1 | ⊙ | ⊙ | \$34,014 |
| Saint Catherine | 10 | ⊙ | 6.6 | ⊙ | ⊙ | \$34,343 |
| Schuylkill-East Norwegian | 88 | ⊙ | 5.8 | ⊙ | ⊙ | \$20,206 |
| Schuylkill-South Jackson | 50 | ⊙ | 6.7 | ⊙ | ⊙ | \$24,726 |
| Springfield | 28 | ⊙ | 5.4 | ⊙ | ⊙ | \$115,729 |
| St Joseph/Reading | 80 | ⊙ | 5.1 | ⊙ | ⊙ | \$29,187 |
| St Joseph's/Philadelphia | 7 | ⊙ | 10.8 | ⊙ | ⊙ | \$71,790 |
| St Luke's Miners | 29 | ⊙ | 7.6 | ⊙ | ⊙ | \$44,628 |
| St Luke's Quakertown | 37 | ⊙ | 5.3 | ⊙ | ⊙ | \$49,502 |
| St Luke's/Bethlehem | 215 | ⊙ | 6.1 | ⊙ | ⊙ | \$58,365 |
| St Mary | 153 | ⊙ | 6.1 | ⊙ | ⊙ | \$57,805 |
| Taylor | 52 | ⊙ | 7.0 | ⊙ | ⊙ | \$127,453 |
| Temple East | 35 | ⊙ | 8.5 | ⊙ | ⊙ | \$96,009 |
| Temple University | 54 | ⊙ | 7.7 | ⊙ | ⊙ | \$165,690 |
| Southeastern Pennsylvania | 4,583 | | 6.2 | | | \$67,174 |
| TOTAL: Statewide | 12,926 | | 5.9 | | | \$43,929 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Abdominal

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|------------------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating† | % | Rating† | |
| Albert Einstein | 123 | ⊙ | 3.1 | 1.6 | ⊙ | 10.6 | ● | \$50,077 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR | NR |
| Brandywine | 51 | ⊙ | 2.4 | 2.0 | ⊙ | 0.0 | ⊙ | \$52,777 |
| Central Montgomery | 63 | ⊙ | 2.0 | 4.8 | ⊙ | 1.6 | ⊙ | \$43,489 |
| Chester County | 133 | ⊙ | 2.4 | 4.5 | ⊙ | 5.3 | ⊙ | \$20,190 |
| Chestnut Hill | 53 | ⊙ | 2.2 | 11.3 | ● | 1.9 | ⊙ | \$42,353 |
| Crozer-Chester | 199 | ● | 2.9 | 5.1 | ⊙ | 11.3 | ● | \$77,475 |
| Delaware County Memorial | 59 | ⊙ | 3.0 | 10.2 | ⊙ | 6.8 | ⊙ | \$69,566 |
| Doylestown | 94 | ⊙ | 2.8 | 2.1 | ⊙ | 2.1 | ⊙ | \$21,951 |
| Eastern Regional | 3 | NR | NR | NR | NR | NR | NR | NR |
| Easton | 151 | ⊙ | 2.7 | 2.6 | ⊙ | 3.3 | ⊙ | \$65,411 |
| Frankford | 65 | ⊙ | 2.1 | 3.1 | ⊙ | 4.6 | ⊙ | \$29,113 |
| Gnaden Huetten Memorial | 24 | ⊙ | 2.4 | 0.0 | ⊙ | 0.0 | ⊙ | \$16,741 |
| Grand View | 94 | ⊙ | 2.5 | 3.2 | ⊙ | 1.1 | ⊙ | \$21,926 |
| Hahnemann University | 140 | ⊙ | 3.2 | 5.0 | ⊙ | 17.3 | ● | \$121,004 |
| Holy Redeemer | 165 | ⊙ | 2.7 | 1.8 | ⊙ | 4.2 | ⊙ | \$48,109 |
| Hospital Fox Chase Cancer | 173 | ⊙ | 2.9 | 7.5 | ⊙ | 8.7 | ⊙ | \$20,761 |
| Hospital University PA | 423 | ⊙ | 3.0 | 2.8 | ⊙ | 8.7 | ● | \$54,364 |
| Jeanes | 93 | ⊙ | 3.2 | 0.0 | ⊙ | 4.3 | ⊙ | \$52,945 |
| Jennersville Regional | 13 | ⊙ | 3.6 | 0.0 | ⊙ | 15.4 | ⊙ | \$40,946 |
| Lehigh Valley | 285 | ⊙ | 2.7 | 10.5 | ● | 12.6 | ● | \$29,646 |
| Lehigh Valley/Muhlenberg | 46 | ⊙ | 2.5 | 6.5 | ⊙ | 4.3 | ⊙ | \$22,371 |
| Lower Bucks | 48 | ⊙ | 3.2 | 2.1 | ⊙ | 4.2 | ⊙ | \$41,700 |
| Main Line Bryn Mawr | 77 | ⊙ | 2.3 | 1.3 | ⊙ | 1.3 | ⊙ | \$29,788 |
| Main Line Lankenau | 266 | ⊙ | 2.7 | 6.8 | ⊙ | 5.3 | ⊙ | \$27,113 |
| Main Line Paoli | 100 | ⊙ | 2.4 | 3.0 | ⊙ | 0.0 | ⊙ | \$25,338 |
| Mercy Fitzgerald | 34 | ⊙ | 3.4 | 0.0 | ⊙ | 17.6 | ● | \$58,852 |
| Mercy Philadelphia | 33 | ⊙ | 2.4 | 3.0 | ⊙ | 3.0 | ⊙ | \$38,844 |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Hysterectomy - Abdominal

| Hospital | Cases | Mortality Rating | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|--------|------------------|----------------|----------------------|---------------------|---------------------|---------------------|----------------|
| | | | | Short Length of Stay | | Long Length of Stay | | |
| | | | | % | Rating [†] | % | Rating [†] | |
| Mercy Suburban | 50 | ⊙ | 2.7 | 2.0 | ⊙ | 0.0 | ⊙ | \$39,496 |
| Methodist Division/TJUH | 19 | ⊙ | 2.0 | 5.3 | ⊙ | 0.0 | ⊙ | \$19,332 |
| Montgomery | 20 | ⊙ | 2.4 | 10.0 | ⊙ | 0.0 | ⊙ | \$37,300 |
| Nazareth | 0 | NR | NR | NR | NR | NR | NR | NR |
| Palmerton | 1 | NR | NR | NR | NR | NR | NR | NR |
| Penn Presbyterian | 13 | ⊙ | 1.6 | 7.7 | ⊙ | 0.0 | ⊙ | \$50,354 |
| Pennsylvania | 324 | ⊙ | 2.8 | 6.8 | ⊙ | 4.9 | ⊙ | \$39,731 |
| Phoenixville | 58 | ⊙ | 2.7 | 0.0 | ⊙ | 1.7 | ⊙ | \$31,791 |
| Pottstown Memorial | 79 | ⊙ | 2.4 | 1.3 | ⊙ | 0.0 | ⊙ | \$39,485 |
| Reading | 396 | ⊙ | 2.3 | 4.1 | ⊙ | 3.0 | ⊙ | \$20,370 |
| Riddle Memorial | 98 | ⊙ | 2.7 | 1.0 | ⊙ | 1.0 | ⊙ | \$58,930 |
| Roxborough Memorial | 3 | NR | NR | NR | NR | NR | NR | NR |
| Sacred Heart/Allentown | 178 | ⊙ | 1.9 | 24.2 | ● | 2.2 | ⊙ | \$15,769 |
| Saint Catherine | 3 | NR | NR | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 27 | ⊙ | 2.2 | 0.0 | ⊙ | 3.7 | ⊙ | \$11,637 |
| Schuylkill-South Jackson | 190 | ⊙ | 2.3 | 2.6 | ⊙ | 0.5 | ⊙ | \$10,631 |
| Springfield | 24 | ⊙ | 1.6 | 20.8 | ● | 0.0 | ⊙ | \$82,134 |
| St Joseph/Reading | 77 | ⊙ | 2.9 | 1.3 | ⊙ | 2.6 | ⊙ | \$18,596 |
| St Joseph's/Philadelphia | 13 | ⊙ | 2.7 | 0.0 | ⊙ | 0.0 | ⊙ | \$27,402 |
| St Luke's Miners | 6 | ⊙ | 2.1 | 16.7 | ⊙ | 0.0 | ⊙ | \$18,351 |
| St Luke's Quakertown | 5 | ⊙ | 1.7 | 20.0 | ⊙ | 0.0 | ⊙ | \$33,126 |
| St Luke's/Bethlehem | 272 | ⊙ | 2.2 | 12.9 | ● | 5.5 | ⊙ | \$35,591 |
| St Mary | 136 | ⊙ | 3.0 | 2.9 | ⊙ | 6.6 | ⊙ | \$29,709 |
| Taylor | 3 | NR | NR | NR | NR | NR | NR | NR |
| Temple East | 105 | ⊙ | 2.4 | 1.9 | ⊙ | 2.9 | ⊙ | \$37,056 |
| Temple University | 217 | ⊙ | 3.2 | 1.8 | ⊙ | 12 | ● | \$102,050 |
| Southeastern Pennsylvania | 5,639 | | 2.7 | 5.3 | | 5.9 | | \$41,722 |
| TOTAL: Statewide | 15,323 | | 2.6 | 5.0 | | 5.0 | | \$26,125 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

| Hysterectomy - Vaginal | | | | | | |
|---------------------------|-------|----------------|--------------------|-------------------------------|----------------|--|
| Hospital | Cases | Length of Stay | Readmission Rating | | Average Charge | |
| | | | For Any Reason | For Complication or Infection | | |
| Albert Einstein | 42 | 2.1 | ⊖ | ⊖ | \$45,560 | |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | |
| Brandywine | 3 | NR | NR | NR | NR | |
| Central Montgomery | 2 | NR | NR | NR | NR | |
| Chester County | 98 | 1.3 | ⊖ | ⊖ | \$15,145 | |
| Chestnut Hill | 7 | 2.0 | ⊖ | ⊖ | \$47,721 | |
| Crozer-Chester | 58 | 1.5 | ⊖ | ⊖ | \$69,343 | |
| Delaware County Memorial | 19 | 1.5 | ⊖ | ⊖ | \$57,290 | |
| Doylestown | 29 | 1.8 | ⊖ | ⊖ | \$22,928 | |
| Eastern Regional | 0 | NR | NR | NR | NR | |
| Easton | 43 | 1.5 | ⊖ | ⊖ | \$48,459 | |
| Frankford | 8 | 1.6 | ⊖ | ⊖ | \$25,275 | |
| Gnaden Huetten Memorial | 33 | 1.2 | ⊖ | ⊖ | \$11,051 | |
| Grand View | 50 | 1.6 | ⊖ | ⊖ | \$20,226 | |
| Hahnemann University | 79 | 1.5 | ⊖ | ⊖ | \$100,141 | |
| Holy Redeemer | 53 | 1.6 | ⊖ | ⊖ | \$38,220 | |
| Hospital Fox Chase Cancer | 0 | NR | NR | NR | NR | |
| Hospital University PA | 93 | 1.5 | ● | ● | \$53,493 | |
| Jeanes | 30 | 1.9 | ⊖ | ⊖ | \$49,881 | |
| Jennersville Regional | 13 | 1.2 | ⊖ | ⊖ | \$26,937 | |
| Lehigh Valley | 174 | 1.2 | ⊖ | ⊖ | \$18,086 | |
| Lehigh Valley/Muhlenberg | 38 | 1.6 | ⊖ | ⊖ | \$19,318 | |
| Lower Bucks | 29 | 1.8 | ⊖ | ⊖ | \$38,913 | |
| Main Line Bryn Mawr | 25 | 1.6 | ⊖ | ⊖ | \$20,972 | |
| Main Line Lankenau | 75 | 1.7 | ⊖ | ⊖ | \$25,064 | |
| Main Line Paoli | 33 | 1.5 | ⊖ | ⊖ | \$23,112 | |
| Mercy Fitzgerald | 3 | NR | NR | NR | NR | |
| Mercy Philadelphia | 4 | NR | NR | NR | NR | |

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

| Hysterectomy - Vaginal | | | | | | |
|---------------------------|-------|----------------|--------------------|-------------------------------|----------------|--|
| Hospital | Cases | Length of Stay | Readmission Rating | | Average Charge | |
| | | | For Any Reason | For Complication or Infection | | |
| Mercy Suburban | 6 | 1.7 | ⊙ | ⊙ | \$31,466 | |
| Methodist Division/TJUH | 7 | 1.5 | ⊙ | ⊙ | \$21,473 | |
| Montgomery | 18 | 2.0 | ⊙ | ⊙ | \$49,555 | |
| Nazareth | 0 | NR | NR | NR | NR | |
| Palmerton | 1 | NR | NR | NR | NR | |
| Penn Presbyterian | 69 | 1.2 | ⊙ | ⊙ | \$41,252 | |
| Pennsylvania | 63 | 1.6 | ⊙ | ⊙ | \$32,222 | |
| Phoenixville | 15 | 1.8 | ⊙ | ⊙ | \$38,595 | |
| Pottstown Memorial | 15 | 1.7 | ⊙ | ⊙ | \$36,975 | |
| Reading | 224 | 1.5 | ⊙ | ⊙ | \$15,074 | |
| Riddle Memorial | 37 | 2.0 | ⊙ | ⊙ | \$57,918 | |
| Roxborough Memorial | 0 | NR | NR | NR | NR | |
| Sacred Heart/Allentown | 8 | 1.4 | ⊙ | ⊙ | \$12,099 | |
| Saint Catherine | 0 | NR | NR | NR | NR | |
| Schuylkill-East Norwegian | 6 | 1.1 | ⊙ | ⊙ | \$9,259 | |
| Schuylkill-South Jackson | 41 | 1.9 | ⊙ | ⊙ | \$9,583 | |
| Springfield | 3 | NR | NR | NR | NR | |
| St Joseph/Reading | 15 | 2.4 | ⊙ | ⊙ | \$17,942 | |
| St Joseph's/Philadelphia | 1 | NR | NR | NR | NR | |
| St Luke's Miners | 3 | NR | NR | NR | NR | |
| St Luke's Quakertown | 5 | 1.3 | ⊙ | ⊙ | \$31,150 | |
| St Luke's/Bethlehem | 153 | 1.3 | ⊙ | ⊙ | \$27,420 | |
| St Mary | 37 | 2.2 | ⊙ | ⊙ | \$29,903 | |
| Taylor | 3 | NR | NR | NR | NR | |
| Temple East | 13 | 1.5 | ⊙ | ⊙ | \$29,023 | |
| Temple University | 33 | 2.2 | ⊙ | ● | \$86,903 | |
| Southeastern Pennsylvania | 1,956 | 1.5 | | | \$33,546 | |
| TOTAL: Statewide | 6,158 | 1.6 | | | \$19,766 | |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Radical

| Hospital | Cases | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | Short Length of Stay | | Long Length of Stay | | |
| | | | % | Rating† | % | Rating† | |
| Albert Einstein | 57 | 3.0 | 5.1 | ⊙ | 10.2 | ⊙ | \$68,270 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR | NR |
| Brandywine | 3 | NR | NR | NR | NR | NR | NR |
| Central Montgomery | 1 | NR | NR | NR | NR | NR | NR |
| Chester County | 14 | 3.0 | 0.0 | ⊙ | 0.0 | ⊙ | \$21,699 |
| Chestnut Hill | 3 | NR | NR | NR | NR | NR | NR |
| Crozer-Chester | 1 | NR | NR | NR | NR | NR | NR |
| Delaware County Memorial | 3 | NR | NR | NR | NR | NR | NR |
| Doylestown | 36 | 2.9 | 0.0 | ⊙ | 10.8 | ⊙ | \$27,584 |
| Eastern Regional | 2 | NR | NR | NR | NR | NR | NR |
| Easton | 10 | 3.9 | 0.0 | ⊙ | 10.0 | ⊙ | \$103,235 |
| Frankford | 22 | 3.7 | 0.0 | ⊙ | 22.7 | ● | \$37,842 |
| Gnaden Huetten Memorial | 0 | NR | NR | NR | NR | NR | NR |
| Grand View | 11 | 4.7 | 0.0 | ⊙ | 36.4 | ● | \$36,369 |
| Hahnemann University | 86 | 2.5 | 4.6 | ⊙ | 9.2 | ⊙ | \$105,406 |
| Holy Redeemer | 1 | NR | NR | NR | NR | NR | NR |
| Hospital Fox Chase Cancer | 192 | 1.7 | 14.4 | ● | 4.6 | ⊙ | \$25,780 |
| Hospital University PA | 115 | 2.5 | 1.7 | ⊙ | 2.6 | ⊙ | \$51,796 |
| Jeanes | 3 | NR | NR | NR | NR | NR | NR |
| Jennersville Regional | 2 | NR | NR | NR | NR | NR | NR |
| Lehigh Valley | 75 | 2.4 | 0.0 | ⊙ | 2.7 | ⊙ | \$31,008 |
| Lehigh Valley/Muhlenberg | 13 | 2.3 | 0.0 | ⊙ | 0.0 | ⊙ | \$20,405 |
| Lower Bucks | 0 | NR | NR | NR | NR | NR | NR |
| Main Line Bryn Mawr | 192 | 1.3 | 9.4 | ● | 0.0 | ⊙ | \$34,562 |
| Main Line Lankenau | 30 | 1.7 | 6.7 | ⊙ | 3.3 | ⊙ | \$34,502 |
| Main Line Paoli | 20 | 2.2 | 15.0 | ⊙ | 0.0 | ⊙ | \$39,161 |
| Mercy Fitzgerald | 1 | NR | NR | NR | NR | NR | NR |
| Mercy Philadelphia | 0 | NR | NR | NR | NR | NR | NR |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Prostatectomy - Radical

| Hospital | Cases | Length of Stay | Outlier Cases | | | | Average Charge |
|---------------------------|-------|----------------|----------------------|---------|---------------------|---------|----------------|
| | | | Short Length of Stay | | Long Length of Stay | | |
| | | | % | Rating† | % | Rating† | |
| Mercy Suburban | 3 | NR | NR | NR | NR | NR | NR |
| Methodist Division/TJUH | 1 | NR | NR | NR | NR | NR | NR |
| Montgomery | 1 | NR | NR | NR | NR | NR | NR |
| Nazareth | 0 | NR | NR | NR | NR | NR | NR |
| Palmerton | 0 | NR | NR | NR | NR | NR | NR |
| Penn Presbyterian | 493 | 1.1 | 10.5 | ● | 0.0 | ○ | \$57,654 |
| Pennsylvania | 66 | 2.9 | 2.9 | ⊙ | 14.3 | ● | \$51,789 |
| Phoenixville | 101 | 1.9 | 5.0 | ⊙ | 1.0 | ⊙ | \$65,525 |
| Pottstown Memorial | 0 | NR | NR | NR | NR | NR | NR |
| Reading | 92 | 2.3 | 5.3 | ⊙ | 4.3 | ⊙ | \$28,394 |
| Riddle Memorial | 3 | NR | NR | NR | NR | NR | NR |
| Roxborough Memorial | 5 | 2.3 | 0.0 | ⊙ | 0.0 | ⊙ | \$34,219 |
| Sacred Heart/Allentown | 1 | NR | NR | NR | NR | NR | NR |
| Saint Catherine | 0 | NR | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 2 | NR | NR | NR | NR | NR | NR |
| Schuylkill-South Jackson | 12 | 3.4 | 0.0 | ⊙ | 0.0 | ⊙ | \$12,165 |
| Springfield | 86 | 2.0 | 3.5 | ⊙ | 3.5 | ⊙ | \$87,317 |
| St Joseph/Reading | 9 | 2.9 | 0.0 | ⊙ | 0.0 | ⊙ | \$22,118 |
| St Joseph's/Philadelphia | 0 | NR | NR | NR | NR | NR | NR |
| St Luke's Miners | 1 | NR | NR | NR | NR | NR | NR |
| St Luke's Quakertown | 4 | NR | NR | NR | NR | NR | NR |
| St Luke's/Bethlehem | 119 | 2.6 | 2.5 | ⊙ | 5.8 | ⊙ | \$54,856 |
| St Mary | 1 | NR | NR | NR | NR | NR | NR |
| Taylor | 1 | NR | NR | NR | NR | NR | NR |
| Temple East | 8 | 3.2 | 0.0 | ⊙ | 25.0 | ⊙ | \$42,175 |
| Temple University | 28 | 3.1 | 3.3 | ⊙ | 16.7 | ● | \$86,150 |
| Southeastern Pennsylvania | 2,131 | 2.0 | 7.3 | | 4.0 | | \$52,015 |
| TOTAL: Statewide | 3,979 | 2.3 | 5.0 | | 5.0 | | \$41,968 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

| Prostatectomy - Transurethral | | | | |
|-------------------------------|-------|------------------|----------------|----------------|
| Hospital | Cases | Mortality Rating | Length of Stay | Average Charge |
| Albert Einstein | 56 | ⊖ | 2.1 | \$29,749 |
| Barix Clinics/PA | 0 | NR | NR | NR |
| Brandywine | 16 | ⊖ | 2.5 | \$26,879 |
| Central Montgomery | 14 | ⊖ | 3.1 | \$33,019 |
| Chester County | 29 | ⊖ | 2.7 | \$13,476 |
| Chestnut Hill | 9 | ⊖ | 3.3 | \$23,891 |
| Crozer-Chester | 15 | ⊖ | 2.2 | \$46,332 |
| Delaware County Memorial | 44 | ⊖ | 3.0 | \$46,737 |
| Doylestown | 60 | ⊖ | 3.5 | \$23,250 |
| Eastern Regional | 0 | NR | NR | NR |
| Easton | 51 | ⊖ | 2.5 | \$37,665 |
| Frankford | 45 | ⊖ | 2.1 | \$16,421 |
| Gnaden Huetten Memorial | 4 | NR | NR | NR |
| Grand View | 34 | ⊖ | 1.9 | \$19,396 |
| Hahnemann University | 12 | ⊖ | 1.9 | \$61,920 |
| Holy Redeemer | 21 | ⊖ | 2.6 | \$42,975 |
| Hospital Fox Chase Cancer | 23 | ⊖ | 1.4 | \$9,838 |
| Hospital University PA | 42 | ⊖ | 1.9 | \$33,975 |
| Jeanes | 10 | ⊖ | 3.1 | \$32,914 |
| Jennersville Regional | 9 | ● | 2.6 | \$21,297 |
| Lehigh Valley | 77 | ⊖ | 2.7 | \$21,776 |
| Lehigh Valley/Muhlenberg | 47 | ⊖ | 2.8 | \$16,261 |
| Lower Bucks | 16 | ⊖ | 2.9 | \$40,682 |
| Main Line Bryn Mawr | 87 | ⊖ | 2.1 | \$28,562 |
| Main Line Lankenau | 56 | ⊖ | 1.9 | \$24,816 |
| Main Line Paoli | 35 | ⊖ | 3.0 | \$33,532 |
| Mercy Fitzgerald | 13 | ⊖ | 5.2 | \$49,252 |
| Mercy Philadelphia | 23 | ⊖ | 4.0 | \$32,872 |

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Prostatectomy - Transurethral

| Hospital | Cases | Mortality Rating | Length of Stay | Average Charge |
|---------------------------|-------|------------------|----------------|----------------|
| Mercy Suburban | 5 | ⊖ | 3.6 | NR |
| Methodist Division/TJUH | 31 | ⊖ | 2.6 | \$22,093 |
| Montgomery | 21 | ⊖ | 3.4 | \$35,762 |
| Nazareth | 12 | ⊖ | 2.6 | \$21,151 |
| Palmerton | 3 | NR | NR | NR |
| Penn Presbyterian | 5 | ⊖ | 3.0 | \$39,677 |
| Pennsylvania | 242 | ⊖ | 1.9 | \$22,906 |
| Phoenixville | 21 | ⊖ | 1.5 | \$22,163 |
| Pottstown Memorial | 24 | ⊖ | 3.1 | \$31,155 |
| Reading | 116 | ⊖ | 2.5 | \$14,647 |
| Riddle Memorial | 10 | ⊖ | 3.3 | \$53,171 |
| Roxborough Memorial | 5 | ⊖ | 0.9 | \$9,926 |
| Sacred Heart/Allentown | 9 | ⊖ | 2.9 | \$14,670 |
| Saint Catherine | 0 | NR | NR | NR |
| Schuylkill-East Norwegian | 13 | ⊖ | 3.9 | \$9,204 |
| Schuylkill-South Jackson | 9 | ⊖ | 4.4 | \$13,056 |
| Springfield | 0 | NR | NR | NR |
| St Joseph/Reading | 16 | ⊖ | 4.3 | \$19,657 |
| St Joseph's/Philadelphia | 2 | NR | NR | NR |
| St Luke's Miners | 3 | NR | NR | NR |
| St Luke's Quakertown | 6 | ⊖ | 1.1 | \$19,557 |
| St Luke's/Bethlehem | 68 | ⊖ | 2.8 | \$24,297 |
| St Mary | 38 | ⊖ | 3.9 | \$27,591 |
| Taylor | 0 | NR | NR | NR |
| Temple East | 6 | ⊖ | 1.7 | \$19,400 |
| Temple University | 7 | ⊖ | 2.1 | NR |
| Southeastern Pennsylvania | 1,570 | | 2.6 | \$26,011 |
| TOTAL: Statewide | 3,446 | | 2.6 | \$18,499 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Removal of Blockage of Neck Vessels

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|-------|------------------|----------------|--------------------|-------------------------------|----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Albert Einstein | 11 | ⊙ | 2.4 | ⊙ | ⊙ | \$68,017 |
| Barix Clinics/PA | 0 | NR | NR | NR | NR | NR |
| Brandywine | 0 | NR | NR | NR | NR | NR |
| Central Montgomery | 6 | ⊙ | 2.3 | ⊙ | ⊙ | \$51,644 |
| Chester County | 90 | ⊙ | 2.1 | ⊙ | ⊙ | \$17,210 |
| Chestnut Hill | 15 | ⊙ | 1.8 | ⊙ | ⊙ | \$37,331 |
| Crozer-Chester | 30 | ⊙ | 1.9 | ⊙ | ⊙ | \$71,146 |
| Delaware County Memorial | 39 | ⊙ | 2.9 | ⊙ | ⊙ | \$79,575 |
| Doylestown | 17 | ⊙ | 2.2 | ⊙ | ⊙ | \$27,519 |
| Eastern Regional | 0 | NR | NR | NR | NR | NR |
| Easton | 32 | ⊙ | 1.8 | ⊙ | ⊙ | \$78,375 |
| Frankford | 51 | ⊙ | 2.3 | ⊙ | ⊙ | \$36,825 |
| Gnaden Huetten Memorial | 2 | NR | NR | NR | NR | NR |
| Grand View | 32 | ⊙ | 2.6 | ⊙ | ⊙ | \$28,442 |
| Hahnemann University | 13 | ⊙ | 4.0 | ⊙ | ⊙ | \$126,164 |
| Holy Redeemer | 20 | ⊙ | 3.4 | ⊙ | ⊙ | \$52,568 |
| Hospital Fox Chase Cancer | 0 | NR | NR | NR | NR | NR |
| Hospital University PA | 96 | ⊙ | 2.8 | ⊙ | ⊙ | \$57,129 |
| Jeanes | 25 | ⊙ | 2.0 | ⊙ | ⊙ | \$61,358 |
| Jennersville Regional | 1 | NR | NR | NR | NR | NR |
| Lehigh Valley | 157 | ⊙ | 2.5 | ⊙ | ⊙ | \$42,214 |
| Lehigh Valley/Muhlenberg | 18 | ⊙ | 3.4 | ⊙ | ⊙ | \$41,058 |
| Lower Bucks | 25 | ⊙ | 4.2 | ⊙ | ⊙ | \$77,466 |
| Main Line Bryn Mawr | 54 | ⊙ | 1.9 | ⊙ | ⊙ | \$34,218 |
| Main Line Lankenau | 63 | ⊙ | 2.4 | ⊙ | ⊙ | \$34,290 |
| Main Line Paoli | 53 | ⊙ | 1.5 | ⊙ | ⊙ | \$23,663 |
| Mercy Fitzgerald | 34 | ⊙ | 3.1 | ⊙ | ⊙ | \$70,803 |
| Mercy Philadelphia | 3 | NR | NR | NR | NR | NR |

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Removal of Blockage of Neck Vessels

| Hospital | Cases | Mortality Rating | Length of Stay | Readmission Rating | | Average Charge |
|---------------------------|--------------|------------------|----------------|--------------------|-------------------------------|-----------------|
| | | | | For Any Reason | For Complication or Infection | |
| Mercy Suburban | 4 | NR | NR | NR | NR | NR |
| Methodist Division/TJUH | 7 | ⊙ | 2.0 | ⊙ | ⊙ | \$37,200 |
| Montgomery | 13 | ⊙ | 1.7 | ⊙ | ⊙ | \$43,622 |
| Nazareth | 6 | ⊙ | 5.5 | ⊙ | ⊙ | \$49,712 |
| Palmerton | 23 | ⊙ | 1.4 | ⊙ | ⊙ | \$7,069 |
| Penn Presbyterian | 29 | ⊙ | 2.5 | ⊙ | ⊙ | \$61,691 |
| Pennsylvania | 36 | ⊙ | 2.3 | ⊙ | ⊙ | \$33,629 |
| Phoenixville | 49 | ⊙ | 2.1 | ⊙ | ⊙ | \$36,092 |
| Pottstown Memorial | 13 | ⊙ | 1.7 | ⊙ | ⊙ | \$68,713 |
| Reading | 97 | ⊙ | 2.9 | ⊙ | ⊙ | \$20,719 |
| Riddle Memorial | 10 | ⊙ | 2.9 | ⊙ | ⊙ | \$70,570 |
| Roxborough Memorial | 4 | NR | NR | NR | NR | NR |
| Sacred Heart/Allentown | 25 | ⊙ | 2.2 | ⊙ | ⊙ | \$17,297 |
| Saint Catherine | 2 | NR | NR | NR | NR | NR |
| Schuylkill-East Norwegian | 29 | ⊙ | 1.7 | ⊙ | ⊙ | \$10,887 |
| Schuylkill-South Jackson | 35 | ⊙ | 2.6 | ⊙ | ⊙ | \$17,020 |
| Springfield | 0 | NR | NR | NR | NR | NR |
| St Joseph/Reading | 22 | ⊙ | 1.5 | ⊙ | ⊙ | \$23,606 |
| St Joseph's/Philadelphia | 0 | NR | NR | NR | NR | NR |
| St Luke's Miners | 0 | NR | NR | NR | NR | NR |
| St Luke's Quakertown | 4 | NR | NR | NR | NR | NR |
| St Luke's/Bethlehem | 119 | ⊙ | 2.2 | ⊙ | ⊙ | \$44,288 |
| St Mary | 77 | ⊙ | 2.9 | ⊙ | ⊙ | \$43,467 |
| Taylor | 4 | NR | NR | NR | NR | NR |
| Temple East | 1 | NR | NR | NR | NR | NR |
| Temple University | 31 | ⊙ | 2.8 | ⊙ | ⊙ | \$113,323 |
| Southeastern Pennsylvania | 1,619 | | 2.5 | | | \$44,171 |
| TOTAL: Statewide | 4,823 | | 2.3 | | | \$28,652 |

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



Pennsylvania Health Care Cost Containment Council

David Wilderman, Acting Executive Director

225 Market Street, Suite 400, Harrisburg, PA 17101

Phone: 717-232-6787 • Fax: 717-232-3821

www.phc4.org

Hospitals may have commented on this report. Copies of their comments are available on the PHC4 Web site or by request.