

HOSPITAL PERFORMANCE REPORT

21 Common Medical Procedures and Treatments

Southeastern Pennsylvania



TABLE OF CONTENTS

2	Understanding the Report
8	Diagnosis Related Groups (DRG) Descriptions
10	Diagnosis Related Groups (DRG) Tables
10	Heart Attack
12	Heart Failure/Shock ● Abnormal Heartbeat
14	Vascular Disorders ● Vascular Operations
16	Stroke ● Blood Clot in Lung
18	Lung Infections ● Pneumonia
20	COPD ● Lung Cancer
22	Diabetes ● Kidney/Urinary Tract Infections
24	Kidney Failure ● Stomach/Intestinal Bleeding



UNDERSTANDING THE REPORT

FOREWORD

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policy makers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal, and is based on a previous PHC4 report, the *Hospital Effectiveness Report*, published from 1989 through 1994. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

WHAT IS THE PURPOSE OF THIS REPORT?

Before we make a major purchase, we normally familiarize ourselves with as much information as we can gather about the available products or services. By comparing what we can learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. So it should be with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill that vacuum of information and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in pinpointing additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

WHAT IS INCLUDED IN THE REPORT?

- ◆ The report, which covers inpatient hospital discharges during 1999, is divided into three regional versions. The information reported is hospital-specific.
- ◆ The report encompasses 21 selected Diagnosis Related Groups (DRGs). These DRGs have been chosen due to a combination of factors, including a high degree of variation in mortality, high volume, significant resource consumption, and diversity across diagnoses and procedures. A description of the DRGs can be found on page 8.
- ◆ All Pennsylvania general and most specialty acute care hospitals, regardless of bed size, are included. The number of cases, a risk-adjusted mortality rating, a risk-adjusted average length of hospital stay, a risk-adjusted readmission rate

and the average hospital charge for each of the included DRGs form the basis of the report.

WHAT IS A DRG?

A Diagnosis Related Group (DRG) is an illness classification system adopted and modified by the federal government for standard health care reporting and billing purposes by hospitals and insurance companies. The system groups similar medical conditions and surgical procedures into hundreds of illness categories, called DRGs, based on the patients' diagnoses and procedures.

WHERE DOES THE DATA COME FROM?

Pennsylvania hospitals are required by law to submit certain information to PHC4. The 1999 data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals are required to submit data indicating in simple terms "how sick the patient was," or in technical jargon, a "severity score." The data are then risk-adjusted.

WHAT IS MEANT BY RISK-ADJUSTED?

The hospitals use a sophisticated patient risk classification system, called Atlas™, to abstract severity scores based on patient medical records, assign patients to an appropriate illness category and submit the data to PHC4. These categories, measured from the point of admission to the hospital, range from a patient who is not very sick to a patient who is near death. These severity scores allow PHC4 to adjust for patients at greater risk of dying or staying in the hospital for a longer period of time than other patients. The Atlas™ system was developed by MediQual Systems, Inc., now owned by Cardinal Health Information Companies, and is based on the examination of numerous Key Clinical Findings such as lab tests, EKG readings, vital signs, patient's medical history, imaging results, pathology, age, sex, and operative/endoscopy findings. PHC4 also adjusts independently for the presence of cancer in the patient population included in this report.

WHAT IS MEASURED IN THE REPORT AND WHY IS IT IMPORTANT?

PHC4's mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science and is still in its beginning stages. And while there may be a number of ways to define quality, for the purposes of this report, three factors are suggested:

TABLE OF CONTENTS (continued)

26	Stomach/Intestinal Complications & Disorders ●
	Stomach/Intestinal Operations
28	Major Intestinal Procedures ●
	Hip Operations
30	Septicemia ●
	Poisoning and Toxic Effects of Drugs

THE FOLLOWING COUNTIES ARE INCLUDED IN THIS REPORT:

Berks
Bucks
Carbon
Chester
Delaware
Lehigh
Northampton
Montgomery
Schuylkill
Philadelphia



Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- *Volume of Cases* – For each hospital, the number of cases in each DRG after exclusions is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that in at least some areas, the number of cases treated by a physician or hospital can be a factor in the success of the treatment.

Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- ◆ *Risk-Adjusted Mortality Rates* – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. Using a complex mathematical formula that assesses the degree of illness for patients upon their admission to the hospital, PHC4 calculates an expected, or predicted, number of deaths. In simple terms, based upon how sick the patients are, PHC4’s method determines the number of patients one could reasonably expect to die in a given hospital in a given DRG. Hospitals that treat sicker patients are given “credit” in the system; more patients can be expected to die because they are more seriously ill.
- ◆ *Risk-Adjusted Length of Stay* – This measure represents a step forward in the measurement of the quality of care. How long a patient stays in the hospital can reflect how successful the treatment is that the hospital provides, and has an impact on the resources brought to bear in delivering treatment. In much the same way as the mortality measure, key patient risk factors related to how sick patients are when admitted to the hospital are taken into account. These patient risk factors are then adjusted or accounted for so that, for example, a younger, healthier patient is not treated the same statistically as an older, sicker one. These adjustments allow for an apples to apples comparison - patient severity or risk factors cannot explain the remaining differences. Yet after patient risk factors have been equalized among hospitals in the same treatment categories, there are still differences in the length of hospitalization.
- ◆ *Risk-Adjusted Readmissions, by Percent* – A subsequent acute care hospitalization in any PA hospital where the admit date is within 30 days of the discharge date of the original hospitalization.

Other Data Issues

- ◆ *Lung Cancer* – Lung Cancer is a terminal illness where death is often the expected outcome, therefore mortality rates are not a meaningful measure of the quality of care and are not reported.
- ◆ *Heart Attack and Transfers to Other Acute Care Facilities* – Heart attack patients are frequently transferred for further diagnosis and treatment to advanced cardiac care facilities. Patients transferred out of facilities with advanced cardiac care are often returned to their original hospital. Because of this the data reported do not include heart attack patients that received angioplasty, open-heart surgery or



other surgical procedures. The report only includes those that were medically managed. The percentages of cases transferred to another facility are also included, while readmission rates are not.

Note: The risk-adjusted mortality, risk-adjusted length of stay and risk-adjusted readmission figures in this report are important measures of quality as well as resource utilization, but cannot be considered the only measures. The measurement of quality is highly complex and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right and still the patient can die. However, after taking the significant risk factors available to PHC4 into account, there are differences in patient outcomes that exist among hospitals.

HOSPITAL CHARGES

This report also includes the average hospital charge for each of the 21 medical and surgical treatment categories. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge. Charges do represent a benchmark as negotiations between hospitals and insurers regarding payment generally begin with the charge figure. And hospital charges are used almost universally by those attempting to assess the costs of health care. Until a better method is developed, hospital charges represent a consistent, while imperfect, way to discuss the relative costs of health care.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for services, and the amount they receive in Net Patient Revenue (NPR). According to PHC4's *Hospital Financial Analysis '99*, Pennsylvania hospitals received, on average statewide, \$.41 in NPR for every dollar that they charged in Fiscal Year 1999 (7/1/98 through 6/30/99).

Within the geographic area covered in this report, hospitals within the city of Philadelphia received, on average, \$.36 in NPR for every dollar charged, suburban Philadelphia hospitals received an average of \$.29 on the dollar, and hospitals in the Lehigh Valley/Reading area received \$.55 on the dollar, on average.

It is important to note that the regional figures provided above are aggregate only and cannot be applied to individual hospitals or individual average DRG charges to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

While charges are a standard way of reporting data, they do not reflect the actual cost of treatment, nor do they reflect the payment that the hospital may have actually received.



UNDERSTANDING THE TABLES

A circle ○ means that the hospital's actual mortality rate was significantly lower, statistically speaking, than the rate expected or predicted by PHC4's mathematical formula.

A circle with a dot inside ◎ means that the hospital performed as expected.

A dark circle ● means that the actual mortality rate was significantly higher, statistically, than the expected rate.

Symbols representing risk-adjusted mortality ratings are displayed in the report. These symbols reflect a comparison of a hospital's actual mortality rate and its expected mortality rate. A circle ○ means that the hospital's actual mortality rate was significantly lower, statistically speaking, than the rate expected or predicted by PHC4's mathematical formula. A circle with a dot inside ◎ means that the difference between the two figures was insignificant - the hospital performed as expected. A dark circle ● means that the actual mortality rate was significantly higher, statistically, than the expected rate. Numbers related to these ratings are available upon request from the PHC4 office.

The risk-adjusted average length of stay reflects the number of days spent in the hospital by patients that completed a full course of treatment. These data are adjusted to take important health risk factors into account.

The number of cases represent separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Hospitals that had fewer than five cases evaluated for risk-adjusted mortality were not rated; such low volume cannot be considered meaningful and, as such, the outcome data are excluded. *Not Reported* appears in the table next to these hospitals. The hospital names have been shortened in many cases for formatting purposes. Finally, hospital names may be different today than in 1999 due to mergers and name changes. A list of changes is included in the back of the report.

FINAL WORDS - HOW TO USE THE REPORT

- ◆ **Patients/Consumers** – can use this report as an aid in making decisions about where to seek treatment for the categories detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- ◆ **Group Benefits Purchasers/Insurers** – can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- ◆ **Health Care Providers** – can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- ◆ **Policy Makers/Public Officials** – can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.



- ◆ **All of the previously mentioned groups** can use this information to raise important questions about why differences in the quality and efficiency of care exist.

This report can be used as a tool. The report should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. This report does point out differences. The statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals thereby allowing us to explore the real differences in mortality and the length of hospitalization among hospitals. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Additional information about the methods used to calculate the statistics is available from PHC4 upon request or can be accessed through PHC4's Web site at WWW.PHC4.ORG.

NON-COMPLIANT HOSPITALS

Hospitals are required under Pennsylvania law (Act 89) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing the required UB 92 data or patient severity scores in excess of 15% overall are non-compliant with state law and are excluded from this report. These hospitals are listed below. Hospitals that were non-compliant in 1999 but are currently compliant are so noted. Although data specific to non-compliant hospitals is not included in this report, their records have been included in the overall research for in-hospital mortality, length of stay and charges and, as such, are reflected in the statewide and regional totals.

Hospitals Excluded from the Report Due to Non-Compliance

- *Ashland Regional Medical Center
- *Episcopal Hospital
- *Mercy Suburban Hospital
- *Parkview Hospital
- *PA Hospital of the University of PA Health System
- St. Christopher's Children Hospital
- Southern Chester County Medical Center
- *Temple University Hospital

* Now compliant effective for the 1st Quarter 2000 data reporting period. PHC4 wishes to acknowledge the hard work performed by the overwhelming majority of Pennsylvania hospitals in meeting the requirements of Act 89.



DIAGNOSIS RELATED GROUP (DRG) DESCRIPTIONS

HEART ATTACK – MEDICAL MANAGEMENT (DRGs 121, 122, 123): A heart attack occurs when there is a sudden decrease in the blood supply to an area of heart muscle. Included are heart attack patients who were treated without surgical interventions.

HEART FAILURE AND SHOCK (DRG 127): Congestive heart failure is an abnormal accumulation of fluid due to the heart's inability to pump a normal amount of blood. The term "shock" refers to heart shock, not shock resulting from injury.

ABNORMAL HEARTBEAT, complicated (DRG 138): Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects or heart valve disorders.

VASCULAR DISORDERS except heart, complicated (DRG 130): Medical treatment for disorders of blood vessels in the head, neck, aorta, upper and lower limbs. Examples include varicose veins, aneurysm, and diabetes-related circulatory disorders. Conditions not included are hypertension and coronary artery disease.

VASCULAR OPERATIONS except heart, complicated (DRG 478): Surgical procedures on blood vessels in the head, neck, and the upper and lower limbs.

STROKE (BRAIN ATTACK) (DRG 14): Sudden "attack" caused by an abrupt decrease in the blood supply to part of the brain. Transient ischemic attack (temporary stroke symptoms) is not included.

BLOOD CLOT IN LUNG (DRG 078): Blockage in the lung usually due to a blood clot. May also be caused by fat or an air bubble.

LUNG INFECTIONS, complicated (DRG 79): Infections other than simple pneumonia including tuberculosis, pneumonitis and certain rare pneumonias.

PNEUMONIA, complicated (DRG 89): Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy – an inflammation of the membrane surrounding the lungs.

CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) (DRG 088): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma or emphysema.

LUNG CANCER (DRG 82): Includes the initial diagnosis as well as follow-up care for patients with cancerous and non-cancerous tumors. Does not include chemotherapy.



DIABETES (DRG 294): Includes patients over age 35 hospitalized for control of the blood sugar. Conditions include coma, ketoacidosis and fluid imbalances. Kidney, eye, nervous system or circulatory complications related to diabetes are not included.

KIDNEY AND URINARY TRACT INFECTIONS, complicated (DRG 320): Acute and chronic infections of the kidney and urinary tract. Does not include urinary stones or urinary symptoms such as frequency, bleeding or pain.

KIDNEY FAILURE (DRG 316): Short and long-term kidney (renal) failure due to hypertension, heart disease, or unknown causes. Does not include dialysis or transplants.

STOMACH AND INTESTINAL BLEEDING, complicated (DRG 174): Bleeding from stomach or intestinal ulcers, inflammation of the stomach, or inflammation of small sac-like areas in the wall of the colon.

STOMACH AND INTESTINAL COMPLICATION AND DISORDERS (DRG 188): Digestive system complications including liver failure and intestinal blockage resulting from a prior procedure. Also includes hemorrhoids, non-cancerous tumors and decreased blood supply to the intestine.

STOMACH AND SMALL INTESTINAL OPERATIONS, complicated (DRG 154): Surgical procedures on the esophagus, stomach and small intestine. Does not include removal of appendix.

MAJOR INTESTINAL PROCEDURES, complicated (DRG 148): Major surgical procedures involving the intestines, including colostomy and other repairs to the intestines. Not included are procedures for hernia, appendix or biopsies.

HIP OPERATIONS, except replacement, complicated (DRG 210): Includes surgery for hip fracture; does not include replacements or amputations.

SEPTICEMIA (DRG 416): Also known as blood poisoning, is a system-wide infection of the patient's blood. Does not include post-operative or post-injury infections.

POISONING AND TOXIC EFFECTS OF DRUGS, complicated (DRG 449): Toxic effects of overdose, wrong substance given or substance taken in error. Medications, non-medicinal substances and drugs such as ethyl alcohol, heroin and pesticides, gases such as carbon monoxide and metals are included. Does not include drug abuse or dependence.



HEART ATTACK - Medical Management

Southeastern Pennsylvania Hospitals

	Cases	Transfer to Acute Care, %	Risk-Adj. Mortality	Risk-Adj. ALOS	Average Charge
Abington Memorial ♦	404	1.4	○	5.8	\$33,653
Albert Einstein ♦	127	0.0	●	5.6	\$28,517
Brandywine	116	35.4	●	6.5	\$20,424
Chester County	62	55.6	●	6.4	\$19,581
Chestnut Hill	33	46.8	●	6.9	\$31,609
Crozer-Chester ♦	305	14.8	●	6.0	\$44,395
Delaware County Memorial	128	36.9	●	7.0	\$40,863
Doylestown ♦	109	29.4	●	4.9	\$16,169
Easton ♦	370	7.2	●	6.0	\$11,698
Elkins Park	33	37.9	●	5.9	\$25,452
Fox Chase Cancer	1	Not Reported			
Frankford ♦	291	21.2	●	7.4	\$43,299
Gnaden Huetten Memorial	27	50.0	●	4.1	\$8,562
Good Samaritan Regional	106	49.5	●	6.9	\$9,720
Graduate ♦	70	0.0	●	6.5	\$41,725
Grand View	124	47.2	○	5.5	\$18,635
Hahnemann University ♦	140	1.4	●	5.4	\$30,627
Holy Redeemer	87	52.9	●	6.2	\$43,811
Hosp of the Univ of PA ♦	131	0.0	○	6.6	\$36,970
Jeanes	76	62.1	●	7.3	\$25,590
Lehigh Valley ♦	442	2.6	●	5.6	\$13,132
Main Line/Bryn Mawr ♦	105	2.6	●	5.6	\$24,248
Main Line/Lankenau ♦	178	0.5	●	5.5	\$22,160
Main Line/Paoli	64	57.3	●	4.8	\$19,276
Medical College of PA ♦	65	2.9	●	5.9	\$40,674
Mercy/Community	43	40.0	●	6.8	®
Mercy/Fitzgerald ♦	137	28.8	●	5.8	\$25,601
Mercy/Philadelphia	84	39.1	●	5.0	\$17,668
Methodist Div/TJUH	78	54.0	●	7.2	\$25,846
Miners Memorial	43	50.9	●	6.7	\$13,003
Montgomery	85	49.4	●	6.5	\$17,294
Muhlenberg	65	58.9	●	7.3	\$12,750
Nazareth	152	42.3	●	6.6	\$9,519
North Penn	85	55.2	●	5.9	\$16,957
Palmerton	58	4.8	○	3.7	\$8,749
Phoenixville/Univ of PA	69	47.0	●	5.8	\$15,655

♦ indicates hospitals that provided advanced cardiac services during 1999.

- Mortality significantly greater than Expected.
- Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

HEART ATTACK - Medical Management

Southeastern Pennsylvania Hospitals

	Cases	Transfer to Acute Care, %	Risk-Adj. Mortality	Risk-Adj. ALOS	Average Charge
Pottstown Memorial	81	55.6	●	5.4	\$15,619
Pottsville/Warne Clinic	81	41.3	○	6.9	\$9,974
Presbyterian/Univ of PA ♦	212	1.7	○	4.8	\$29,978
Reading ♦	276	0.7	○	7.1	\$10,821
Riddle Memorial	94	43.2	●	5.5	\$20,444
Roxborough Memorial	48	38.0	○	5.5	\$12,775
Sacred Heart/Allentown ♦	152	1.3	○	7.3	\$15,869
Saint Agnes	25	53.6	○	5.9	\$23,800
Saint Joseph's/Phila	27	42.0	○	5.9	\$17,491
Saint Joseph/Reading ♦	82	1.2	○	6.2	\$11,595
Saint Mary ♦	94	6.9	○	6.0	\$21,327
St Luke's/Bethlehem ♦	233	14.7	○	6.9	\$13,780
St Luke's/Quakertown	24	55.6	○	4.3	\$15,552
Temple East/Northeastern	88	52.8	○	6.5	\$16,241
Temple/Lower Bucks ♦	72	18.0	○	6.3	\$24,438
Thomas Jefferson Univ ♦	160	1.8	○	6.6	\$34,675
Warminster	38	61.3	○	7.4	\$32,925
Wills Eye	0				
Southeastern Pennsylvania	6,606	27.1		6.1	\$23,085
Statewide	19,942	27.4		6.0	\$16,123

♦ indicates hospitals that provided advanced cardiac services during 1999.

- Mortality significantly greater than Expected.
- Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

HEART FAILURE AND SHOCK

**ABNORMAL HEARTBEAT,
complicated**

**Southeastern
Pennsylvania
Hospitals**

	HEART FAILURE AND SHOCK					ABNORMAL HEARTBEAT, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	592	○	4.3	20.9	\$21,264	315	⊙	3.3	14.7	\$16,449
Albert Einstein	855	⊙	4.8	25.2	\$16,782	288	⊙	4.1	17.3	\$16,082
Brandywine	298	⊙	4.9	23.9	\$11,941	62	⊙	3.2	13.5	\$10,069
Chester County	407	⊙	4.9	22.4	\$12,168	124	⊙	3.4	16.0	\$8,529
Chestnut Hill	159	⊙	4.3	19.5	\$16,624	13	⊙	3.4	20.8	\$15,923
Crozer-Chester	978	⊙	4.9	26.1	\$27,620	303	⊙	3.6	18.3	\$22,315
Delaware County Memorial	415	⊙	5.1	25.7	\$24,800	131	●	3.9	20.0	\$19,746
Doylestown	202	⊙	4.0	14.2	\$9,930	85	⊙	2.8	16.7	\$8,286
Easton	577	⊙	4.9	22.2	\$7,685	165	⊙	4.2	15.9	\$6,847
Elkins Park	156	⊙	5.2	27.2	\$20,390	53	⊙	4.3	19.8	\$15,957
Fox Chase Cancer	7	⊙	2.5	28.2	\$8,019	15	⊙	3.8	21.7	\$14,996
Frankford	861	⊙	5.6	25.8	\$26,938	347	⊙	4.6	20.3	\$22,109
Gnaden Huetten Memorial	134	⊙	4.2	18.7	\$6,631	42	⊙	3.8	16.5	\$7,374
Good Samaritan Regional	451	⊙	6.2	24.4	\$7,215	100	⊙	4.9	10.6	\$6,403
Graduate	298	⊙	4.7	30.1	\$22,769	63	⊙	3.8	13.5	\$20,831
Grand View	243	⊙	4.6	18.8	\$14,336	153	⊙	3.5	13.9	\$9,964
Hahnemann University	327	⊙	5.8	26.2	\$23,032	104	⊙	4.2	27.3	\$18,880
Holy Redeemer	465	○	4.8	24.0	\$27,475	172	⊙	4.1	22.8	\$20,847
Hosp of the Univ of PA	482	⊙	4.5	25.6	\$16,693	152	⊙	3.7	21.9	\$14,849
Jeanes	499	⊙	5.3	27.7	\$16,769	172	⊙	4.1	23.7	\$13,016
Lehigh Valley	743	⊙	4.8	23.1	\$8,039	239	⊙	3.4	18.5	\$6,613
Main Line/Bryn Mawr	346	⊙	4.7	21.5	\$15,302	122	⊙	3.3	14.0	\$11,648
Main Line/Lankenau	596	⊙	4.9	24.8	\$15,733	233	⊙	3.8	18.4	\$12,071
Main Line/Paoli	190	⊙	4.1	19.2	\$12,496	128	⊙	2.9	19.8	\$8,942
Medical College of PA	338	⊙	4.1	23.9	\$21,770	67	⊙	4.3	28.6	\$24,678
Mercy/Community	200	⊙	4.9	25.2	\$14,992	59	⊙	3.2	18.0	\$10,926
Mercy/Fitzgerald	458	⊙	4.1	28.3	\$14,092	181	⊙	3.3	20.7	\$11,522
Mercy/Philadelphia	546	⊙	3.9	34.4	\$11,473	103	⊙	3.5	22.0	\$10,853
Methodist Div/TJUH	477	⊙	5.5	30.5	\$16,256	97	⊙	4.1	16.3	\$13,367
Miners Memorial	120	○	5.6	16.1	\$9,481	33	⊙	4.1	8.8	\$7,837
Montgomery	412	⊙	5.3	25.5	\$11,877	126	⊙	3.3	13.4	\$7,350
Muhlenberg	251	⊙	5.8	25.2	\$8,685	61	⊙	4.2	26.4	\$7,627
Nazareth	624	○	5.6	22.1	\$8,013	151	⊙	4.8	8.7	\$7,074
North Penn	160	⊙	4.8	16.1	\$12,235	70	⊙	2.8	11.6	\$8,614
Palmerton	173	○	5.0	30.3	\$6,070	49	⊙	4.4	25.0	\$6,568
Phoenixville/Univ of PA	242	⊙	3.9	27.8	\$9,451	91	⊙	2.9	11.7	\$7,616

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

HEART FAILURE AND SHOCK

**ABNORMAL HEARTBEAT,
complicated**

**Southeastern
Pennsylvania
Hospitals**

	HEART FAILURE AND SHOCK					ABNORMAL HEARTBEAT, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	354	●	4.5	15.9	\$10,019	120	○	3.3	17.6	\$8,031
Pottsville/Warne Clinic	264	○	6.0	24.7	\$6,995	63	○	4.1	6.7	\$5,909
Presbyterian/Univ of PA	483	○	4.2	23.1	\$15,436	94	○	3.4	12.2	\$12,112
Reading	693	●	6.0	18.5	\$6,853	261	○	4.3	13.5	\$5,206
Riddle Memorial	328	○	4.6	21.7	\$14,886	106	○	3.7	16.8	\$13,070
Roxborough Memorial	322	○	4.3	24.1	\$9,878	38	○	3.1	11.2	\$7,288
Sacred Heart/Allentown	311	○	5.8	22.4	\$9,439	82	○	4.1	16.1	\$8,427
Saint Agnes	291	○	5.6	30.8	\$10,348	73	○	4.9	20.3	\$8,619
Saint Joseph's/Phila	337	○	5.0	35.8	\$9,626	35	○	3.4	23.5	\$7,050
Saint Joseph/Reading	361	○	5.3	22.1	\$6,908	123	○	3.5	12.9	\$5,567
Saint Mary	357	○	5.2	22.3	\$13,909	188	○	4.3	20.0	\$11,200
St Luke's/Bethlehem	842	○	5.6	28.4	\$8,545	248	○	4.2	19.9	\$6,885
St Luke's/Quakertown	75	○	4.3	28.1	\$12,019	34	○	4.2	5.7	\$13,086
Temple East/Northeastern	320	○	5.7	32.0	\$13,016	84	○	3.4	21.8	\$8,846
Temple/Lower Bucks	385	●	5.0	25.6	\$13,557	125	○	3.8	22.2	\$10,347
Thomas Jefferson Univ	434	○	5.4	23.5	\$24,731	191	○	4.1	13.7	\$19,729
Warminster	174	○	5.3	27.3	\$18,714	90	○	4.6	23.0	\$15,380
Wills Eye	0					0				
Southeastern Pennsylvania	22,562		5.0	24.9	\$14,568	7,072		3.8	17.7	\$12,308
Statewide	55,845		5.1	24.8	\$10,971	17,791		3.8	17.4	\$9,299

- Mortality significantly greater than Expected.
- Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

VASCULAR DISORDERS

except heart, complicated

VASCULAR OPERATIONS

except heart, complicated

**Southeastern
Pennsylvania
Hospitals**

	VASCULAR DISORDERS <i>except heart, complicated</i>					VASCULAR OPERATIONS <i>except heart, complicated</i>				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	88	⊙	4.1	11.4	\$16,669	182	⊙	5.6	28.9	\$45,709
Albert Einstein	136	⊙	5.0	26.7	\$14,510	161	⊙	7.5	28.1	\$46,996
Brandywine	28	⊙	5.6	20.1	\$10,730	21	⊙	6.4	36.8	\$25,613
Chester County	66	⊙	5.3	29.2	\$9,190	74	⊙	4.9	22.6	\$18,570
Chestnut Hill	66	⊙	4.2	21.8	\$13,802	28	⊙	5.9	31.3	\$33,590
Crozer-Chester	107	⊙	5.2	24.5	\$24,703	184	⊙	7.8	29.7	\$58,607
Delaware County Memorial	61	⊙	5.3	16.0	\$20,642	33	⊙	6.4	20.4	\$45,452
Doylestown	24	⊙	4.2	26.9	\$8,896	70	⊙	4.7	21.9	\$20,564
Easton	90	⊙	4.8	25.1	\$5,959	92	⊙	7.5	24.8	\$18,655
Elkins Park	25	⊙	5.8	44.9	\$16,743	30	⊙	6.6	29.6	\$36,387
Fox Chase Cancer	28	⊙	4.6	28.6	\$12,723	7	⊙	6.6	25.7	\$26,629
Frankford	132	⊙	5.1	24.9	\$20,433	197	⊙	7.2	25.9	\$49,919
Gnaden Huetten Memorial	23	⊙	4.8	18.7	\$4,956	1	Not Reported			
Good Samaritan Regional	60	⊙	7.0	15.2	\$6,134	63	⊙	8.5	31.5	\$18,801
Graduate	71	⊙	4.4	33.0	\$19,601	145	⊙	7.1	25.0	\$64,935
Grand View	43	⊙	5.4	29.5	\$12,918	33	⊙	7.5	19.9	\$29,706
Hahnemann University	71	⊙	4.4	36.4	\$20,259	216	⊙	6.7	26.0	\$52,383
Holy Redeemer	44	⊙	4.6	13.0	\$19,940	99	⊙	5.3	27.2	\$43,838
Hosp of the Univ of PA	188	⊙	5.1	29.0	\$15,759	272	⊙	8.2	27.1	\$49,576
Jeanes	67	⊙	5.4	14.2	\$13,860	55	⊙	8.5	32.5	\$41,872
Lehigh Valley	162	⊙	4.9	18.8	\$6,073	177	⊙	7.7	22.4	\$23,334
Main Line/Bryn Mawr	40	⊙	4.2	13.7	\$11,963	73	⊙	5.3	28.7	\$27,218
Main Line/Lankenau	75	⊙	5.7	23.6	\$16,250	108	⊙	6.1	24.4	\$31,169
Main Line/Paoli	37	⊙	4.6	21.3	\$10,433	13	⊙	7.5	19.4	\$34,183
Medical College of PA	40	⊙	4.5	23.6	\$19,284	91	⊙	7.8	27.7	\$64,584
Mercy/Community	15	⊙	4.3	13.4	\$10,208	1	Not Reported			
Mercy/Fitzgerald	58	⊙	4.0	25.3	\$11,637	110	⊙	5.3	30.7	\$25,310
Mercy/Philadelphia	42	⊙	6.2	39.3	\$16,280	97	⊙	4.4	32.6	\$24,808
Methodist Div/TJUH	32	⊙	5.7	21.4	\$15,590	43	⊙	6.8	35.7	\$37,593
Miners Memorial	24	⊙	5.7	19.0	\$6,240	9	⊙	10.5	35.3	\$23,890
Montgomery	79	⊙	6.4	14.6	\$9,804	96	⊙	6.0	23.3	\$20,785
Muhlenberg	26	●	4.7	16.8	\$5,582	68	⊙	7.8	28.1	\$18,977
Nazareth	53	⊙	4.5	22.5	\$5,806	52	⊙	5.9	19.4	\$13,974
North Penn	20	⊙	4.9	20.0	\$9,864	12	⊙	7.1	10.3	\$23,681
Palmerton	19	⊙	5.2	11.3	\$5,009	4	Not Reported			
Phoenixville/Univ of PA	36	⊙	3.8	27.2	\$7,722	50	⊙	6.0	26.2	\$19,712

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

VASCULAR DISORDERS

except heart, complicated

VASCULAR OPERATIONS

except heart, complicated

**Southeastern
Pennsylvania
Hospitals**

	VASCULAR DISORDERS <i>except heart, complicated</i>					VASCULAR OPERATIONS <i>except heart, complicated</i>				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	44	⊙	5.2	36.0	\$7,433	51	●	10.8	24.1	\$43,131
Pottsville/Warne Clinic	52	⊙	5.7	20.0	\$6,767	44	⊙	7.7	19.6	\$21,440
Presbyterian/Univ of PA	76	⊙	4.8	27.7	\$13,106	61	⊙	7.3	36.7	\$42,705
Reading	131	⊙	6.1	12.9	\$5,221	142	⊙	7.8	18.6	\$13,922
Riddle Memorial	29	⊙	5.1	12.1	\$13,378	31	⊙	9.8	16.9	\$35,549
Roxborough Memorial	16	⊙	4.4	27.4	\$8,626	15	⊙	5.2	36.9	\$32,325
Sacred Heart/Allentown	45	⊙	4.8	21.5	\$6,829	51	⊙	8.4	16.3	\$18,667
Saint Agnes	31	⊙	6.6	20.4	\$9,022	38	⊙	8.0	33.4	\$19,542
Saint Joseph's/Phila	31	⊙	6.1	36.5	\$9,962	26	⊙	10.0	38.3	\$27,249
Saint Joseph/Reading	52	⊙	5.8	21.9	\$5,671	104	⊙	4.7	19.4	\$14,760
Saint Mary	94	⊙	5.0	24.8	\$10,125	97	⊙	5.5	26.2	\$30,870
St Luke's/Bethlehem	118	⊙	4.9	21.7	\$7,001	182	●	8.2	25.9	\$22,784
St Luke's/Quakertown	15	⊙	5.3	7.7	\$12,170	4	Not Reported			
Temple East/Northeastern	50	⊙	5.0	22.5	\$8,938	37	●	6.7	18.0	\$30,554
Temple/Lower Bucks	39	⊙	4.6	29.0	\$11,682	49	⊙	6.3	27.8	\$33,820
Thomas Jefferson Univ	122	⊙	5.9	25.0	\$22,303	207	●	8.2	33.9	\$52,558
Warminster	20	●	5.8	21.6	\$15,866	23	⊙	6.8	4.7	\$45,671
Wills Eye	1	Not Reported				1	Not Reported			
Southeastern Pennsylvania	3,439		5.1	23.4	\$12,555	4,481		7.0	26.7	\$36,566
Statewide	8,286		5.2	21.5	\$9,710	9,914		6.7	24.7	\$28,493

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

STROKE (BRAIN ATTACK)

BLOOD CLOT IN LUNG

**Southeastern
Pennsylvania
Hospitals**

	STROKE (BRAIN ATTACK)					BLOOD CLOT IN LUNG				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	379	⊙	5.1	13.7	\$24,128	71	⊙	5.9	16.9	\$29,385
Albert Einstein	271	⊙	5.5	18.6	\$20,730	26	⊙	7.5	37.3	\$25,004
Brandywine	106	⊙	6.0	11.2	\$14,243	12	⊙	5.3	8.2	\$11,918
Chester County	128	⊙	4.6	10.3	\$10,651	37	⊙	5.7	13.0	\$14,169
Chestnut Hill	212	⊙	4.3	12.3	\$17,087	26	⊙	5.2	12.1	\$18,853
Crozer-Chester	464	⊙	5.6	15.3	\$31,962	39	⊙	6.7	14.4	\$38,538
Delaware County Memorial	174	⊙	6.6	14.5	\$32,533	22	⊙	7.1	11.1	\$29,688
Doylestown	153	⊙	4.3	10.7	\$11,026	9	⊙	5.3	38.5	\$17,211
Easton	210	⊙	5.7	13.2	\$9,312	36	⊙	5.4	14.8	\$9,037
Elkins Park	51	⊙	5.7	15.8	\$24,245	4	Not Reported			
Fox Chase Cancer	4	Not Reported				7	⊙	7.1	7.4	\$18,696
Frankford	375	⊙	6.0	15.5	\$30,318	37	●	6.1	25.2	\$30,951
Gnaden Huetten Memorial	48	⊙	5.7	14.1	\$9,822	8	⊙	4.4	0.0	\$7,652
Good Samaritan Regional	175	⊙	7.5	11.8	\$8,935	27	⊙	8.0	13.2	\$9,840
Graduate	93	⊙	6.8	20.0	\$33,822	8	⊙	5.6	0.0	\$26,445
Grand View	146	⊙	5.0	6.6	\$15,265	20	⊙	5.4	11.5	\$15,269
Hahnemann University	206	⊙	7.1	16.5	\$35,236	19	⊙	7.2	21.2	\$30,275
Holy Redeemer	201	⊙	5.8	12.7	\$29,685	31	⊙	6.8	15.1	\$34,903
Hosp of the Univ of PA	354	⊙	6.0	13.7	\$25,251	45	⊙	6.6	10.5	\$25,586
Jeanes	178	⊙	6.9	12.8	\$23,185	19	⊙	6.6	24.1	\$22,291
Lehigh Valley	428	⊙	5.2	11.7	\$10,023	69	⊙	6.1	9.6	\$9,988
Main Line/Bryn Mawr	169	⊙	5.3	8.1	\$19,511	23	⊙	6.7	9.6	\$20,047
Main Line/Lankenau	243	⊙	5.9	10.6	\$18,715	27	⊙	6.9	23.7	\$24,003
Main Line/Paoli	121	⊙	5.2	11.3	\$16,974	33	⊙	5.4	8.0	\$14,616
Medical College of PA	181	⊙	7.8	13.1	\$38,594	9	⊙	6.9	36.3	\$31,009
Mercy/Community	105	⊙	5.3	13.9	\$16,020	3	Not Reported			
Mercy/Fitzgerald	197	⊙	4.5	20.0	\$16,987	13	⊙	6.1	15.4	\$22,539
Mercy/Philadelphia	192	⊙	5.7	20.6	\$19,669	15	⊙	8.1	23.9	\$19,236
Methodist Div/TJUH	111	⊙	6.6	9.5	\$23,544	8	⊙	5.8	13.0	\$20,022
Miners Memorial	67	⊙	7.0	11.0	\$11,139	8	⊙	5.9	0.0	\$10,047
Montgomery	177	⊙	6.0	13.4	\$13,655	20	●	6.8	27.4	\$16,166
Muhlenberg	116	⊙	6.4	12.8	\$10,003	16	⊙	7.3	20.2	\$12,356
Nazareth	239	⊙	6.5	11.9	\$10,547	7	⊙	7.9	0.0	\$11,051
North Penn	104	●	5.4	10.4	\$12,565	12	⊙	6.9	10.0	\$17,429
Palmerton	84	○	7.1	11.1	\$8,548	3	Not Reported			
Phoenixville/Univ of PA	121	⊙	4.7	17.4	\$12,584	8	⊙	5.1	0.0	\$10,193

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

STROKE (BRAIN ATTACK)

BLOOD CLOT IN LUNG

Southeastern Pennsylvania Hospitals

	STROKE (BRAIN ATTACK)					BLOOD CLOT IN LUNG				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	213	⊙	5.7	6.5	\$13,011	9	⊙	5.2	19.8	\$12,971
Pottsville/Warne Clinic	129	⊙	6.3	9.7	\$8,653	9	⊙	8.6	0.0	\$11,663
Presbyterian/Univ of PA	135	⊙	5.8	21.8	\$19,826	21	⊙	4.7	19.8	\$15,606
Reading	444	⊙	7.0	11.4	\$8,689	70	⊙	7.1	6.2	\$8,114
Riddle Memorial	251	⊙	5.3	16.8	\$17,286	26	⊙	5.4	3.9	\$16,457
Roxborough Memorial	128	⊙	4.9	11.4	\$10,559	7	⊙	7.0	12.3	\$16,448
Sacred Heart/Allentown	141	⊙	6.7	12.5	\$10,443	12	⊙	5.8	10.1	\$8,410
Saint Agnes	57	⊙	6.0	14.5	\$15,682	4	Not Reported			
Saint Joseph's/Phila	73	⊙	7.8	18.4	\$18,378	3	Not Reported			
Saint Joseph/Reading	159	⊙	5.9	13.0	\$7,842	14	⊙	6.3	14.9	\$8,208
Saint Mary	205	⊙	5.8	15.0	\$16,921	21	⊙	6.5	21.7	\$15,944
St Luke's/Bethlehem	290	⊙	6.8	17.7	\$11,927	52	⊙	6.5	20.9	\$11,950
St Luke's/Quakertown	66	⊙	6.1	16.7	\$18,130	8	⊙	7.0	0.0	\$19,651
Temple East/Northeastern	115	⊙	5.0	14.5	\$11,719	14	⊙	6.5	30.5	\$13,094
Temple/Lower Bucks	147	●	5.3	9.4	\$16,368	12	⊙	6.0	21.2	\$19,226
Thomas Jefferson Univ	338	⊙	7.6	10.4	\$35,549	45	⊙	7.2	13.3	\$33,758
Warminster	71	⊙	6.7	21.7	\$24,599	6	⊙	6.9	23.3	\$29,176
Wills Eye	24	⊙	7.1	12.2	\$19,387	0				
Southeastern Pennsylvania	10,149		5.9	13.7	\$18,984	1,183		6.4	15.4	\$19,695
Statewide	25,770		5.8	13.5	\$13,772	3,579		6.4	13.8	\$14,064

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**LUNG INFECTIONS,
complicated**

**PNEUMONIA,
complicated**

**Southeastern
Pennsylvania
Hospitals**

	LUNG INFECTIONS, complicated					PNEUMONIA, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	252	○	7.4	22.2	\$34,871	562	●	4.6	16.3	\$22,302
Albert Einstein	186	●	7.4	27.4	\$24,067	314	●	5.0	18.9	\$16,135
Brandywine	104	●	7.0	21.0	\$13,308	257	●	5.3	15.1	\$11,528
Chester County	161	○	8.6	25.6	\$19,839	319	●	5.2	14.7	\$12,159
Chestnut Hill	195	●	6.0	29.1	\$20,723	234	●	4.4	12.8	\$15,834
Crozer-Chester	224	●	9.3	25.6	\$42,595	640	●	5.5	15.6	\$28,028
Delaware County Memorial	70	●	9.4	11.1	\$42,893	198	●	6.2	15.2	\$28,034
Doylestown	93	●	8.9	23.8	\$20,074	251	●	6.1	9.1	\$14,519
Easton	149	●	7.2	19.4	\$10,364	374	●	5.4	19.3	\$7,593
Elkins Park	19	●	6.9	25.7	\$20,653	71	●	5.6	15.3	\$17,905
Fox Chase Cancer	20	●	9.1	22.1	\$26,870	29	●	5.0	15.0	\$13,702
Frankford	162	●	8.3	16.1	\$39,829	481	●	5.5	17.9	\$25,981
Gnaden Huetten Memorial	18	●	8.4	39.2	\$12,244	103	●	5.1	14.2	\$8,180
Good Samaritan Regional	31	●	8.8	18.6	\$10,904	169	●	6.6	14.7	\$7,309
Graduate	26	●	8.2	19.6	\$40,855	106	●	5.5	19.3	\$22,320
Grand View	42	●	8.8	15.1	\$19,770	262	●	5.6	12.8	\$14,396
Hahnemann University	45	●	9.5	37.5	\$35,333	225	●	5.5	22.0	\$22,418
Holy Redeemer	144	●	8.0	27.9	\$34,865	348	●	5.8	18.0	\$27,164
Hosp of the Univ of PA	92	●	7.7	30.7	\$26,398	187	●	4.6	18.5	\$14,985
Jeanes	188	●	9.6	22.7	\$27,842	329	○	6.0	17.0	\$18,358
Lehigh Valley	124	●	7.4	26.0	\$12,388	481	●	5.1	16.6	\$8,199
Main Line/Bryn Mawr	99	●	7.6	15.5	\$24,970	229	●	5.2	13.1	\$16,452
Main Line/Lankenau	69	●	8.6	24.4	\$24,157	257	●	6.0	16.7	\$16,238
Main Line/Paoli	55	●	5.7	28.3	\$17,423	183	●	4.8	18.3	\$13,552
Medical College of PA	86	●	8.4	11.9	\$37,125	170	●	4.6	16.9	\$21,057
Mercy/Community	86	●	7.4	30.7	\$22,205	112	●	5.9	13.2	\$16,471
Mercy/Fitzgerald	153	●	6.6	26.3	\$20,448	328	●	4.5	21.0	\$14,084
Mercy/Philadelphia	117	●	8.0	33.2	\$22,671	222	●	5.4	21.6	\$15,210
Methodist Div/TJUH	48	●	10.2	15.8	\$26,005	199	●	6.8	18.0	\$16,432
Miners Memorial	20	●	10.2	18.2	\$15,392	91	●	5.8	10.0	\$8,466
Montgomery	84	●	8.0	25.1	\$14,935	188	●	5.6	20.4	\$12,167
Muhlenberg	66	●	8.5	32.7	\$14,343	134	●	6.0	12.9	\$8,115
Nazareth	79	●	7.7	20.5	\$8,529	236	○	5.7	18.3	\$7,173
North Penn	35	●	7.2	17.1	\$16,380	181	●	5.4	11.5	\$12,650
Palmerton	12	●	8.3	8.7	\$8,585	134	○	6.4	21.4	\$6,913
Phoenixville/Univ of PA	86	●	6.1	37.7	\$13,168	230	●	4.8	17.9	\$11,467

(Continued on next page)

- Mortality significantly greater than Expected.
- Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**LUNG INFECTIONS,
complicated**

**PNEUMONIA,
complicated**

**Southeastern
Pennsylvania
Hospitals**

	LUNG INFECTIONS, complicated					PNEUMONIA, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	174	○	7.7	17.8	\$16,527	374	⊙	5.2	12.9	\$12,033
Pottsville/Warne Clinic	56	●	10.6	21.3	\$11,907	109	⊙	6.3	13.0	\$7,516
Presbyterian/Univ of PA	130	⊙	6.2	31.6	\$19,878	178	⊙	4.0	20.4	\$12,879
Reading	123	⊙	9.3	19.9	\$10,425	503	⊙	6.6	11.3	\$7,054
Riddle Memorial	200	⊙	8.5	25.6	\$22,616	269	⊙	6.1	16.0	\$16,567
Roxborough Memorial	132	○	8.6	37.7	\$16,954	230	⊙	5.6	16.4	\$11,959
Sacred Heart/Allentown	24	⊙	13.2	26.9	\$18,913	180	⊙	6.4	17.0	\$9,035
Saint Agnes	24	⊙	8.1	22.3	\$15,026	135	⊙	6.3	13.3	\$11,051
Saint Joseph's/Phila	29	⊙	10.2	42.3	\$22,243	87	⊙	6.9	29.2	\$12,754
Saint Joseph/Reading	40	⊙	7.7	9.5	\$9,887	246	⊙	5.8	14.3	\$6,436
Saint Mary	77	⊙	8.1	22.5	\$19,961	273	⊙	5.6	18.1	\$13,121
St Luke's/Bethlehem	114	⊙	9.8	16.9	\$12,684	420	⊙	6.5	17.4	\$9,347
St Luke's/Quakertown	14	⊙	7.9	9.4	\$22,883	61	⊙	4.7	13.6	\$13,421
Temple East/Northeastern	48	⊙	8.8	28.6	\$17,508	185	⊙	5.5	21.6	\$10,408
Temple/Lower Bucks	45	⊙	7.0	24.1	\$16,721	164	⊙	4.8	22.6	\$11,753
Thomas Jefferson Univ	103	○	9.8	27.1	\$41,794	249	○	6.2	16.8	\$24,788
Warminster	61	⊙	10.0	31.3	\$32,973	154	⊙	6.4	26.7	\$21,063
Wills Eye	0					0				
Southeastern Pennsylvania	5,220		8.1	24.8	\$23,081	13,631		5.6	16.9	\$15,059
Statewide	12,195		8.0	22.9	\$17,307	37,080		5.7	16.7	\$11,027

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**CHRONIC OBSTRUCTIVE
PULMONARY DISEASE (COPD)**

LUNG CANCER

**Southeastern
Pennsylvania
Hospitals**

	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)					LUNG CANCER		
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. ALOS	Average Charge
Abington Memorial	329	⊙	4.2	20.3	\$19,630	108	6.0	\$31,517
Albert Einstein	312	⊙	3.6	21.3	\$13,181	88	6.9	\$22,919
Brandywine	154	⊙	4.4	19.3	\$9,166	23	6.8	\$16,120
Chester County	260	⊙	4.8	17.8	\$12,257	45	6.2	\$15,997
Chestnut Hill	148	⊙	3.5	13.4	\$13,169	48	4.8	\$18,180
Crozer-Chester	601	⊙	4.8	20.8	\$25,347	98	7.0	\$37,485
Delaware County Memorial	249	⊙	5.4	17.5	\$24,050	31	8.1	\$46,689
Doylestown	205	●	5.4	14.5	\$13,201	18	6.2	\$11,990
Easton	340	⊙	4.8	19.3	\$6,813	52	5.6	\$9,938
Elkins Park	98	⊙	4.7	23.1	\$15,093	9	7.4	\$23,968
Fox Chase Cancer	14	⊙	4.1	13.3	\$11,071	135	4.9	\$14,589
Frankford	556	⊙	4.5	22.3	\$21,802	120	7.3	\$40,730
Gnaden Huetten Memorial	93	⊙	5.1	17.5	\$8,338	14	6.0	\$7,026
Good Samaritan Regional	303	⊙	6.2	18.6	\$7,297	36	8.8	\$8,920
Graduate	153	⊙	4.1	37.0	\$18,791	28	6.4	\$37,086
Grand View	152	⊙	4.3	19.3	\$11,029	33	7.5	\$19,331
Hahnemann University	110	⊙	5.0	22.1	\$18,986	48	7.9	\$30,028
Holy Redeemer	212	⊙	5.1	19.4	\$23,742	50	5.6	\$30,484
Hosp of the Univ of PA	173	⊙	4.0	24.9	\$13,800	119	6.0	\$23,259
Jeanes	183	⊙	5.2	23.2	\$16,238	40	6.8	\$24,274
Lehigh Valley	385	⊙	4.6	21.2	\$7,639	111	6.4	\$10,739
Main Line/Bryn Mawr	167	⊙	5.5	17.1	\$17,098	43	6.4	\$21,978
Main Line/Lankenau	260	⊙	5.2	17.3	\$14,717	85	6.6	\$21,064
Main Line/Paoli	125	⊙	4.1	13.6	\$10,694	23	5.5	\$15,439
Medical College of PA	206	⊙	4.0	20.6	\$19,953	30	8.0	\$33,109
Mercy/Community	132	⊙	5.0	20.7	\$14,383	8	7.1	\$19,754
Mercy/Fitzgerald	334	⊙	3.7	21.4	\$12,282	39	6.8	\$25,281
Mercy/Philadelphia	274	⊙	4.2	18.4	\$13,853	47	7.4	\$26,015
Methodist Div/TJUH	267	⊙	5.7	27.1	\$14,387	50	7.3	\$21,405
Miners Memorial	57	⊙	4.9	10.5	\$7,530	18	7.5	\$12,715
Montgomery	222	⊙	5.5	20.6	\$11,308	32	7.1	\$14,468
Muhlenberg	195	⊙	5.7	19.4	\$8,817	34	7.2	\$12,300
Nazareth	212	⊙	4.9	19.2	\$6,148	47	6.8	\$9,536
North Penn	131	⊙	4.5	22.5	\$9,507	15	6.5	\$17,694
Palmerton	89	⊙	5.2	20.2	\$6,318	7	9.4	\$9,301
Phoenixville/Univ of PA	174	⊙	3.9	20.1	\$9,744	21	4.7	\$10,131

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**CHRONIC OBSTRUCTIVE
PULMONARY DISEASE (COPD)**

LUNG CANCER

**Southeastern
Pennsylvania
Hospitals**

	CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)					LUNG CANCER		
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. ALOS	Average Charge
Pottstown Memorial	326	●	4.5	20.6	\$11,654	35	4.9	\$11,859
Pottsville/Warne Clinic	140	○	5.5	12.5	\$7,357	29	8.2	\$9,537
Presbyterian/Univ of PA	187	●	3.4	25.2	\$11,787	51	6.5	\$18,982
Reading	322	●	6.4	14.1	\$7,257	100	8.3	\$10,293
Riddle Memorial	220	●	5.2	22.4	\$14,035	23	6.2	\$19,560
Roxborough Memorial	223	●	4.8	20.8	\$10,157	26	6.5	\$14,389
Sacred Heart/Allentown	181	●	5.5	23.4	\$8,656	40	8.0	\$11,147
Saint Agnes	134	●	5.2	20.0	\$8,757	24	7.3	\$14,846
Saint Joseph's/Phila	121	●	4.7	29.4	\$9,735	9	8.0	\$22,077
Saint Joseph/Reading	205	●	4.9	18.0	\$5,832	37	6.3	\$8,312
Saint Mary	303	●	4.6	17.3	\$11,242	41	6.0	\$14,112
St Luke's/Bethlehem	485	●	5.2	24.6	\$8,097	108	7.1	\$12,626
St Luke's/Quakertown	30	●	4.3	18.9	\$15,060	3	Not Reported	
Temple East/Northeastern	317	●	4.4	19.3	\$8,383	51	5.9	\$13,667
Temple/Lower Bucks	326	●	4.1	20.8	\$10,292	37	5.8	\$16,967
Thomas Jefferson Univ	177	●	5.3	14.5	\$23,241	93	7.4	\$33,414
Warminster	99	●	5.4	17.9	\$18,753	16	7.3	\$25,389
Wills Eye	0					0		
Southeastern Pennsylvania	12,733		4.8	20.5	\$13,065	2,648	6.7	\$20,849
Statewide	33,761		4.8	20.0	\$9,573	6,310	6.6	\$16,104

- Mortality significantly greater than Expected.
- ◉ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

DIABETES

**KIDNEY AND URINARY
INFECTIONS, complicated**

**Southeastern
Pennsylvania
Hospitals**

Southeastern Pennsylvania Hospitals	DIABETES					KIDNEY AND URINARY INFECTIONS, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	75	⊙	3.5	16.8	\$17,833	243	⊙	3.9	17.6	\$18,318
Albert Einstein	241	⊙	3.8	22.4	\$13,537	231	⊙	5.3	25.6	\$16,183
Brandywine	35	⊙	5.1	5.7	\$11,160	85	⊙	4.9	25.3	\$9,974
Chester County	46	⊙	3.2	18.4	\$8,281	130	⊙	4.7	22.5	\$8,932
Chestnut Hill	70	⊙	3.2	12.7	\$11,816	156	⊙	3.8	16.7	\$12,538
Crozer-Chester	187	⊙	3.9	20.5	\$20,920	246	⊙	4.8	22.8	\$23,506
Delaware County Memorial	70	⊙	3.6	15.7	\$15,659	53	⊙	5.3	14.8	\$23,189
Doylestown	29	⊙	3.5	11.4	\$8,078	51	⊙	4.5	14.1	\$10,302
Easton	70	⊙	3.8	23.4	\$5,731	185	⊙	4.8	20.5	\$6,198
Elkins Park	28	⊙	4.1	35.7	\$14,638	32	⊙	3.9	9.6	\$12,757
Fox Chase Cancer	3	Not Reported				15	⊙	4.2	25.5	\$10,684
Frankford	145	⊙	4.3	13.5	\$17,332	192	⊙	5.0	16.6	\$21,455
Gnaden Huetten Memorial	35	⊙	4.3	8.3	\$6,117	20	⊙	5.3	13.6	\$8,780
Good Samaritan Regional	65	⊙	4.7	30.7	\$4,910	77	⊙	5.9	20.5	\$6,039
Graduate	45	⊙	2.9	11.6	\$15,886	80	⊙	4.9	26.9	\$20,382
Grand View	47	⊙	3.6	8.6	\$8,769	46	⊙	5.5	6.7	\$13,264
Hahnemann University	73	⊙	4.6	21.7	\$15,428	81	⊙	4.8	17.2	\$18,125
Holy Redeemer	48	⊙	3.5	11.4	\$18,527	106	⊙	4.6	16.3	\$20,191
Hosp of the Univ of PA	142	⊙	3.8	14.2	\$12,457	149	⊙	4.2	24.6	\$12,376
Jeanes	54	⊙	3.2	19.4	\$10,254	88	⊙	5.3	14.4	\$14,775
Lehigh Valley	93	⊙	3.8	17.3	\$6,289	179	⊙	4.4	15.8	\$6,325
Main Line/Bryn Mawr	48	⊙	3.4	14.4	\$11,041	112	⊙	3.6	17.0	\$12,385
Main Line/Lankenau	78	⊙	4.6	8.5	\$13,831	111	⊙	5.3	14.8	\$14,336
Main Line/Paoli	36	⊙	4.1	13.5	\$12,213	61	⊙	4.6	16.1	\$12,602
Medical College of PA	106	⊙	3.2	18.1	\$14,410	96	⊙	4.6	23.1	\$18,104
Mercy/Community	18	⊙	3.1	25.4	\$9,229	39	⊙	4.4	20.2	\$11,469
Mercy/Fitzgerald	89	⊙	3.3	13.0	\$10,179	142	⊙	3.9	20.4	\$11,535
Mercy/Philadelphia	130	⊙	3.3	15.2	\$9,140	142	⊙	5.0	14.2	\$13,413
Methodist Div/TJUH	87	⊙	4.1	17.7	\$12,592	71	●	5.7	19.1	\$15,287
Miners Memorial	25	⊙	5.0	18.7	\$7,606	16	⊙	5.9	29.4	\$7,266
Montgomery	55	⊙	4.0	3.9	\$8,074	38	⊙	4.0	10.1	\$8,565
Muhlenberg	26	⊙	3.9	16.9	\$6,880	54	⊙	5.5	18.9	\$7,405
Nazareth	40	⊙	4.4	18.1	\$6,728	83	⊙	4.7	14.8	\$5,888
North Penn	34	⊙	3.8	24.8	\$7,727	72	●	4.0	9.3	\$9,260
Palmerton	31	⊙	4.6	13.4	\$4,090	37	⊙	5.2	27.6	\$5,561
Phoenixville/Univ of PA	34	⊙	3.5	9.5	\$8,306	66	⊙	4.2	17.7	\$8,868

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

DIABETES

**KIDNEY AND URINARY
INFECTIONS, complicated**

**Southeastern
Pennsylvania
Hospitals**

	DIABETES					KIDNEY AND URINARY INFECTIONS, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	67	⊙	4.1	7.2	\$8,024	83	⊙	4.6	17.5	\$8,656
Pottsville/Warne Clinic	30	⊙	5.7	6.5	\$4,822	40	⊙	6.8	19.5	\$6,604
Presbyterian/Univ of PA	106	⊙	3.0	19.1	\$9,562	187	⊙	4.4	24.3	\$13,462
Reading	65	⊙	5.0	11.1	\$4,762	92	⊙	4.6	12.9	\$4,881
Riddle Memorial	70	⊙	3.9	7.5	\$11,964	99	⊙	5.0	16.6	\$12,604
Roxborough Memorial	48	⊙	3.6	11.1	\$6,371	118	⊙	5.1	28.4	\$9,270
Sacred Heart/Allentown	46	⊙	3.9	11.5	\$5,784	62	●	5.6	18.9	\$8,090
Saint Agnes	25	⊙	5.0	17.0	\$7,595	56	⊙	5.2	25.9	\$8,484
Saint Joseph's/Phila	85	⊙	4.1	20.8	\$7,128	70	⊙	5.3	31.3	\$11,151
Saint Joseph/Reading	35	⊙	5.4	18.1	\$5,798	43	⊙	5.2	4.8	\$5,632
Saint Mary	72	⊙	3.4	12.2	\$8,139	160	⊙	5.2	16.7	\$11,654
St Luke's/Bethlehem	118	⊙	4.4	12.7	\$6,756	189	⊙	4.9	20.0	\$7,658
St Luke's/Quakertown	10	⊙	3.6	21.5	\$11,598	14	⊙	4.3	22.6	\$10,628
Temple East/Northeastern	88	⊙	4.0	12.7	\$7,733	36	⊙	3.9	14.6	\$8,188
Temple/Lower Bucks	47	⊙	3.2	21.3	\$8,604	77	⊙	5.0	29.5	\$12,452
Thomas Jefferson Univ	73	⊙	4.1	17.4	\$17,833	184	⊙	5.5	22.9	\$20,397
Warminster	38	⊙	4.3	16.5	\$13,833	73	●	5.7	21.0	\$17,987
Wills Eye	0					0				
Southeastern Pennsylvania	3,878		3.8	16.1	\$10,981	5,668		4.8	19.6	\$12,950
Statewide	8,760		4.0	15.3	\$8,197	13,777		4.8	18.3	\$9,414

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

KIDNEY FAILURE

**STOMACH/INTESTINAL
BLEEDING, complicated**

**Southeastern
Pennsylvania
Hospitals**

	KIDNEY FAILURE					STOMACH/INTESTINAL BLEEDING, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	121	●	5.6	23.0	\$30,292	268	●	4.0	14.1	\$21,947
Albert Einstein	127	●	5.7	29.6	\$20,575	271	●	4.5	18.3	\$17,682
Brandywine	43	●	6.7	24.8	\$13,424	70	●	4.1	14.2	\$10,895
Chester County	38	●	6.8	23.5	\$17,312	126	●	3.8	11.8	\$10,340
Chestnut Hill	60	●	5.4	34.6	\$24,533	141	●	3.7	18.9	\$15,898
Crozer-Chester	90	●	6.7	29.6	\$34,229	305	●	4.8	20.7	\$26,982
Delaware County Memorial	19	●	9.1	31.0	\$34,534	110	●	5.0	12.6	\$24,129
Doylestown	31	●	6.1	13.4	\$11,489	153	●	4.6	14.3	\$12,326
Easton	59	●	5.8	28.8	\$10,458	172	●	4.5	14.8	\$8,233
Elkins Park	10	●	7.2	0.0	\$29,641	45	●	4.6	25.7	\$18,206
Fox Chase Cancer	9	●	5.2	13.4	\$13,242	2	Not Reported			
Frankford	143	●	6.7	28.6	\$34,182	289	●	4.8	15.2	\$27,287
Gnaden Huetten Memorial	15	●	5.6	26.1	\$7,686	37	●	4.2	15.8	\$7,548
Good Samaritan Regional	50	●	8.1	31.7	\$8,513	114	●	5.1	19.6	\$7,105
Graduate	37	●	5.0	32.5	\$27,928	68	●	4.1	20.3	\$24,100
Grand View	22	●	6.7	25.3	\$16,530	85	●	4.8	15.5	\$13,613
Hahnemann University	113	●	5.1	28.5	\$23,492	113	●	4.9	22.3	\$20,756
Holy Redeemer	53	●	7.7	37.5	\$39,610	154	●	4.3	18.5	\$23,580
Hosp of the Univ of PA	145	●	5.9	27.7	\$21,427	170	●	4.2	20.3	\$16,204
Jeanes	36	●	6.0	27.9	\$22,176	133	●	4.8	16.9	\$16,835
Lehigh Valley	152	○	6.0	27.1	\$10,382	278	●	4.2	10.7	\$8,482
Main Line/Bryn Mawr	38	●	6.7	34.5	\$22,127	109	●	4.4	10.1	\$15,284
Main Line/Lankenau	58	●	5.9	31.2	\$21,818	146	●	4.6	21.6	\$14,690
Main Line/Paoli	21	●	5.0	25.5	\$14,938	68	●	3.3	11.6	\$10,610
Medical College of PA	47	●	5.6	21.2	\$26,778	82	●	4.5	17.0	\$21,963
Mercy/Community	14	●	9.6	25.5	\$28,478	84	●	4.4	17.3	\$12,978
Mercy/Fitzgerald	75	●	5.7	28.9	\$19,592	183	●	3.8	23.2	\$13,989
Mercy/Philadelphia	63	●	6.7	37.9	\$20,516	135	●	4.0	22.1	\$12,473
Methodist Div/TJUH	91	●	7.5	22.1	\$23,094	81	●	4.6	20.2	\$13,795
Miners Memorial	18	●	9.8	29.7	\$14,884	39	●	4.6	2.7	\$7,475
Montgomery	43	●	6.7	31.0	\$15,455	135	●	4.5	17.3	\$10,620
Muhlenberg	38	●	7.7	14.3	\$10,428	95	●	4.9	18.2	\$8,486
Nazareth	64	●	7.4	24.2	\$12,042	144	●	5.0	14.9	\$8,053
North Penn	14	●	4.5	6.7	\$11,940	58	●	4.6	7.2	\$13,859
Palmerton	36	○	6.4	22.6	\$7,132	44	●	4.7	12.8	\$6,750
Phoenixville/Univ of PA	16	●	4.9	12.7	\$12,533	105	●	3.8	20.0	\$10,961

(Continued on next page)

- Mortality significantly greater than Expected.
- Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

KIDNEY FAILURE

**STOMACH/INTESTINAL
BLEEDING, complicated**

**Southeastern
Pennsylvania
Hospitals**

	KIDNEY FAILURE					STOMACH/INTESTINAL BLEEDING, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	64	⊙	6.4	11.3	\$15,555	103	⊙	4.8	14.7	\$10,812
Pottsville/Warne Clinic	32	⊙	6.7	29.1	\$9,048	62	⊙	5.6	9.1	\$8,257
Presbyterian/Univ of PA	100	⊙	5.1	38.2	\$19,914	115	⊙	3.5	13.3	\$12,708
Reading	67	⊙	7.3	22.7	\$10,366	320	⊙	5.4	9.9	\$6,417
Riddle Memorial	31	⊙	6.3	19.2	\$20,711	115	⊙	4.6	19.2	\$14,612
Roxborough Memorial	50	⊙	6.4	35.5	\$14,625	83	⊙	4.4	18.4	\$9,188
Sacred Heart/Allentown	48	⊙	7.4	30.4	\$11,387	114	⊙	5.2	15.2	\$8,119
Saint Agnes	44	⊙	8.4	33.6	\$17,186	58	⊙	5.3	15.7	\$11,054
Saint Joseph's/Phila	92	⊙	6.0	45.0	\$11,381	51	⊙	5.4	15.4	\$14,724
Saint Joseph/Reading	29	●	4.9	22.4	\$7,626	119	⊙	4.8	5.7	\$6,259
Saint Mary	50	⊙	4.8	24.5	\$13,882	183	⊙	4.4	16.5	\$13,303
St Luke's/Bethlehem	102	⊙	7.0	13.5	\$10,944	194	⊙	4.3	16.0	\$7,761
St Luke's/Quakertown	16	⊙	5.8	0.0	\$17,194	34	⊙	4.4	26.5	\$11,639
Temple East/Northeastern	61	⊙	7.9	24.9	\$16,448	80	⊙	4.7	25.9	\$10,704
Temple/Lower Bucks	47	⊙	6.3	7.9	\$19,147	120	⊙	4.4	16.5	\$13,447
Thomas Jefferson Univ	102	⊙	6.6	32.9	\$28,364	172	⊙	4.7	16.2	\$22,512
Warminster	25	⊙	7.5	37.1	\$24,429	43	⊙	4.6	22.1	\$16,581
Wills Eye	0					0				
Southeastern Pennsylvania	3,327		6.3	27.4	\$19,417	7,107		4.5	16.4	\$14,398
Statewide	7,890		6.4	26.4	\$15,000	18,704		4.5	16.5	\$10,590

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**STOMACH/INTESTINAL
COMPLICATIONS & DISORDERS**

**STOMACH/SMALL INTESTINAL
OPERATIONS, complicated**

**Southeastern
Pennsylvania
Hospitals**

	STOMACH/INTESTINAL COMPLICATIONS & DISORDERS					STOMACH/SMALL INTESTINAL OPERATIONS, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	116	⊙	4.8	26.5	\$20,716	36	⊙	10.6	18.8	\$76,152
Albert Einstein	128	⊙	4.7	19.9	\$17,111	27	⊙	10.6	34.1	\$70,983
Brandywine	22	⊙	3.8	28.4	\$11,195	7	⊙	11.7	19.1	\$66,871
Chester County	32	⊙	5.4	7.2	\$10,462	19	⊙	9.3	19.5	\$33,870
Chestnut Hill	35	⊙	4.2	23.1	\$14,295	8	⊙	11.0	14.0	\$88,012
Crozer-Chester	100	⊙	4.1	20.5	\$21,364	49	●	11.6	5.8	\$103,942
Delaware County Memorial	39	⊙	5.0	18.1	\$19,697	11	⊙	12.1	19.4	\$86,446
Doylestown	44	⊙	4.4	16.1	\$11,460	18	⊙	9.7	12.7	\$26,126
Easton	80	⊙	4.7	18.6	\$7,761	24	⊙	10.4	8.9	\$24,848
Elkins Park	27	⊙	4.8	18.4	\$16,319	1	Not Reported			
Fox Chase Cancer	21	⊙	4.5	25.8	\$12,499	39	⊙	9.6	2.7	\$41,112
Frankford	143	⊙	5.2	15.7	\$26,925	41	⊙	12.2	13.5	\$79,473
Gnaden Huetten Memorial	19	⊙	4.8	20.9	\$9,615	13	⊙	7.1	0.0	\$16,083
Good Samaritan Regional	51	⊙	5.5	12.8	\$6,595	6	⊙	10.4	20.8	\$17,164
Graduate	56	⊙	4.7	21.8	\$22,137	39	⊙	11.4	15.8	\$114,372
Grand View	31	⊙	4.8	13.1	\$12,243	16	⊙	14.1	22.1	\$44,968
Hahnemann University	78	⊙	5.4	24.2	\$23,960	34	⊙	12.1	12.9	\$85,604
Holy Redeemer	69	⊙	4.2	10.1	\$20,273	16	⊙	8.7	6.8	\$92,907
Hosp of the Univ of PA	197	⊙	5.6	22.4	\$18,464	124	⊙	11.1	17.6	\$87,560
Jeanes	76	⊙	6.0	17.6	\$16,847	18	⊙	8.5	22.3	\$56,314
Lehigh Valley	158	⊙	4.6	9.5	\$7,917	61	⊙	9.6	20.4	\$28,486
Main Line/Bryn Mawr	45	⊙	5.0	11.7	\$15,743	15	⊙	9.1	7.7	\$44,437
Main Line/Lankenau	62	⊙	4.6	17.6	\$15,008	27	⊙	13.8	31.9	\$78,318
Main Line/Paoli	37	⊙	4.6	36.7	\$13,430	10	⊙	6.8	20.8	\$25,515
Medical College of PA	41	⊙	4.5	34.0	\$24,277	15	⊙	18.2	8.1	\$112,674
Mercy/Community	32	⊙	4.4	20.7	\$13,594	6	⊙	7.5	20.4	\$53,469
Mercy/Fitzgerald	82	⊙	3.6	9.7	\$12,030	16	⊙	9.4	22.0	\$56,966
Mercy/Philadelphia	44	⊙	3.8	17.6	\$12,975	20	⊙	12.8	24.0	\$72,347
Methodist Div/TJUH	35	⊙	4.3	15.9	\$14,259	13	⊙	16.0	9.8	\$67,425
Miners Memorial	15	⊙	4.5	12.8	\$8,614	1	Not Reported			
Montgomery	44	⊙	5.1	10.8	\$10,873	21	⊙	11.0	18.2	\$43,031
Muhlenberg	38	⊙	4.8	18.5	\$9,154	17	⊙	13.6	13.3	\$36,479
Nazareth	75	⊙	5.5	22.0	\$8,853	18	⊙	14.6	7.0	\$23,359
North Penn	9	⊙	4.7	20.0	\$11,091	3	Not Reported			
Palmerton	15	⊙	5.3	13.4	\$6,348	4	Not Reported			
Phoenixville/Univ of PA	41	⊙	4.2	18.2	\$9,528	8	⊙	9.4	17.2	\$34,778

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**STOMACH/INTESTINAL
COMPLICATIONS & DISORDERS**

**STOMACH/SMALL INTESTINAL
OPERATIONS, complicated**

**Southeastern
Pennsylvania
Hospitals**

	STOMACH/INTESTINAL COMPLICATIONS & DISORDERS					STOMACH/SMALL INTESTINAL OPERATIONS, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	55	⊙	4.4	3.7	\$9,844	18	⊙	11.1	39.6	\$40,970
Pottsville/Warne Clinic	34	⊙	6.4	17.0	\$7,407	8	⊙	10.5	22.0	\$31,261
Presbyterian/Univ of PA	46	⊙	3.6	18.0	\$12,758	16	⊙	13.5	27.4	\$63,072
Reading	76	⊙	5.2	16.0	\$6,193	45	⊙	10.4	13.9	\$18,018
Riddle Memorial	45	⊙	5.0	16.4	\$14,738	20	⊙	12.7	19.4	\$64,362
Roxborough Memorial	18	⊙	3.6	44.9	\$7,046	2	Not Reported			
Sacred Heart/Allentown	29	⊙	4.6	8.3	\$6,993	18	⊙	9.8	22.1	\$26,115
Saint Agnes	22	⊙	4.9	14.9	\$8,485	2	Not Reported			
Saint Joseph's/Phila	25	⊙	4.1	17.5	\$12,032	9	●	14.6	17.0	\$48,115
Saint Joseph/Reading	33	⊙	4.6	20.2	\$5,352	16	⊙	13.0	9.7	\$24,777
Saint Mary	57	⊙	5.1	24.3	\$13,159	19	⊙	12.6	5.8	\$51,549
St Luke's/Bethlehem	115	⊙	4.8	20.9	\$7,997	37	⊙	12.4	29.2	\$31,213
St Luke's/Quakertown	10	⊙	3.5	0.0	\$14,195	6	⊙	6.4	20.3	\$31,743
Temple East/Northeastern	47	⊙	5.5	27.0	\$13,265	21	⊙	14.5	14.0	\$43,534
Temple/Lower Bucks	40	⊙	4.5	13.2	\$12,753	12	⊙	10.1	17.1	\$32,945
Thomas Jefferson Univ	161	⊙	5.4	21.2	\$23,747	67	⊙	12.0	18.9	\$78,283
Warminster	20	⊙	5.5	32.5	\$19,033	1	Not Reported			
Wills Eye	0					0				
Southeastern Pennsylvania	3,178		4.9	19.2	\$14,924	1,192		11.3	16.6	\$60,051
Statewide	7,156		4.8	19.3	\$11,458	3,325		10.5	17.4	\$44,245

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**MAJOR INTESTINAL
PROCEDURES, complicated**

**HIP OPERATIONS
except Replacement, complicated**

**Southeastern
Pennsylvania
Hospitals**

	MAJOR INTESTINAL PROCEDURES, complicated					HIP OPERATIONS except Replacement, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	238	⊙	9.3	18.8	\$58,315	180	⊙	5.3	10.4	\$33,798
Albert Einstein	120	⊙	11.2	27.7	\$58,931	91	⊙	5.9	15.2	\$32,982
Brandywine	52	⊙	12.0	12.0	\$50,874	40	⊙	5.6	19.5	\$23,977
Chester County	93	⊙	9.5	11.3	\$33,202	55	⊙	4.6	16.6	\$13,710
Chestnut Hill	83	⊙	9.3	13.9	\$43,202	100	⊙	5.5	13.2	\$26,648
Crozer-Chester	187	⊙	11.6	17.7	\$74,983	113	⊙	6.4	14.4	\$41,027
Delaware County Memorial	144	⊙	11.7	14.6	\$65,762	69	⊙	6.9	20.5	\$41,034
Doylestown	103	⊙	10.5	21.9	\$27,268	52	⊙	5.8	16.5	\$19,808
Easton	136	⊙	10.5	15.9	\$24,412	109	⊙	6.8	15.4	\$14,138
Elkins Park	41	⊙	11.7	22.4	\$52,558	20	⊙	6.0	5.9	\$26,429
Fox Chase Cancer	81	⊙	11.2	23.9	\$37,267	9	⊙	4.2	21.6	\$19,751
Frankford	193	⊙	9.7	11.5	\$61,974	127	⊙	6.3	10.8	\$41,365
Gnaden Huetten Memorial	34	⊙	11.1	6.4	\$21,011	21	●	7.2	5.4	\$11,833
Good Samaritan Regional	70	⊙	9.9	10.8	\$18,399	52	⊙	7.3	10.6	\$11,055
Graduate	72	⊙	10.7	17.7	\$87,286	19	⊙	6.8	16.3	\$48,756
Grand View	87	⊙	10.9	10.8	\$38,935	50	⊙	5.7	10.8	\$21,173
Hahnemann University	86	⊙	11.5	23.4	\$66,045	29	⊙	7.6	11.8	\$44,511
Holy Redeemer	129	⊙	10.9	17.8	\$69,334	81	⊙	5.9	8.9	\$37,803
Hosp of the Univ of PA	305	⊙	12.1	20.9	\$70,124	64	⊙	6.9	18.9	\$42,531
Jeanes	88	⊙	10.0	22.8	\$46,464	72	⊙	6.4	18.4	\$25,173
Lehigh Valley	284	⊙	10.4	13.5	\$26,248	163	⊙	5.9	9.8	\$14,894
Main Line/Bryn Mawr	93	⊙	9.4	15.0	\$37,350	58	⊙	4.9	10.5	\$22,163
Main Line/Lankenau	158	⊙	10.5	12.5	\$43,297	57	⊙	6.8	13.1	\$28,187
Main Line/Paoli	76	⊙	8.5	7.3	\$29,557	39	⊙	5.5	16.2	\$20,110
Medical College of PA	51	⊙	13.0	10.6	\$85,346	39	⊙	8.0	17.7	\$46,682
Mercy/Community	38	⊙	10.9	16.0	\$36,585	38	⊙	5.5	11.9	\$19,060
Mercy/Fitzgerald	130	⊙	10.5	21.2	\$42,461	74	⊙	5.7	18.5	\$23,620
Mercy/Philadelphia	44	⊙	12.6	21.4	\$53,092	24	⊙	7.4	20.6	\$37,148
Methodist Div/TJUH	57	⊙	10.5	16.8	\$43,475	35	⊙	10.6	21.0	\$40,523
Miners Memorial	20	●	11.7	0.0	\$32,598	18	⊙	7.0	5.5	\$15,810
Montgomery	62	⊙	8.8	11.1	\$29,980	58	⊙	7.5	15.7	\$22,170
Muhlenberg	69	⊙	10.1	13.6	\$21,575	50	⊙	6.1	16.6	\$13,346
Nazareth	69	⊙	11.0	11.7	\$22,759	93	⊙	5.4	12.3	\$10,970
North Penn	43	⊙	10.7	16.9	\$33,716	16	⊙	6.3	13.0	\$22,166
Palmerton	29	⊙	12.4	24.4	\$20,953	18	⊙	9.1	20.9	\$13,019
Phoenixville/Univ of PA	70	⊙	9.4	10.0	\$34,210	39	⊙	5.9	13.4	\$18,204

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

**MAJOR INTESTINAL
PROCEDURES, complicated**

**HIP OPERATIONS
except Replacement, complicated**

**Southeastern
Pennsylvania
Hospitals**

	MAJOR INTESTINAL PROCEDURES, complicated					HIP OPERATIONS except Replacement, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	137	⊙	10.0	3.8	\$27,918	82	⊙	5.9	22.6	\$17,958
Pottsville/Warne Clinic	74	⊙	12.6	18.1	\$23,708	27	⊙	8.0	9.3	\$14,252
Presbyterian/Univ of PA	81	⊙	13.3	18.6	\$73,821	21	⊙	8.0	11.9	\$30,974
Reading	266	⊙	11.4	14.0	\$17,985	178	⊙	6.1	11.2	\$9,658
Riddle Memorial	101	⊙	10.4	10.8	\$42,801	90	⊙	7.1	13.5	\$25,101
Roxborough Memorial	47	⊙	10.5	20.7	\$26,926	4	Not Reported			
Sacred Heart/Allentown	101	⊙	11.3	17.3	\$22,722	66	⊙	8.4	13.8	\$16,782
Saint Agnes	26	⊙	10.3	4.8	\$41,559	18	●	5.5	8.5	\$18,136
Saint Joseph's/Phila	19	⊙	15.3	12.8	\$57,170	5	⊙	11.1	20.4	\$29,466
Saint Joseph/Reading	83	⊙	11.8	10.2	\$23,141	50	⊙	6.2	12.5	\$12,050
Saint Mary	127	⊙	10.2	14.9	\$40,595	107	⊙	6.4	14.2	\$25,646
St Luke's/Bethlehem	238	⊙	10.9	19.1	\$24,924	102	⊙	7.8	12.8	\$16,908
St Luke's/Quakertown	35	⊙	8.4	20.9	\$40,595	23	⊙	5.8	0.0	\$20,607
Temple East/Northeastern	64	⊙	11.0	35.6	\$31,678	32	⊙	6.9	26.6	\$24,069
Temple/Lower Bucks	67	⊙	11.3	12.6	\$34,380	57	⊙	5.5	7.2	\$19,440
Thomas Jefferson Univ	347	⊙	10.6	19.8	\$64,487	67	⊙	7.6	10.5	\$47,293
Warminster	27	⊙	10.4	17.8	\$46,108	15	⊙	8.7	8.3	\$38,017
Wills Eye	0					1	Not Reported			
Southeastern Pennsylvania	5,805		10.7	16.9	\$44,933	3,278		6.4	13.4	\$25,113
Statewide	14,402		10.5	15.4	\$33,274	9,172		6.2	13.1	\$18,692

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

SEPTICEMIA

**POISONING & TOXIC EFFECTS
OF DRUGS, complicated**

**Southeastern
Pennsylvania
Hospitals**

	SEPTICEMIA					POISONING & TOXIC EFFECTS OF DRUGS, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Abington Memorial	270	⊙	6.9	16.9	\$33,652	74	⊙	2.0	10.7	\$11,402
Albert Einstein	156	●	7.8	26.3	\$30,285	133	⊙	2.4	10.8	\$13,740
Brandywine	33	⊙	6.5	16.1	\$13,403	19	⊙	1.9	11.3	\$9,348
Chester County	150	○	6.1	18.6	\$14,531	30	⊙	1.8	3.6	\$5,984
Chestnut Hill	107	⊙	6.2	18.0	\$21,209	15	⊙	2.9	6.4	\$12,186
Crozer-Chester	304	⊙	7.7	25.9	\$39,578	119	⊙	2.5	5.9	\$17,780
Delaware County Memorial	69	⊙	8.3	22.2	\$45,985	41	⊙	2.8	11.6	\$15,061
Doylestown	225	⊙	6.3	22.5	\$16,522	28	⊙	2.2	14.5	\$7,684
Easton	135	⊙	6.8	15.6	\$10,600	44	⊙	3.2	8.3	\$6,532
Elkins Park	19	⊙	6.6	31.2	\$20,000	14	⊙	2.3	6.2	\$9,601
Fox Chase Cancer	28	⊙	6.5	16.5	\$21,448	1	Not Reported			
Frankford	174	⊙	7.3	23.5	\$34,086	192	⊙	2.5	11.7	\$15,826
Gnaden Huetten Memorial	33	⊙	6.6	22.2	\$11,264	6	⊙	1.9	0.0	\$3,690
Good Samaritan Regional	102	⊙	8.6	18.3	\$9,308	8	⊙	2.5	14.0	\$3,907
Graduate	24	⊙	10.1	21.9	\$41,238	27	⊙	2.8	12.0	\$16,348
Grand View	74	⊙	6.2	21.9	\$16,149	18	⊙	2.0	0.0	\$7,595
Hahnemann University	74	⊙	7.9	28.4	\$35,670	53	⊙	3.1	21.4	\$15,660
Holy Redeemer	145	⊙	7.0	19.0	\$34,525	27	⊙	2.2	5.9	\$18,160
Hosp of the Univ of PA	114	●	7.4	27.7	\$28,969	99	⊙	2.2	19.8	\$12,042
Jeanes	194	⊙	7.7	22.6	\$22,778	49	⊙	2.5	16.2	\$9,339
Lehigh Valley	272	⊙	7.1	20.8	\$12,299	66	⊙	3.0	11.7	\$6,701
Main Line/Bryn Mawr	134	⊙	5.9	23.7	\$20,697	41	⊙	2.0	2.5	\$7,089
Main Line/Lankenau	79	⊙	7.1	13.9	\$23,041	39	⊙	2.7	7.4	\$9,877
Main Line/Paoli	118	⊙	5.4	21.1	\$16,875	24	⊙	2.1	11.9	\$9,139
Medical College of PA	43	⊙	8.9	20.5	\$36,172	39	⊙	1.9	17.0	\$12,983
Mercy/Community	79	⊙	7.2	25.0	\$20,675	25	⊙	3.1	16.2	\$11,200
Mercy/Fitzgerald	150	⊙	7.1	25.3	\$24,336	86	⊙	2.2	14.9	\$8,799
Mercy/Philadelphia	105	⊙	7.4	33.9	\$22,735	126	⊙	1.9	16.4	\$8,019
Methodist Div/TJUH	61	●	9.3	27.2	\$35,178	55	⊙	3.0	6.3	\$13,392
Miners Memorial	19	⊙	7.9	0.0	\$13,196	6	⊙	2.9	0.0	\$6,093
Montgomery	100	⊙	6.7	18.0	\$14,750	39	●	2.1	3.4	\$6,761
Muhlenberg	97	⊙	8.0	20.4	\$12,351	24	⊙	1.8	6.0	\$4,485
Nazareth	147	⊙	7.1	15.2	\$8,346	52	⊙	3.3	7.7	\$6,370
North Penn	53	⊙	5.5	13.5	\$16,114	30	⊙	1.7	4.2	\$7,716
Palmerton	76	○	8.5	24.8	\$10,675	16	⊙	2.4	8.2	\$4,994
Phoenixville/Univ of PA	50	⊙	5.7	22.3	\$12,945	24	⊙	1.5	14.2	\$7,378

(Continued on next page)

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

SEPTICEMIA

**POISONING & TOXIC EFFECTS
OF DRUGS, complicated**

**Southeastern
Pennsylvania
Hospitals**

	SEPTICEMIA					POISONING & TOXIC EFFECTS OF DRUGS, complicated				
	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge	Cases	Risk-Adj. Mortality	Risk-Adj. ALOS	Risk-Adjusted Readmission, %	Average Charge
Pottstown Memorial	87	⊙	7.1	23.2	\$16,023	67	⊙	2.0	6.2	\$6,589
Pottsville/Warne Clinic	71	⊙	7.8	12.9	\$9,054	17	⊙	2.9	0.0	\$5,054
Presbyterian/Univ of PA	46	⊙	7.3	29.8	\$25,576	70	⊙	1.7	12.2	\$10,318
Reading	353	⊙	7.6	13.4	\$9,249	60	⊙	2.9	8.2	\$5,762
Riddle Memorial	175	⊙	7.5	24.1	\$20,760	27	⊙	2.5	3.9	\$11,349
Roxborough Memorial	83	⊙	7.3	16.8	\$14,615	24	⊙	2.0	6.1	\$6,101
Sacred Heart/Allentown	76	⊙	9.0	21.8	\$12,509	23	⊙	2.9	17.2	\$5,766
Saint Agnes	38	⊙	6.6	22.3	\$14,026	27	⊙	3.0	10.2	\$7,498
Saint Joseph's/Phila	65	⊙	9.3	42.3	\$26,058	121	⊙	2.0	17.9	\$4,832
Saint Joseph/Reading	100	⊙	7.3	15.9	\$9,097	26	⊙	2.4	9.7	\$4,415
Saint Mary	170	⊙	6.2	27.9	\$16,030	34	⊙	2.6	6.4	\$9,734
St Luke's/Bethlehem	178	⊙	8.2	13.1	\$13,637	77	⊙	2.3	16.3	\$4,686
St Luke's/Quakertown	29	⊙	5.2	19.7	\$14,761	15	⊙	1.8	8.0	\$5,787
Temple East/Northeastern	97	●	6.8	26.3	\$13,880	112	⊙	2.4	13.5	\$6,220
Temple/Lower Bucks	93	⊙	6.8	10.6	\$18,445	58	⊙	2.8	6.1	\$9,539
Thomas Jefferson Univ	123	⊙	8.3	31.1	\$35,274	68	⊙	2.8	14.8	\$14,735
Warminster	30	⊙	8.1	18.7	\$27,311	32	⊙	1.7	7.3	\$11,797
Wills Eye	0					0				
Southeastern Pennsylvania	6,162		7.2	21.2	\$20,672	2,905		2.4	11.3	\$9,848
Statewide	16,218		7.0	20.3	\$15,026	5,335		2.4	10.0	\$7,975

- Mortality significantly greater than Expected.
- ⊙ Mortality not significantly different than Expected.
- Mortality significantly less than Expected.
- Not Reported Had fewer than five cases evaluated.

Risk-Adj.: The Risk-Adjusted Mortality, Readmissions and ALOS (Average Length of Stay) figures adjust for the degree of illness present when a patient is admitted to the hospital. See page 4.

Risk-Adj. ALOS: reflects the average number of days hospitalized.

Hospital Name Changes

Hospital of Fox Chase Cancer Center's name changed to Fox Chase Cancer Center in 1999.

Muhlenberg Hospital Center's current name is Lehigh Valley Hospital/Muhlenberg.

Suburban General Hospital/Norristown's current name is Mercy Suburban Hospital.

Thomas Jefferson University Hospital's current name is Thomas Jefferson University Hospitals, Inc.

Hospital Mergers

Delaware Valley Medical Center merged with Frankford Hospital in 1999.

Germantown Hospital & Community Health Services merged with Albert Einstein Medical Center in 1999 and discontinued inpatient acute care services.

St. Luke's Hospital/Allentown Campus merged with St. Luke's Hospital of Bethlehem, PA in 1999.

Methodist Hospital merged with Thomas Jefferson University Hospitals, Inc. in 1996 but still reports data separately.

Hospital Openings/Closings

City Avenue Hospital closed in 2000.

John F. Kennedy Memorial Hospital closed in 2000.

Temple East/Neumann Division is now a specialty hospital, discontinued inpatient acute care services as of 7/1/99.

Kensington Hospital is now a specialty hospital.

FOR MORE INFORMATION...

Please contact the Pennsylvania Health Care Cost Containment Council at:

225 Market Street, Suite 400

Harrisburg, PA 17101

Phone 717-232-6787

Fax 717-232-3821

WWW.PHC4.ORG

*Hospitals may have commented on this report.
Copies of their comments are available by request.*

Report Number: 2000-12/01-11SE